




Shenzhen Med-link Electronics Tech Co.,Ltd

📍 Add : Fl.4, Building A,Ying Tailong Ind Park,Dalang
South Road Longhua,Shenzhen,518109 China.
☎ TEL : +86-755-61120085 (CHINA)
✉ E-mail : sales@med-linket.com
🌐 www. med-linket. com

MED-EN201706



Speciality for getting and transferring signals



MED-LINKET

The Leading Manufacturer & Exporter of
Medical Cable Assemblies



About Med-linket

Shenzhen Med-link Medical Electronic Corporation is a national high-tech enterprise in China and leading manufacturer & supplier of medical sensors & cable assemblies such as SpO2 sensors, ECG, EKG & EEG cable with lead wires, finger oximeter, temperature probes, blood pressure cuff & tubes, blood pressure transducers & connecting cable, EEG and EMG electrodes, ESU pencil & grounding pad, medical connector, mold making, medical cable & power cord, clinical experiment services & pressure infusion bag etc.

Our products are widely used in monitors such as ECG, oximeter, electrocardiograph, holter, electroencephalograph, B-ultrasound & fetal monitoring etc. With wide product ranges, our products are perfectly compatible with most of import & domestic brands & models and we can provide OEM/ODM service to meet customers' special needs.

Our company has a well-educated and professional team which combines R&D, production & sales as one as we keep focus on talents bring in and training to meet even exceed clients' requirements. Our products are popular in CE, FDA, CFDA & TUV markets and our agents come from nearly 90 countries all over the world. Our products are non-toxic, durable, anti-interference & comfortable as they are based on latest international standards made.



Core Competence

R & D Strength: More than 50 R&D staff, 25 national patents, 7 software copyrights.

Technology : The fourth company makes breakthrough in SpO2 accuracy evaluation all over the world which developed technology of non-invasive SpO2 evaluation, we are the only enterprise that owns this technology in this field.

Products Certificates: Manufacturing license of medical class, CFDA, CE, FDA, JPAL & Canada Certificate

Quality Guaranty: Passed tests of EMC Electromagnetic compatibility, software reliability, resist compression limits, signals completeness, temperature resistance & plug etc.

Production Capacity: 7000 square meters plants, laboratory & mold making plant, 100K class clean room

Supply capacity: Short lead time, high production efficiency, fast supply speed, 150000 pcs/month, 500000 meters/month.



Manufacturing License of Medical Class II



ISO 13485:2003 TUV Certificate



ISO 13485:2003 Canada Certificate



FDA Certificate




Registration Certificate for SpO2 Sensor



Sales Distribution

OEM Vs. MED-LINKET



Export Vs. Domestic Market




TABLE OF
CONTENTS



The Leading Manufacturer & Exporter of Medical Cable Assemblies

SpO2 Sensor		
	Reusable SpO2 Sensor	1
	Disposable SpO2 Sensor	2
	SpO2 Sensor Extension Cable	3
Patient monitor ECG Cable and Lead Wires		
	One-Piece Series ECG Cable With Leads	4
	"One-LINE" Series ECG Lead Wires	5
	ECG Trunk Cable and Leads	6
	Disposable ECG Lead Wires	7
Electrocardiograph ECG Cable with Lead Wires		
	One-Piece Series EKG Cable With Leads	8
	EKG Multi-link Cable and Lead wires	9
	Electrodes	10
	Radiotransparent Leadwires (RTL)	11
	Holter Recorder ECG Patient Cable and Lead Wires	
		12
	Non-Invasive Blood Pressure(NIBP) Cuff & Tubes	
		13


	IBP Cable and Pressure Transducers	
		14
Medical Temperature Probes		
		15
	Instrument Connector and Socket	
		16
EEG/EMG Leadwires with Electrodes		
		17
	ESU pencil and Connecting Cable for electrosurgery	
		18
Grounding Pad		
		19
	Pressure Infusion Bag	
		20
Raw Medical Cable and Wires		
		21
Clinical evaluation for SpO2 Accuracy		
		22
	Customer Service Policies	
		23

Declaration

All registered trademark and brand style mentioned in this information is always belonging to original made possessor. We only cite for machine compatibility use, no any other purpose exist. This is only for reference use; please do not take it as working guidance. Otherwise, we will not be responsible for any possible cost.

This information has been carried out since 28th Jun,2017, we would not further of the patient issues Med-linket products might be involved with in the marketed areas, and are responsible for the relevant legal affairs.


© 2017 Shenzhen Med-link Electronics Tech Co.,Ltd.All rights are reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright holder. Printed in the Shenzhen P.R.C.



1

重复性脉搏血氧饱和度探头 Reusable SpO₂ Sensor





Connector type



Type Disignation

S□□□□□-□

L: long wire ,L=3.0m (Direct Connect)
S: short wire, (need extension cable)

Probe type: **B**: Adult finger clip
C: Pediatric finger clip
D: Adult silicone soft tip
P: Pediatric silicone SpO₂ sensor
E: Infant silicone soft tip
F: Neonate wrap sensor(undetachable)
G: Adult ear Clip sensor
I: Neonate wrap sensor(detachable)

Brand code: 0010/Nellcor, 0036/Datex

S: Indicated SpO₂ sensor

Sensor type

S0010A Series Adult finger clip SpO₂ sensor

Application: Adult>40kg

Application site: Index or other finger



B

S0022 Series Pediatric finger clip SpO₂ sensor

Application: Pediatric>10-40kg

Application site: Index or other finger



C

S0012A Series Adult silicone SpO₂ sensor

Application: Adult>40kg

Application site: Index or other finger



D

Pediatric (medium size) silicone SpO₂ sensor

Application: for patients finger thickness 7~12 mm



P

S0012A Series Infant silicone SpO₂ sensor

Application: Infant 4-15kg

Application site: Infant- great toe, thumb



E

S0011A Neonate silicone Wrap SpO₂ Sensor

Application: Neonate 1-4kg,

Pediatric 10-40kg; Infant 3-15kg

Application site: Adult, Pediatric-Index or other finger; Neonate-foot; Infant- great toe



F

Undetachable

S0011A Series Y type Multisite sensor

Application: Adult>40kg

Accessory: Neonate silicone Wrap



I

Detachable

S0011A Series Adult ear Clip SpO₂ Sensor



Application: Adult>40kg

Application site: ear

Warning: only use for pulse oximeter which has autoconditioning power function.





G

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
3F Medical (China)	IRIS 300/IRIS 400 Phoebe PMS8300/8310 PhoebeProPMS8300/8310PMS8110A			S0111B-L	Adult finger clip, 3M	/	C0
				S0111D-L	Adult silicone soft, 3M		D2
				S0111I-L	Neonate wrap sensor(detachable) 3M		D2
3F上海三埃弗 LANKE兰科 CSI(RADO), MAYTAG 美泰克 Shichuang 思创	LANKE:LK-8600A CSI: RADO 4200 MAYTAG :MTK-2000 Shichuang:Prophet21 (BCI tech)	543 		S0021B-L	Adult finger clip, 3M	/	C0
				S0021C-L	Pediatric finger clip, 3M		C0
				S0021D-L	Adult silicone soft, 3M		D2
				S0021E-L	Infant silicone, 3M		D2
				S0021G-L	Adult ear clip sensor, 3M		D2
				S0021I-L	Neonate wrap sensor(detachable), 3M		D2
GMI 杰纳瑞 (General Meditech, Inc)	G2A Vital Signs Monitor G3D, G3A, G3C Patient monitor G3D, G3F, G3G Patient monitor G3H Patient monitor *digital PD output directly DS.			S0108B-L	Adult finger clip Digital, 3M		C0
				S0108C-L	Pediatric finger clip Digital, 3M		C0
				S0108D-L	Adult silicone soft Digital, 3M		D2
				S0108E-L	Infant silicone Digital, 3M		D2
				S0108F-L	Neonate wrap(undetachable) Digital, 3M		D2
				S0108G-L	Adult ear clip sensor Digital, 3M		D2
				S0108I-L	Digital ,3M Neonate wrap sensor(detachable)		D2
GMI 杰纳瑞; Newtech 纽泰克	NT2A/NT2C			S0410B-L	Adult finger clip, 3M	/	C6
				S0410D-L	Adult silicone soft, 3M		C7
				S0410I-L	Neonate wrap sensor(detachable), 3M		C7
	NT3A, NT3B, NT3E, NT3F			S0409B-L	Adult finger clip, 3M	/	D8
				S0409D-L	Adult silicone soft, 3M		D0
				S0409I-L	Neonate wrap sensor(detachable), 3M,		D0
	NT3A, NT3B, NT3E, NT3F, NT3B 60(Digital Tech)			S0402B-L	Adult finger clip, 3M	/	C0
				S0402D-L	Adult silicone soft, 3M		D0
				S0402I-L	Neonate wrap sensor(detachable), 3M		D0
Anke (China) 安科	ASC-553			S0007B-L	Adult finger clip, 3M	/	C0
				S0007D-L	Adult silicone soft, 3M		D2
				S0007I-L	Neonate wrap sensor(detachable),3M		D2
	ASC-553 (*Oximax tech)			S0003B-L	Adult finger clip, 3M	/	C0
				S0003D-L	Adult silicone soft, 3M		D2
				S0003I-L	Neonate wrap sensor(detachable),3M		D2
	ASC-553A			S0145B-L	Adult finger clip, 3M	/	D0
				S0145D-L	Adult silicone soft, 3M		E5
				S0145I-L	Neonate wrap sensor(detachable),3M		E5
	ASC-553A	041 		S0064B-L	Adult finger clip, 3M	/	C0
				S0064C-L	Pediatric finger clip, 3M		C0
				S0064D-L	Adult silicone soft, 3M		D2
				S0064E-L	Infant silicone, 3M		D2
				S0064F-L	Neonate wrap(undetachable), 3M		D2
				S0064G-L	Adult ear clip sensor, 3M		D2
				S0064I-L	Neonate wrap sensor(detachable),3M		D2


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Artema/S&W 丹麦阿提玛	S&W Artema Patient monitor Diascope, 8000, Athena (*Non-Oximax) Compatible Original SL033057+DS100A		SL033057 + DS100A	S0023B-L	Adult finger clip, 3M	/	D0
				S0023C-L	Pediatric finger clip, 3M		E5
				S0023D-L	Adult silicone soft, 3M		E5
				S0023E-L	Infant silicone, 3M		E5
				S0023F-L	Neonate wrap(undetachable), 3M		E5
				S0023G-L	Adult ear clip sensor, 3M		E0
				S0023I-L	Neonate wrap sensor(detachable),3M		E0
			DS100A	S0010B-S	Adult finger clip, 1M	Need S0023OX-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
Artema/S&W 丹麦阿提玛	S&W Athena and Diascope, 8000			S0156B-L	Adult finger clip, 3M	/	D0
				S0156C-L	Pediatric finger clip, 3M		E5
				S0156D-L	Adult silicone soft, 3M		E5
				S0156E-L	Infant silicone, 3M		E5
				S0156F-L	Neonate wrap(undetachable), 3M		E5
				S0156G-L	Adult ear clip sensor, 3M		E0
				S0156I-L	Neonate wrap sensor(detachable),3M		E5
			DS100A	S0010B-S	Adult finger clip, 1M	Need S0156NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
Baxter/Simed (巴克斯特)	ASAT, S-50/100/100a		SL033057 + DS100A	S0023B-L	Adult finger clip, 3M	/	D0
				S0023D-L	Adult silicone soft, 3M		E5
				S0023I-L	Neonate wrap sensor(detachable),3M		E5
	Monarch/Explorer (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0026OX-L	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	Baxter:ASAT SiMED:S-50 SiMED:S-100 SiMED:S-100e			S0120B-L	Adult finger clip, 3M		C0
				S0120C-L	Pediatric finger clip, 3M		C0
				S0120D-L	Adult silicone soft, 3M		D2
				S0120E-L	Infant silicone, 3M		D2
				S0120F-L	Neonate wrap(undetachable), 3M		D2
				S0120G-L	Adult ear clip sensor, 3M		D2
				S0120I-L	Neonate wrap sensor(detachable),3M		D2
BCI	3300, 3301, 3302, 3303, 3304, 3401 (*BCI)		3044	S0076B-S	Adult finger clip, 1M	Need S0076BC-L	C2
			3178	S0076C-S	Pediatric finger clip, 1M		C4
			3044	S0076D-S	Adult silicone soft, 1M		C4
				S0076P-S	Pediatric silicone, 1M		C4
			3178	S0076E-S	Infant silicone, 1M		C4
				S0076F-S	Neonate wrap, 1M(undetachable)		C4
				S0076G-S	Adult ear clip sensor, 1M		C4
				S0076I-S	Neonate wrap sensor(detachable),1M		C4
	BCI(Biochem International): 3401, 3304, 3303, 3302, 3301, 3300; Spacelabs Burdick: PRO2; Dräger: Dräger Oxipac 2000		3044	S0076B-L	Adult finger clip, 3M		C0
			3178	S0076C-L	Pediatric finger clip, 3M		C0
			3044	S0076D-L	Adult silicone soft, 3M		D2
				S0076P-L	Pediatric silicone, 3M		D2
				S0076F-L	Neonate wrap(undetachable), 3M		D2
				S0076I-L	wrap Neonate sensor, 3M		D2


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
BCI	3300, 3301 6100, 9100 Advisor, Autocorr, MiniToor, Mini Torr plus (BCI*)		The same as above	The same as S0076 series	The same as S0076 series	Need S0111BC-L 	C4
				S0111B-L	Adult finger clip, 3M	/ 	C0
				S0111D-L	Adult silicone soft, 3M		D2
				S0111E-L	Infant silicone, 3M		D2
				S0111F-L	Neonate wrap(undetachable), 3M		D2
				S0111G-L	Adult ear clip sensor, 3M		D2
				S0111I-L	Neonate wrap sensor(detachable),3M		D2
Biosys	BPM200 BPM700 Guardian		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
				D-YS	Neonate wrap sensor(detachable),1M		C4
	BPM300	061/534 		S0065B-L	Adult finger clip, 3M	/ 	C0
				S0065D-L	Adult silicone soft, 3M		C3
				S0065C-L	Pediatric finger clip, 3M		C0
				S0065P-L	Adult silicone soft, 3M		D2
				S0065E-L	Infant silicone, 3M		D2
				S0065G-L	Adult ear clip sensor, 3M		D2
				S0065I-L	Neonate wrap sensor(detachable),3M		D2
	BM3		DS100A	S0010B-S	Adult finger clip, 1M	Need S0084BC-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
				D-YS	Neonate wrap sensor(detachable),1M		C4
		481/482 		S0084B-L	Adult finger clip, 3M	/ 	C0
				S0084D-L	Adult silicone soft, 3M		D2
				S0084E-L	Infant silicone, 3M		D2
				S0084F-L	Neonate wrap(undetachable), 3M		D2
				S0084G-L	Adult ear clip sensor, 3M		D2
				S0084I-L	Neonate wrap sensor(detachable),3M		D2
	BM3/BM5(New)			S0121B-L	Adult finger clip, 3M	/ 	C0
				S0121C-L	Pediatric finger clip, 3M		C0
				S0121D-L	Adult silicone soft, 3M		D2
				S0121E-L	Infant silicone, 3M		D2
				S0121F-L	Neonate wrap(undetachable), 3M		D2
				S0121G-L	Adult ear clip sensor, 3M		D2
				S0121I-L	Neonate wrap sensor(detachable),3M		D2
Biolight (China) 宝莱特	M69, M66 (Old model)			S0101B-L	Adult finger clip, 3M	/ 	D0
				S0101C-L	Pediatric finger clip, 3M		D0
				S0101D-L	Adult silicone soft, 3M		E5
				S0101E-L	Infant silicone, 3M		E5
				S0101F-L	Neonate wrap(undetachable), 3M		E5
				S0101G-L	Adult ear clip sensor, 3M		E5
				S0101I-L	Neonate wrap sensor(detachable),3M		E5
	M6, M12, M69 (New model)	074/467 		S0029B-L	Adult finger clip, 3M	/ 	C0
				S0029D-L	Adult silicone soft, 3M		D2
				S0029E-L	Infant silicone, 3M		D2
				S0029F-L	Neonate wrap(undetachable), 3M		D2
				S0029I-L	Neonate wrap sensor(detachable),3M		C3

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Biolight (China) 宝莱特	(*Oximax)			S0422B-L	Adult finger clip, 3M	/	C0
				S0422D-L	Adult silicone soft, 3M		D2
				S0422I-L	Neonate wrap sensor(detachable),3M		D2
Biolight (China) 宝莱特	M700 (*Digital Tech)			S0404B-S	Adult finger clip, 1M	/	C8
				S0404D-S	Adult silicone soft, 1M		C0
				S0404I-S	Neonate wrap sensor(detachable),1M		C0
	M8000, M9000, M8000A, M9000A, BTD-352A, new M69 (*Digital Tech)			S0160B-S	Adult finger clip, 1M	Need  S0155DO-L 	C8
				S0160D-S	Adult silicone soft, 1M		C0
				S0160I-S	Neonate wrap sensor(detachable),1M		C0
				S0155B-L	Adult finger clip, 3M	/	C0
				S0155D-L	Adult silicone soft, 3M		D2
				S0155I-L	Neonate wrap sensor(detachable),3M		D2
	A6 (*Digital Tech)			S0165B-S	Adult finger clip, 1M	Need 	C8
				S0165D-S	Adult silicone soft, 1M		C0
				S0165I-S	Neonate wrap sensor(detachable),1M		C0
				S0165B-L	Adult finger clip, 3M	/	C0
				S0165D-L	Adult silicone soft, 3M		D2
				S0165I-L	Neonate wrap sensor(detachable),3M		D2
	Biolight (Oxi Tech)			S0415B-L	Adult finger clip, 3M	/	C0
				S0415D-L	Adult silicone soft, 3M		D2
				S0415I-L	Neonate wrap sensor(detachable),3M		D2
	M900, M7000, M9500 A8 Modular (*Digital Tech)			S0419B-L	Adult finger clip, 3M	/	C0
				S0419D-L	Adult silicone soft, 3M		D2
				S0419I-L	Neonate wrap sensor(detachable),3M		D2
BRAINER (China) 金脑人	2000A/B/C/E (BCI tech)			S0058B-L	Adult finger clip, 3M	/	C0
				S0058C-L	Pediatric finger clip, 3M		C0
				S0058D-L	Adult silicone soft, 3M		D2
				S0058E-L	Infant silicone, 3M		D2
				S0058F-L	Neonate wrap(und detachable), 3M		D2
				S0058G-L	Adult ear clip sensor, 3M		D2
				S0058I-L	Neonate wrap sensor(detachable),3M		D2
Biocare (China) 邦健	BP-12B, BP-12C (Digical tech)			S0160B-L	Adult finger clip, 3M	/	C0
				S0160D-L	Adult silicone soft, 3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
	BM-9000, BM-9000S, FM-801, FM-801V (*Digital Tech)			S0425B-L	Adult finger clip, 3M	/	C0
				S0425D-L	Adult silicone soft, 3M		D2
				S0425I-L	Neonate wrap sensor(detachable),3M		D2
	BM-9000			S0063B-L	Adult finger clip, 3M	/	C0
				S0063D-L	Adult silicone soft, 3M		D2
				S0063I-L	Neonate wrap sensor(detachable),3M		D2
Bruker (Odam) 布鲁克	Bruker (Odam) all, as DC-3002, IH, M3,			S0076B-S	Adult finger clip, 1M	Need  S0071BC-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
				S0076I-S	Neonate wrap sensor(detachable),1M		C4

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Bruker (Odam) 布鲁克	Bruker (Odam) all, as DC-3002, IH, M3,	668/062 		S0071B-L	Adult finger clip, 3M	/	C0
				S0071C-L	Pediatric finger clip, 3M		C0
				S0071D-L	Adult silicone soft, 3M		D2
				S0071E-L	Infant silicone, 3M		D2
				S0071F-L	Neonate wrap(undetachable), 3M		D2
				S0071G-L	Adult ear clip sensor, 3M		D2
				S0071I-L	Neonate wrap sensor(detachable),3M		D2
※NELLCOR (OXI TECH)	All Nellcor & Nellcor equipped OEM monitors	111/049 	DEC8+ DS100A	S0026B-L	Adult finger clip, 3M		D5
				S0026C-L	Pediatric finger clip, 3M		D0
				S0026D-L	Adult silicone soft, 3M		D0
				S0026E-L	Infant silicone, 3M		D0
				S0026F-L	Neonate wrap(undetachable), 3M		D0
				S0026G-L	Adult ear clip sensor, 3M		D0
				S0026I-L	Neonate wrap sensor(detachable), 3M		D0
				S0026P-L	Pediatric silicone, 3M		D0
	*OXI TECH N550, N595, N560	393/501 	DOC10 +DS100A	S0117B-L	 Adult finger clip, 3M		E5
				S0117C-L	 Pediatric finger clip, 3M		E6
				S0117D-L	 Adult silicone soft, 3M		E0
				S0117P-L	 Pediatric silicone, 3M		E0
				S0117E-L	 Infant silicone, 3M		E0
				S0117F-L	 Neonate wrap (undetachable), 3M		E0
				S0117G-L	 Adult ear clip sensor, 3M		F5
				S0117I-L	 Neonate wrap sensor, 3M		F5
				S0443B-L	 Adult finger clip, 3M		D0
CAS Medical	Oscillomate 9002, 9303, 9302S (Nonin)		8000AA	S0080B-S	Adult finger clip, 1M	Need S0010NE-L 	C6
				S0080D-S	Adult silicone soft, 1M		D2
				S0080I-S	Neonate wrap sensor(detachable),1M		D2
	740-750(M) (M Tech)		1863/ LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/ LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Charmcare (Korea)	CX100 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
ChoiceMED (China) 超思	MMED3001		DS100A	S0010B-S	Adult finger clip, 1M	/	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	MMED6000DPM/M10, KD580(BCI tech)			S0076B-S	Adult finger clip, 1M	Need S0169NE-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
				S0076I-S	Neonate wrap sensor(detachable),1M		C4









Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
ChoiceMED (China) 超思	MMED6000DPM/M10, KD580(BCI tech)			S0169B-L	Adult finger clip, 3M	/	C2
				S0169D-L	Adult silicone soft, 3M		C3
				S0169I-L	Neonate wrap sensor(detachable),3M		C3
	MMED100H, MMED300A, MMED6000DP, (Digital tech)			S0403B-L	Adult finger clip, 3M	/	C0
				S0403D-L	Adult silicone soft, 3M		D2
				S0403I-L	Neonate wrap sensor(detachable),3M		D2
ChoiceMED (China) 超思	Oximax module		DS100A	S0026B-S	Adult finger clip, 1M	Need S0112OX-L 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
				S0112B-L	Adult finger clip, 3M		D0
				S0112C-L	Pediatric finger clip, 3M	/	D0
				S0112D-L	Adult silicone soft, 3M		E5
				S0112E-L	Infant silicone, 3M		F5
				S0112F-L	Neonate wrap(und detachable), 3M		F5
				S0112G-L	Adult ear clip sensor, 3M		F5
				S0112I-L	Neonate wrap sensor(detachable),3M		E5
				S0402B-L	Adult finger clip, 3M	/	C0
				S0402D-L	Adult silicone soft, 3M		D0
				S0402I-L	Neonate wrap sensor(detachable),3M		D0
				S0417B-L	Adult finger clip, 3M	/	C0
	Mmed 100H, Mmed 300A, Mmed 6000DP(Digital Tech)			S0417D-L	Adult silicone soft, 3M		D2
				S0417I-L	Neonate wrap sensor(detachable),3M		D2
	MMED6000DP(BCI TECH)			S0417B-L	Adult finger clip, 3M	/	C0
				S0417D-L	Adult silicone soft, 3M		D2
				S0417I-L	Neonate wrap sensor(detachable),3M		D2
Choice 超思	Choice: MMED6000D/D;AnKe:553; Cheersails:CSM-2000;Goldway:UT4000A, UT4000C 4000B; WanDong;Jumbor:JB9101/9 105/9107; TianRong; BaoZhong;HongRunDa:EM-6;BIOCARE: BM9000			S0007B-L	Adult finger clip, 3M		C0
				S0007C-L	Pediatric finger clip, 3M		C0
				S0007D-L	Adult silicone soft, 3M		D2
				S0007F-L	Neonate wrap(und detachable), 3M		D2
				S0007G-L	Adult ear clip sensor, 3M		D2
				S0007I-L	Neonate wrap sensor(detachable),3M		D2
Colin (Omron) 科林	BP306, BP88, BP508 M570 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M	Need S0008CO-L (SCP-10) 	C4
			DS100A	S0010B-S	Adult finger clip, 1M		B5
	BP88S (OxiSmart) (Non-oximax)			S0010D-S	Adult silicone soft, 1M	/	C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0001B-L	Adult finger clip, 3M		D0
				S0001D-L	Adult silicone soft, 3M		E5
Contec (China) 康泰	CMS-7000			S0076B-S	Adult finger clip, 1M	Need S0155NE-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
				S0076I-S	Neonate wrap sensor(detachable),1M		C4
	CreativePC9000, UP6000 ;TOB-MED: TOM MS-6-P ;EDAN:M9, M99A, M8, M8A, M8B, M3, M3B; BIOCARE: BM9000 Goldway; CONTEC; DHR960;			S0063B-L	Adult finger clip, 3M	/	C0
				S0063C-L	Pediatric finger clip, 3M		C0
				S0063D-L	Adult silicone soft, 3M		D2
				S0063F-L	Neonate wrap(und detachable), 3M		D2
				S0063I-L	Neonate wrap sensor(detachable),3M		D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Contec (China) 康泰	Contec: CMS8000, CMS 60C *digital PD output directly DS. Biolight: M6, M69			S0155B-L	Adult finger clip Digital, 3M		C0
				S0155C-L	Pediatric finger clip Digital, 3M		C0
				S0155C-M	Pediatric finger clip Digital, 3M		D2
				S0155D-L	Adult silicone soft Digital, 3M		D2
				S0155E-L	Infant silicone, Digital, 3M		D2
				S0155F-L	Neonate wrap(undetachable) Digital, 3M		D2
				S0155G-L	Adult ear clip sensor Digital, 3M		D2
				S0155I-L	Digital Neonate wrap sensor(detachable), 3M		D2
Contec (China) 康泰	CMS60C/CW/D/DW, CMS60, PM50, PM60D, CSM5000, CMS5000C, CMS5100, CMS6000, CMS7000/8000/9000(*Digital Tech)			S0160B-S	Adult finger clip, 1M	Need S0155DO-L 	C8
				S0160D-S	Adult silicone soft, 1M		C0
				S0160I-S	Neonate wrap sensor(detachable),1M		C0
				S0424B-L	Adult finger clip, 3M	/ 	C2
				S0424D-L	Adult silicone soft, 3M		C3
				S0424I-L	Neonate wrap sensor(detachable),3M		C3
Colin (Omron) 科林	BX 10NE (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0117OX-L 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	BX 10MA (M Tech)		1863/LNC S DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNC S YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP/DC-12	S0204B-L	Adult finger clip, 3M	/ 	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Corpuls	08 / 16 (BCI Moudule)		3044	S0076B-S	Adult finger clip, 1M	NA	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
	08 / 16(M) (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0138CO-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	08 / 16(M) (M Tech)		1863/LNC S DCI	S0204B-S	Adult finger clip, 1M	Need S0138CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
Comen (China) 科曼	STAR-1000			S0066B-L	Adult finger clip, 3M		C0
				S0066C-L	Pediatric finger clip, 3M		C0
				S0066P-L	Pediatric silicone, 3M		D2
				S0066E-L	Infant silicone, 3M		D2
				S0066F-L	Neonate wrap(undetachable), 3M		D2
				S0066G-L	Adult ear clip sensor, 3M		D2
				S0066I-L	Neonate wrap sensor(detachable),3M		D2
				S0400B-L	Adult finger clip, 3M	/ 	C0
	Star-8000A/8000B/ Star-8000C/8000D, Star-8000H Star-5000B/5000C,C50 (*Digital Tech)			S0400D-L	Adult silicone soft, 3M		D2
				S0400I-L	Neonate wrap sensor(detachable),3M		D2
				S0405B-L	Adult finger clip, 3M	/ 	C2
				S0405D-L	Adult silicone soft, 3M		C3
				S0405I-L	Neonate wrap sensor(detachable),3M		C3

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Comen (China) 科曼	C60, C80 (Oxi Tech) NC Series			S0411B-L	Adult finger clip, 3M	/	C0
				S0411D-L	Adult silicone soft, 3M		D2
				S0411I-L	Neonate wrap sensor(detachable),3M		D2
	C60 Neonatal Dedicated Monitor (M Tech)		2258/ LNCS Y1	S0204I-S	Neonate wrap sensor(detachable),1M	Need S0204CS-L 	C0
				S0204I-L	Neonate wrap sensor(detachable),3M	/	D0
Creative (China) 科瑞康	UP-6000, PC-9000 (Non-Oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0063BC-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Creative: PC9000, UP6000 TOB-MED: TOM MS-6-P EDAN:M9, M99A, M8, M8A, M8B, M3, M3B Goldway, CONTEC, DHR960			S0063B-L	Adult silicone soft, 3M	/	C0
				S0063C-L	Pediatric finger clip, 3M		C0
				S0063D-L	Adult silicone soft, 3M		D2
				S0063F-L	Neonate wrap(undetachable), 3M		D2
				S0063I-L	Neonate wrap sensor(detachable),3M		D2
				S0063I-L	Neonate wrap sensor(detachable),3M		D2
	UP-7000, UP-9000, PC-900, PC-900A, PC-900S PC-900SNPC-3000, PC-5000A/B, PC-9000B, PC-66A, PC-66B, PC-66V(Digital tech)			S0010B-S	Adult finger clip, 1M	Need S0160NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
				S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0160B-L	Adult finger clip, 3M	/	C0
				S0160C-L	Pediatric finger clip Digital, 3M		C0
				S0160D-L	Adult silicone soft, 3M		D2
				S0160E-L	Infant silicone Digital, 3M		D2
				S0160F-L	Neonate wrap(undetachable) Digital, 3M		D2
				S0160G-L	Adult ear clip sensor Digital, 3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
Criticare (CSI)	510, 503, 504, 507, 507SD, 508, 581, 1100, 8100, Poet(602-3A), Scholar (CSI Tech) Mindray/:500A, 508, 509,		511-10L 934-10LN	S0100B-L	Adult finger clip, 3M	/	D0
				S0100C-L	Pediatric finger clip, 3M		D0
			975AD-10	S0100D-L	Adult silicone soft, 3M		E5
				S0100F-L	Neonate wrap(undetachable), 3M		E5
				S0100G-L	Adult ear clip sensor, 3M		E5
				S0100I-L	Neonate wrap sensor(detachable),3M		E5
				S0044B-S	Adult finger clip, 1M	Need S0100BC-L 	C0
				S0044C-S	Pediatric finger clip, 1M		D2
				S0044D-S	Adult silicone soft, 1M		D2
				S0044P-S	Pediatric silicone, 1M		D2
	503SPOT, 504Plus, 504DX, 506DX (CSI Tech)			S0044E-S	Infant silicone, 1M	/	D2
				S0044F-S	Neonate wrap(undetachable), 1M		D2
				S0044G-S	Adult ear clip sensor, 1M		D2
				S0044I-S	Neonate wrap sensor(detachable),1M		D2
			511SD 934-10DN	S0044B-L	Adult finger clip, 3M		C0
				S0044C-L	Pediatric finger clip, 3M		C0
				S0044D-L	Adult silicone soft, 3M		D2
				S0044P-L	Pediatric silicone, 3M		D2
				S0044E-L	Infant silicone, 3M		D2
				S0044F-L	Neonate wrap, 3M (undetachable)		D2
				S0044G-L	Adult ear clip sensor, 3M		D2
				S0044I-L	Neonate wrap sensor(detachable),3M		D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Digicare	Digimax5500 (BCI tech)		3044	S0076B-S	Adult finger clip, 1M	Need S0111BC-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
				S0111B-L	Adult finger clip, 3M	/	C0
				S0111D-L	Adult silicone soft, 3M		D2
				S0111I-L	Neonate wrap sensor(detachable),3M		D2
				S0408B-L	Adult finger clip, 3M	/	D8
				S0408D-L	Adult silicone soft, 3M		D0
				S0408I-L	Neonate wrap sensor(detachable),3M		D0
Datascope	Accutor-Trio (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Trio Nouvelle Generation (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0117OX-L 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
Datascope	Accusat, Accutor 3/4 sat Passport, Accutor plus (Datascope) Compatible for 0020-00-071-01		0600-00-0026-01	S0052B-S	Adult finger clip, 1M	Need S0052BC-L 	C0
				S0052C-S	Pediatric finger clip, 1M		C0
				S0052D-S	Adult silicone soft, 1M		D2
				S0052P-S	Pediatric silicone, 1M		D2
				S0052E-S	Infant silicone, 1M		D2
				S0052F-S	Neonate wrap, 1M(undetachable)		D2
				S0052G-S	Adult ear clip sensor, 1M	/	D2
				S0052I-S	Neonate wrap sensor(detachable),1M		D2
				S0052B-L	Adult finger clip, 3M		C0
				S0052D-L	Adult silicone soft, 3M		D2
				S0052E-L	Infant silicone, 3M		D2
				S0052F-L	Neonate wrap(undetachable), 3M		D2
	Accutor plus (M Tech)		1863/ LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		D0
			2258/ LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		D0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Dolphin 海豚	Dolphin ONE Oximeters 2150, 2100 compatible for :2G00751. original factory code : 201 original factory code : 360 *digital PD output directly DS.		210	S0099B-S	Adult finger clip, 1M	Need S0099BC-L 	C0
				S0099D-S	Adult silicone soft, 1M		D2
				S0099I-S	Neonate wrap sensor(detachable),1M		D2
				S0099B-L	Adult finger clip, 3M	/	D8
				S0099D-L	Adult silicone soft, 3M		D0
				S0099E-L	Infant silicone, 3M		D0
				S0099F-L	Neonate wrap(undetachable), 3M		D0
				S0099I-L	Neonate wrap sensor(detachable),3M		D0

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Drager / 德尔格 Siemens 西门子	Oxipac 2000 (BCI tech module)		3044	S0076B-S	Adult finger clip, 1M	/	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
	Vitalert 1000, Cicero (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0119NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Narkomed-Oxysat 2 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	/	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
SIEMENS, Drager 西门子, 德尔格	Sirecust 700 Sirecust 630 Sirem SpO2 Module (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0078NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
		063/475 		S0078B-L	Adult finger clip, 3M	/	C0
				S0078C-L	Pediatric finger clip, 3M		C0
				S0078D-L	Adult silicone soft, 3M		D2
				S0078E-L	Infant silicone, 3M		D2
				S0078F-L	Neonate wrap(und detachable), 3M		D2
				S0078G-L	Ear clip SpO2 sensor, 3M		D2
				S0078I-L	Neonate wrap sensor(detachable),3M		D2
	SC6000, 7000, 9000 SC6002XL, SC8000, SC9000XL (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0072BC-L or S0072BC-S 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
		390/437 		S0072B-L	Adult finger clip, 3M	/	D0
				S0072D-L	Adult silicone soft, 3M		E5
				S0072P-L	Pediatric silicone, 3M		E7
				S0072E-L	Infant silicone, 3M		E5
				S0072F-L	Neonate wrap(und detachable), 3M		E5
				S0072G-L	Adult ear clip sensor, 3M		E5
				S0072I-L	Neonate wrap sensor(detachable),3M		E5
	Drager medical: Vitalert 1000, Cicero	613/684 		S0119B-L	Adult finger clip, 3M		G0
				S0119C-L	Pediatric finger clip, 3M		G0
				S0119D-L	Adult silicone soft, 3M		G0
				S0119E-L	Infant silicone, 3M		G0
				S0119F-L	Neonate wrap(und detachable), 3M		G0
				S0119G-L	Adult ear clip sensor, 3M		H0
				S0119I-L	Neonate wrap sensor(detachable), 3M		H0
Drager / Siemens 西门子	Oxytrend (M Tech)		1863/ LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/ LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
				S0145B-L	Adult finger clip, 3M	/	D0
				S0145C-L	Pediatric finger clip, 3M		D0
				S0145D-L	Adult silicone soft, 3M		E5
				S0145E-L	Infant silicone, 3M		E5
				S0145F-L	Neonate wrap(und detachable), 3M		E5
				S0145G-L	Adult ear clip sensor, 3M		E5
				S0145I-L	Neonate wrap sensor(detachable),3M		E5


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Dima (Italia)	OxiSmart (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
Edan (China) 理邦	M9, M99A, M8, M8A, M8B, M3, M3B (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0432OX-L	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
Edan (China) 理邦	EDAN Oximetry M3, M3A, M3B, M8, M8A, M8B M9, M9A, M50, M80 iM8, iM8A, iM8B iM9, iM9A, iM50, iM80 (Oxismart) (Non-Oximax)		MS-109079	S0010B-S	Adult finger clip, 1M	Need S0040BC-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
			MS3-109069	S0040B-L	Adult finger clip, 3M	/	C0
				S0040D-L	Adult silicone soft, 3M		D2
				S0040I-L	Neonate wrap sensor(detachable),3M		D2
	M3, M3B, M8, M8A, M8B M9, M9A, M50, M80 iM9, iM9A, iM50, iM80 (Oxi-tech)			S0416B-L	Adult finger clip, 3M	/	C0
				S0416D-L	Adult silicone soft, 3M		D2
				S0416I-L	Neonate wrap sensor(detachable),3M		D2
	(Digital Tech)			S0424B-L	Adult finger clip, 3M	/	C0
				S0424D-L	Adult silicone soft, 3M		D2
				S0424I-L	3M Neonate wrap sensor(detachable)		D2
	H100B (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	/	B5
				S0010D-S	Adult silicone soft, 1M		C4
	H100N (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	/	C2
				S0026D-S	Adult silicone soft, 1M		D5
GE Corometrics 通用医疗	188, 129, 129F, 128, 128F (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	120, 510, 511, 118, 556 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0431NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	128, 129 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0002NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0002B-L	Adult finger clip, 3M	/	C0
				S0002D-L	Adult silicone soft, 3M		D2
	SERIE 250 (OXI-tech)			S0002I-L	Neonate wrap sensor(detachable),3M	/	D2
			DS100A	S0026B-S	Adult silicone soft, 1M		C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
				S0122B-L	Adult finger clip, 3M		E0
				S0122D-L	Adult silicone soft, 3M		F5
GE 通用医疗	OXIMAX Module: GE B650 or B850			S0205D-L	Adult silicone soft, 3M	/	E0
	GE-Dash 2500 (Oxi-tech)			S0444B-L	Adult finger clip, 3M		D0


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
GE Critikon	Dinamap 8700, 8710, 8720 Plus Critikon Dinamap Oxytrak			S0142B-S	Adult finger clip, 1M	Need CB-A400-1027A Temporarily unavailable	D5
				S0142D-S	Adult silicone soft, 1M		D0
				S0142I-S	Neonate wrap sensor(detachable),1M		D0
	Dianmap 9700/9701 9702 PLUS, MPS ORTABLE, /COMPACT, (OxiSmart)(Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L (EC-8) 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Dianmap, ProSeries V1 Pro 1000 V2 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0008CO-L (SCP-10) 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Dianmap, ProCare, ProSeries V2Pro1000 V3 (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0117OX-L 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	Dianmap 8700/8710/8720Pulse, Oxyshuttle11 et 2 Critikon Dinamap 8721, 9710, 9700, 8280			S0059B-L	Adult finger clip, 3M	/	D0
				S0059D-L	Adult silicone soft, 3M		E5
				S0059E-L	Infant silicone, 3M		E5
				S0059F-L	Neonate wrap(und detachable), 3M		E5
				S0059I-L	Neonate wrap sensor(detachable),3M		E5
	Dianmap ProCare Series V2 Pro 1000 V3 (M Tech)		1863/ LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/ LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
GE Hellige 海力格	Servomed 4.Generation SCP844,851,852;SCS 804;SMK151,153,154, 155-1,156,157,SMK181,182,SM V,104T,107,111,168;SMS3 16;SMC108;SMV104,Servo med N4, Servocard,Serie Cardioserv,Vicom SM,SMU 511,611,612,630SeriesSMK-200,SMK210,211,230, 231,240,250, Pepita 203,R204,204R,205,Pepita 205R			S0006B-L	Adult finger clip, 3M		D5
				S0006C-L	Pediatric finger clip, 3M		D0
				S0006D-L	Adult silicone soft, 3M		E5
				S0006E-L	Infant silicone, 3M		E0
				S0006F-L	Neonate wrap(und detachable), 3M		E0
				S0006I-L	Neonate wrap sensor(detachable), 3M		E0
	Cardioserv Eagle1000-3000 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0006NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Cardioserv (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need / Temporarily available	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	SMU, SMK, SMV (Ohmeda tech)		The same as S0014 series	See the above	See the above	/	

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
GE Datex-Ohmeda 德恩欧美达	AS/3, CS/3, AS/5 (Built in M module) CH/S, CH/RSCG/2S, CARDIOCAP-II Capnomac Ultima Light monitor, Satlite, Oscar (Datex tech)		OXY-F-DB	S0036B-S	Adult finger clip, 1M	Need S0036BC-L  	C0
				S0036C-S	Pediatric finger clip, 1M		D2
				S0036D-S	Adult silicone soft, 1M		D2
				S0036P-S	Pediatric silicone, 1M		D2
				S0036E-S	Infant silicone, 1M		D2
				S0036F-S	Neonate wrap, 1M(undetachable)		D2
			OXY-E-DB	S0036G-S	Adult ear clip sensor, 1M		D2
			OXY-W-DB	S0036I-S	Neonate wrap, 1M(undetachable)		D2
			OXY-F4-N	S0036B-L	Adult finger clip, 3M	/  	C5
				S0036C-L	Pediatric finger clip, 3M		C0
				S0036D-L	Adult silicone soft, 3M		D2
				S0036P-L	Pediatric silicone, 3M		D2
				S0036E-L	Pediatric silicone, 3M		D2
				S0036F-L	Neonate wrap, 3M(undetachable)		D2
			OXY-E4-N	S0036G-L	Adult ear clip sensor, 3M		D2
			OXY-W4-N	S0036I-L	Neonate wrap sensor(detachable),3M		D2
	3700, 3710, 3770, 3775, Biox3740, 3760, 3800, 3900, 3900P, 4700, 5250RGB, Cardicap/5, S/5, AS/3 (built in Module N- XOSAT) CS/3 (Built in module M-OSAT) (Ohmeda)		OXY-F-UN	S0123B-S	Adult finger clip, 1M	Need S0014OH-L  	C5
				S0123C-S	Pediatric finger clip, 1M		D0
				S0123D-S	Adult silicone soft, 1M		D0
				S0123P-S	Pediatric silicone, 1M		D0
				S0123E-S	Infant silicone, 1M		D0
				S0123F-S	Neonate wrap, 1M(undetachable)		D0
			OXY-E-UN	S0123G-S	Adult ear clip sensor, 1M		D0
			OXY-W-UN	S0123I-S	Neonate wrap sensor(detachable),1M		D0
			OXY-F4-H	S0014B-L	Adult finger clip, 3M	/  	C0
				S0014C-L	Pediatric finger clip, 3M		C0
				S0014D-L	Adult silicone soft, 3M		D2
				S0014P-L	Pediatric silicone, 3M		D2
				S0014E-L	Infant silicone, 3M		D2
				S0014F-L	Neonate wrap, 3M(undetachable)		D2
			OXY-E4-H	S0014G-L	Adult ear clip sensor, 3M		D2
			OXY-W4-H	S0014I-L	Neonate wrap sensor(detachable),3M		D2
	M-NSAT Module (AS/3, CS/3, S/5) (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0001NE-L (MC-10)  	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	M-NSAT Module (i4) (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0117OX-L (DOC-10)  	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	Ohmeda Tuffsat (Ohmeda)		OXY-F1-H	S0014B-M	Adult finger clip, 1.5M	/  	C0
				S0014D-M	Adult silicone soft, 1.5M		C0
	Ohmeda TruSat Ohmeda TruSat TD (+Oxytip Technology)		See the above	See the above	See the above	Need S0127OH-L  	
GE Datex-Ohmeda 德恩欧美达	Ohmeda TruSat Ohmeda TruSat TD (+Oxytip Technology)		OXY-F4-MC	S0127B-L	Adult finger clip, 3M	/  	E0
				S0127C-L	Pediatric finger clip, 3M		E0
				S0127D-L	Adult silicone soft, 3M		F5
				S0127P-L	Pediatric silicone, 3M		F5
				S0127E-L	Infant silicone, 3M		F5
				S0127F-L	Neonate wrap(undetachable), 3M		F5
			OXY-E4-MC	S0127G-L	Adult ear clip sensor, 3M		F5
			OXY-W4-MC	S0127I-L	Neonate wrap(undetachable), 3M		F5

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
GE Marquette 马葵	Eagle 1000/3000/4000 Dash 2000/3000/4000 Solar 8000/8000M i/9500(Tram 451/451N /851/851N) CardioLab/Mac-Lab, Corometrics 120/2120 (Tran 451/451N) Responder3000(OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0002NE-L 2006644-001 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0002B-L	Adult finger clip, 3M	/ 	C0
				S0002C-L	Pediatric finger clip, 3M		C0
				S0002D-L	Adult silicone soft, 3M		D2
				S0002P-L	Pediatric silicone, 3M		D2
				S0002E-L	Infant silicone, 3M		D2
				S0002F-L	Neonate wrap, 3M(undetachable)		D2
				S0002G-L	Adult ear clip sensor, 3M		D2
				S0002I-L	Neonate wrap sensor(detachable),3M		D2
GE Marquette 马葵	Dash2500/Dash 3000/4000/5000 Solar 8000/8000M i/9500 (Tram 451N5/851N5) Corometrics 250 (GE-Oxi tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0122OX-L 2021406-001 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
				S0122B-L	Adult finger clip, 3M	/ 	E0
				S0122C-L	Pediatric finger clip, 3M		E0
				S0122D-L	Adult silicone soft, 3M		F5
				S0122P-L	Pediatric silicone, 3M		F5
				S0122E-L	Infant silicone, 3M		F5
				S0122F-L	Neonate wrap, 3M(undetachable)		F5
				S0122G-L	Adult ear clip sensor, 3M		F5
				S0122I-L	Neonate wrap sensor(detachable),3M		F5
	7000/7010, Tram 200/400/600/800 (Ohmeda Tech)		The same as S0014 series	See the above	See the above	/	
	Dash 3000, 4000, 5000 Solar 8000/8000M i/9500 (Tram 451M, 851M) Cardiolab/Mac-Lab (Tram 451M) Corometrics 259 (M tech)		1863/LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0025CS-L 2027263-002 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
				S0025B-L	Adult finger clip, 3M	/ 	D5
				S0025C-L	Pediatric finger clip, 3M		D0
				S0025D-L	Adult silicone soft, 3M		D0
				S0025P-L	Pediatric silicone, 3M		D0
				S0025E-L	Infant silicone, 3M		D0
				S0025F-L	Neonate wrap, 3M(undetachable)		D0
				S0025G-L	Adult ear clip sensor, 3M		D0
				S0025I-L	Neonate wrap sensor(detachable),3M		D0
GE Ohmeda OxyTip+ 通用欧美达	GE S/5 (i4 E series module built in)		See the above	See the above	See the above	Need S0128OH-L 	
				S0128B-L	Adult finger clip, 3M		E0
				S0128C-L	Pediatric finger clip, 3M	/ 	E0
				S0128D-L	Adult silicone soft, 3M		F5
				S0128P-L	Pediatric silicone, 3M		F5
				S0128E-L	Infant silicone, 3M		F5
				S0128F-L	Neonate wrap, 3M(undetachable)		F5
				S0128G-L	Adult ear clip sensor, 3M		F5
				S0128I-L	Neonate wrap sensor(detachable),3M		F5
				S0428B-S	Adult finger clip, 1M	/ 	C0
				S0428P-S	Pediatric silicone, 1M		D2




Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
General (China) 将军	G1B (Digital Tech)			S0108B-S	Adult finger clip, 1M	/	D5
				S0108D-S	Adult silicone soft, 1M		F5
				S0108I-S	Neonate wrap sensor(detachable),1M		F5
	G2A,G3A,G3C, G3D, G3F,G3G,G3H, G3L, G6A, G6A plus, G9L (Digital Tech)			S0108B-L	Adult finger clip, 3M	/	C0
				S0108D-L	Adult silicone soft, 3M		D2
				S0108I-L	Neonate wrap sensor(detachable),3M		D2
GE Trusignal	compatible model, depending on the		OXY-F-UN	S0190B-S	Adult finger clip, 1M	Need / E.g S0190TS-L Depending on the instrument's SpO2 connector 	C5
				S0190C-S	Pediatric finger clip, 1M		D0
				S0190D-S	Adult silicone soft, 1M		D0
				S0190P-S	Pediatric silicone, 1M		D0
				S0190E-S	Infant silicone, 1M		D0
				S0190F-S	Neonate wrap, 1M(undetachable)		D0
			OXY-E-UN	S0190G-S	Adult ear clip sensor, 1M		D0
			OXY-W-UN	S0190I-S	Neonate wrap sensor(detachable),1M		D0
Goldway (China) 金科威	GOLDWAY:UT4000A, UT4000C, UT4000B, UT4000F, UT4000ACS (OxiSmart) (Non-oximax) PACE TECH		DS100A	S0010B-S	Adult finger clip, 1M	Need S0007NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0007B-L	Adult finger clip, 3M	/	C0
				S0007C-L	Pediatric finger clip, 3M		C0
				S0007D-L	Adult silicone soft, 3M		D2
				S0007F-L	Neonate wrap(undetachable), 3M		D2
				S0007G-L	Adult ear clip sensor, 3M		D2
				S0007I-L	Neonate wrap (detachable),3M		D2
	UT4000A, UT4000C, UT4000E, UT4000F, UT4000APro, UT4000FPro, UT6000A (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0038BC-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
				S0038B-L	Adult finger clip, 3M	/	D0
				S0038C-L	Pediatric finger clip, 3M		D0
				S0038D-L	Adult silicone soft, 3M		E5
				S0038E-L	Infant silicone, 3M		E5
				S0038G-L	Adult ear clip sensor, 3M		E5
				S0038I-L	Neonate wrap (detachable),3M		E5
	Generra:710,200,300,400,810,530 Pace Tech:Model520,All w/black face(except Vitalmax 800w/Nellcor®SpO2)			S0082B-L	Adult finger clip, 3M	/	D0
				S0082D-L	Adult silicone soft, 3M		E5
				S0082I-L	Neonate wrap sensor(detachable),3M		E5
	3100 (Digital tech)			S0160B-L	Adult finger clip, 3M	/	C0
				S0160D-L	Adult silicone soft, 3M		D2
				S0160I-L	Neonate wrap sensor(detachable),3M		D2
	UT4000B, UT4000F (Digital Tech)		U410-67D	S0401B-L	Adult finger clip, 3M	/	C2
				S0401D-L	Adult silicone soft, 3M		C3
				S0401I-L	Neonate wrap sensor(detachable),3M		C3
	OXI Tech			S0061B-L	Adult finger clip, 3M	/	C0
				S0061C-L	Pediatric finger clip, 3M		C0
				S0061D-L	Adult silicone soft, 3M		D2
				S0061E-L	Infant silicone, 3M		D2
				S0061F-L	Neonate wrap(undetachable), 3M		D2
				S0061G-L	Adult ear clip sensor, 3M		D2
				S0061I-L	Neonate wrap sensor(detachable),3M		D2
	UT6000A G3 (Philips tech)			S0015B-L	Adult finger clip, 3M	/	C0
				S0015D-L	Adult silicone soft, 3M		D2
				S0015I-L	Neonate wrap sensor(detachable),3M		D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Guoteng (China) 国腾	PM300 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	/	B5
				S0010D-S	Adult silicone soft, 1M		C4
	GT3000, GT5000, GT6000GT7000, GT9000, GT9002 PUAO: DPJ-300		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0024NE-L 	
				S0024B-L	Adult finger clip, 3M	/	C0
				S0024C-L	Pediatric finger clip, 3M		C0
				S0024D-L	Adult silicone soft, 3M		D2
				S0024E-L	Infant silicone, 3M		D2
				S0024F-L	Neonate wrap(undetachable), 3M		D2
				S0024G-L	Adult ear clip sensor, 3M		D2
				S0024I-L	Neonate wrap sensor(detachable),3M		D2
Huntleigh Healthcare 亨利特	(BCI tech module)		3044	S0076B-S	Adult finger clip, 1M	Need S0147NE-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
Infinium				S0171B-L	Adult finger clip, 3M	/	C5
				S0171D-L	Adult silicone soft, 3M		C0
				S0171I-L	Neonate wrap sensor(detachable),3M		C0
IVY	405A, 405D (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need/ Temporarily unavailable	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	405P, 405T (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Pediatric silicone, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Vital-Guard 450CN(M) (M Tech)		1863/LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
JOINSCIENCE 执信医疗/西润	CD2000			S0093B-L	Adult finger clip, 3M	/	C2
				S0093D-L	Adult silicone soft, 3M		D2
				S0093G-L	Adult ear clip sensor, 3M		D2
				S0093I-L	Neonate wrap sensor(detachable),3M		D2
KEMP (China) 卡普	KP-900C/900B			S0090B-L	Adult finger clip, 3M	/	C0
				S0090D-L	Adult silicone soft, 3M		D2
				S0090E-L	Infant silicone, 3M		D2
				S0090F-L	Neonate wrap(undetachable), 3M		D2
				S0090G-L	Adult ear clip sensor, 3M		D2
				S0090I-L	Neonate wrap sensor(detachable),3M		D2
Kontron 康强	Kontron:7138, 7840, 7845, Minimon7137, 7337 Micromon, Supermon, Kolormon, Trakmon original cable number 0608010 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0019NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
			608010	S0019B-L	Adult finger clip, 3M	/	C0
				S0019C-L	Pediatric finger clip, 3M		C0
				S0019D-L	Adult silicone soft, 3M		D2
				S0019E-L	Infant silicone, 3M		D2
				S0019F-L	Neonate wrap(undetachable), 3M		D2
				S0019I-L	Neonate wrap sensor(detachable),3M		D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE	
Kontron 康强	7150, 7850, Ivy 2000(M) (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M		B5	
				S0010D-S	Adult silicone soft, 1M		C4	
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4	
			DS100A	S0010B-S	Adult finger clip, 1M		B5	
				S0010D-S	Adult silicone soft, 1M		C4	
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4	
Lohmeier 隆美尔	Monitor M010 original sensor number 6051-0000-035		6051-0000-035	S0102B-L	Adult finger clip, 3M	/	E0	
				S0102D-L	Adult silicone soft, 3M		F5	
				S0102E-L	Infant silicone, 3M		F7	
				S0102G-L	Adult ear clip sensor, 3M		F9	
				S0102I-L	Neonate wrap sensor(detachable),3M		F5	
Masimo Tech 马西墨	Compatible model depending on the Ext-cable, E.g: Rad-8 Rad-5/Rad-5v SatShare		1269/LNOP P DCI	S0020B-S	Adult finger clip, 1M		C0	
			1276/LNOP DCIP	S0020C-S	Pediatric finger clip, 1M		C0	
				S0020D-S	Adult silicone soft, 1M		D2	
				S0020P-S	Pediatric silicone, 1M		D2	
				S0020E-S	Infant silicone, 1M		D2	
				S0020F-S	Neonate wrap, 1M(undetachable)		D2	
			LNOP TC-I	S0020G-S	Adult ear clip sensor, 1M		D2	
			1504/LNOP YI	S0020I-S	Neonate wrap sensor(detachable),1M		D2	
			LNCS DCI	S0153B-S	Adult finger clip, 1M		C2	
			LNCS DCIP	S0153C-S	Pediatric finger clip, 1M		C2	
				S0153D-S	Adult silicone soft, 1M		C3	
				S0153P-S	Pediatric silicone, 1M		C3	
				S0153E-S	Infant silicone, 1M		C3	
				S0153F-S	Neonate wrap, 1M(undetachable)		C3	
		LNCS TC-I	S0153G-S	Adult ear clip sensor, 1M	C3			
		LNCS YI	S0153I-S	Neonate wrap sensor(detachable),1M	C3			
		masimo all, MDE:EscortII OPT30:Prism, GE Marquette:Pro1000, V300, INVIVO:T8, Schiller: ZOLL, Datascope:Trio, Passport2, * refurbished or repair only.	403/434		LNOP DC12	S0020B-L	Adult finger clip, 3M	/
					S0020C-L	Pediatric finger clip, 3M	E1	
					S0020D-L	Adult silicone soft, 3M	E5	
					S0020E-L	Infant silicone, 3M	E0	
					S0020F-L	Neonate wrap(undetachable), 3M	E0	
					S0020G-L	Adult ear clip sensor, 3M	E0	
					S0020I-L	Neonate wrap sensor(detachable),3M	E5	
	Rad-5, Rad-6, Rad-7, Rad-8, Rad-57			S0442B-S	Adult finger clip, 1M		D0	
				S0442F-S	Neonate wrap, 1M		D0	
	Compatible model depending on the Ext-cable, E.g: Rad5, RAD87, Radical-7		1863/LNCS DCI	S0204B-S	Neonate wrap sensor(undetachable), 1M		C9	
			1864/LNCS DCIP	S0204C-S	Pediatric finger clip, 1M		C0	
				S0204D-S	Adult silicone soft, 1M		C0	
				S0204P-S	Pediatric silicone, 1M		C0	
				S0204E-S	Infant silicone, 1M		C0	
				S0204F-S	Neonate wrap, 1M(undetachable)		C0	
			LNCS TC-I	S0204G-S	Adult ear clip sensor, 1M		C0	
	S0010 Series sensor's adapter S0153NE-A, Its functions equivalent to S0204 series sensor		2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0	
MDE/Invivo (Masimo module) 英威(马西墨模块)	Escort 1 Escort 300 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M		B5	
				S0010D-S	Adult silicone soft, 1M		C4	
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4	

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
MDE/Invivo (Masimo module) 英威 (马西墨模块)	20300, 20401, 20403, Prism (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Millenia, Escort, (M) M10TM, M12TM, M8TM (M Tech)		1863/LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/ 	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
	4500, , Omni Track Omeg 1445Millennia (OxiSmart) (Non-oximax)			S0083B-L	Adult finger clip, 3M	/ 	D0
				S0083D-L	Adult silicone soft, 3M		E5
				S0083I-L	Neonate wrap sensor(detachable),3M		E5
	4500, M8, Omni Track Omeg 1445Millennia (M Tech)		1863/LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0094CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
				S0094B-L	Adult finger clip, 3M	/ 	D0
				S0094D-L	Adult silicone soft, 3M		E5
				S0094P-L	Adult silicone soft, 3M		E7
				S0094E-L	Infant silicone, 3M		E5
				S0094F-L	Neonate wrap(und detachable), 3M		E5
				S0094G-L	Adult ear clip sensor, 3M		E5
				S0094I-L	Neonate wrap sensor(detachable),3M		E5
Meditronic - Physio Control	Lifepack 12 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
Meditronic - Physio Control	Lifepack 12, 20(M) (M Tech)		1863/LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0204CS-L 	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/ 	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Medlab	NANOX 10 POX 10 Perarl 10 (BCI tech module)		3044	S0076B-S	Adult finger clip, 1M	Need S0111BC-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
MEK 美克	MP-100, MP110, MP400, MP500, MP600, MP1000 (CSI Module)			S0018B-L	Adult finger clip, 3M	/ 	C0
				S0018C-L	Pediatric finger clip, 3M		C0
				S0018D-L	Adult silicone soft, 3M		D2
				S0018E-L	Infant silicone, 3M		D2
				S0018F-L	Neonate wrap(und detachable), 3M		D2
				S0018G-L	Adult ear clip sensor, 3M		D2
				S0018I-L	Neonate wrap sensor(detachable),3M		D2
	MP1000 (OxiSmart) (Non-oximax) (Nellcor Module)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0144NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
MEK 美克	MP1000 (OxiSmart) (Non-oximax) (Nellcor Module)			S0144B-L	Adult finger clip, 3M	/	D0
				S0144C-L	Pediatric finger clip, 3M		D0
				S0144D-L	Adult silicone soft, 3M		E5
				S0144P-L	Pediatric silicone, 3M		E7
				S0144E-L	Infant silicone, 3M		E5
				S0144F-L	Neonate wrap(und detachable), 3M		E5
				S0144G-L	Adult ear clip sensor, 3M		E5
				S0144I-L	Neonate wrap sensor(detachable),3M		E5
MEK (CSI Module) 美克 (CSI模块)	REF: MIS3AH_1 MEK ICS: MP1000NT TYPE: MEK (CSI Module)	212 	MIS3AH_1	S0115B-L	Adult finger clip, 3M		C0
				S0115C-L	Pediatric finger clip, 3M		C0
				S0115D-L	Adult silicone soft, 3M		D2
				S0115P-L	Pediatric silicone, 3M		D2
				S0115E-L	Infant silicone, 3M		D2
				S0115F-L	Neonate wrap(und detachable), 3M		D2
				S0115G-L	Adult ear clip sensor, 3M		D2
				S0115I-L	Neonate wrap sensor(detachable), 3M		D2
Mennen 美能	Horizon2000			S0009B-L	Adult finger clip, 3M		J0
				S0009C-L	Pediatric finger clip, 3M		J0
				S0009D-L	Adult silicone soft, 3M		J0
				S0009E-L	Infant silicone, 3M		J0
				S0009F-L	Neonate wrap(und detachable), 3M		J0
				S0009G-L	Adult ear clip sensor, 3M		J0
				S0009I-L	Neonate wrap sensor(detachable), 3M		J0
	Envoy (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0103NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Horizon 1100, 2000XL Mercury, MR1300 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need Temporarily unavailable	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Horizon XL, Mercury 1200, MR1300 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0009NE-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Horizon XL (Ohmeda)		OXY-F4-H	S0014B-L	Adult finger clip, 3M	/	C0
				S0014D-L	Adult silicone soft, 3M		D2
			OXY-W4-H	S0014I-L	Neonate wrap sensor(detachable),3M		D2
	Horizon, Envoy, Vitalogik (M) (M Tech)		1863/ LNCS DCI	S0204B-S	Adult finger clip, 1M	Need S0430CS-L	C9
				S0204D-S	Adult silicone soft, 1M		C0
			2258/ LNCS YI	S0204I-S	Neonate wrap sensor(detachable),1M		C0
MENNEN MEDICAL 美能医疗		584 		S0103B-L	Adult finger clip, 3M		E0
				S0103C-L	Pediatric finger clip, 3M		E0
				S0103D-L	Adult silicone soft, 3M		F5
				S0103E-L	Infant silicone, 3M		F5
				S0103F-L	Neonate wrap(und detachable), 3M		F5
				S0103G-L	Adult ear clip sensor, 3M		F5
				S0103I-L	Neonate wrap sensor(detachable), 3M		F5
Mindray (China) 迈瑞	509B, MEC-1000, MEC-1200, New PM6000, PM7000/8000/9000, VS 800, PM600, PM9000 Express (Mindray tech)		512D	S0010B-S	Adult finger clip, 1M	Need S0040NE-L 40° 0010-20-42594 	B5
				S0010D-S	Adult silicone soft, 1M		C4
				S0010I-S	Neonate wrap sensor(detachable),1M		C4

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Mindray (China) 迈瑞	PM-5000, PM 6000 PM-8000 (Mindray tech)		512D	S0010B-S	Adult finger clip, 1M	Need S0045OX-L 0010-21-11957 	B5
				S0010D-S	Adult silicone soft, 1M		C4
				S0010I-S	Neonate wrap sensor(detachable),1M		C4
		424/425 		S0045B-L	Adult finger clip, 3M	/ 	D0
				S0045C-L	Pediatric finger clip, 3M		D0
				S0045D-L	Adult silicone soft, 3M		E5
				S0045E-L	Infant silicone, 3M		E5
				S0045F-L	Neonate wrap(undetachable), 3M		E5
				S0045G-L	Adult ear clip sensor, 3M		E5
				S0045I-L	Neonate wrap sensor(detachable),3M		E5
	PM-6000 (M Tech) *Markets: China, CE, FDA *(masimo module)		LNCS DCI	S0153B-S	Adult finger clip, 1M	Need S0012CO-L 0010-30-12452 	C2
				S0153D-S	Adult silicone soft, 1M		C3
			LNCS YI	S0153I-S	Neonate wrap sensor(detachable),1M		C3
		412/425 		S0012B-L	Adult finger clip, 3M	/ 	D0
				S0012C-L	Pediatric finger clip, 3M		D0
				S0012D-L	Adult silicone soft, 3M		D0
				S0012E-L	Infant silicone, 3M		E5
				S0012F-L	Neonate wrap(undetachable), 3M		E5
				S0012G-L	Adult ear clip sensor, 3M		E5
				S0012I-L	Neonate wrap sensor(detachable),3M		D0
	PM-9000, 9100, 9200, (PM-6201, 7000, 8000, M1K0, M2K0 before 2006) Marketing:CFDA, CE,FDA (M Tech) *Radel 2bit-40° plug (general) *(Masimo module)	241/569 		S0013B-L	Adult finger clip, 3M	/ 	C0
				S0013C-L	Pediatric finger clip, 3M		C0
				S0013D-L	Adult silicone soft, 3M		D2
				S0013E-L	Infant silicone, 3M		D2
				S0013F-L	Neonate wrap(undetachable), 3M		D2
				S0013G-L	Adult ear clip sensor, 3M		D2
				S0013I-L	Neonate wrap sensor(detachable),3M		D2
	New PM-6000 PM7000, 8000, 9000, PM-9000 Express VS 800 New PM6000(M tech)		LNCS DCI	S0153B-S	Adult finger clip, 1M	Need S0116CO-L 0010-30-42625 	C2
				S0153D-S	Adult silicone soft, 1M		C3
			LNCS YI	S0153I-S	Neonate wrap sensor(detachable),1M		C3
	PM9000express(.Masimo). PM8002, 9201, (PM-6000, 6201, 7000, 8000, 9000, M1K0, M2K0 since 2006), T8 Marketing:SFDA, CE,FDA OEM No Express VS 800(M tech)			S0116B-L	Adult finger clip, 3M	/ 	D5
				S0116C-L	Pediatric finger clip, 3M		D5
				S0116D-L	Adult silicone soft, 3M		D0
				S0116E-L	Infant silicone, 3M		D8
				S0116F-L	Neonate wrap(undetachable), 3M		D8
				S0116I-L	Neonate wrap sensor(detachable),3M		D0
	PM-7000, PM-8000series, PM-9000series, VS-800 (Oxi tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0129NE-L 0010-20-42595 	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	8002, 9201, PM7000(Since Jan. 2006) patient monitor of Nellcor module and 6pin plug (80° between 2bit) PM-8000series, PM-9000series, VS-800 (Oxi tech)			S0129B-L	Adult finger clip, 3M	/ 	D3
				S0129C-L	Pediatric finger clip, 3M		D3
				S0129D-L	Adult silicone soft, 3M		D5
				S0129P-L	Pediatric silicone, 3M		D7
				S0129E-L	Infant silicone, 3M		D8
				S0129F-L	Neonate wrap(undetachable), 3M		D8
				S0129G-L	Adult ear clip sensor, 3M		E2
				S0129I-L	Neonate wrap sensor(detachable),3M		D5

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Mindray (China) 迈瑞	BeneView T5/T6/T8 iPM Series (Mindray tech)		512D	S0010B-S	Adult finger clip, 1M	Need S0125CO-L 0010-30-42737  	B5
				S0010D-S	Adult silicone soft, 1M		C4
				S0010I-S	Neonate wrap sensor(detachable),1M		C4
	BeneView T5/T6/T8 iPM Series (Oxi tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0126OX-L 0010-30-42739  	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
	BeneView T5/T6/T8 iPM Series (M tech)		LNCS DCI	S0153B-S	Adult finger clip, 1M	Need S0126CS-L 0010-30-42738  	C2
				S0153D-S	Adult silicone soft, 1M		C3
			LNCS YI	S0153I-S	Neonate wrap sensor(detachable),1M		C3
	PM-50, PM-60 (Mindray tech)		512D	S0010B-S	Adult finger clip, 1M	/	B5
				S0010D-S	Adult silicone soft, 1M		C4
				S0010I-S	Neonate wrap sensor(detachable),1M		C4
	503, 507, 508, 509, PM9000 (CSI tech)			S0100B-S	Adult finger clip, 1M	/	C9
				S0100D-L	Adult silicone soft, 3M		D2
				S0100I-L	Neonate wrap sensor(detachable),3M		D2
	500A, 509B, PM9000 (BCI tech) Goldway:Industrial, UT4000 *Markets: China			S0053B-L	Adult finger clip, 3M	/	D3
				S0053C-L	Pediatric finger clip, 3M		D3
				S0053D-L	Adult silicone soft, 3M		D5
				S0053E-L	Infant silicone, 3M		D5
				S0053I-L	Neonate wrap sensor(detachable),3M		D5
	Mindray: PM9000 *(BCI module)			S0007B-L	Adult finger clip, 3M	/	C0
				S0007C-L	Pediatric finger clip, 3M		C0
				S0007D-L	Adult silicone soft, 3M		D2
				S0007F-L	Neonate wrap(undetachable), 3M		D2
				S0007G-L	Adult ear clip sensor, 3M		D2
				S0007I-L	Neonate wrap sensor(detachable), 3M		D2
MINDRAY (masimo module) 迈瑞 (马西墨模块)	VS800 *(Masimo module)		0010-20-42595	S0134B-L	Adult finger clip, 3M	/	D5
				S0134C-L	Pediatric finger clip, 3M		D5
				S0134D-L	Adult silicone soft, 3M		D8
				S0134E-L	Infant silicone, 3M		D8
				S0134F-L	Neonate wrap(undetachable), 3M		D8
				S0134G-L	Adult ear clip sensor, 3M		E2
				S0134I-L	Neonate wrap sensor(detachable), 3M		E2
M&B (China) 麦邦	MB526, MB526+, MB526T8 MB526T12, MB526+tw MB800, CD2000, CD2000+			S0093B-L	Adult finger clip, 3M	/	C0
				S0093C-L	Pediatric finger clip, 3M		C0
				S0093D-L	Adult silicone soft, 3M		D2
				S0093E-L	Infant silicone, 3M		D2
				S0093F-L	Neonate wrap(undetachable), 3M		D2
				S0093I-L	Neonate wrap sensor(detachable),3M		D2
	CD2000, CD2000+ (*Oxi tech)			S0429B-S	Adult finger clip, 1M	/	C0
				S0429D-L	Adult silicone soft, 3M		D2
				S0429I-L	Neonate wrap sensor(detachable),3M		D2
	CD2000 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0093NE-L  	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
MEC, sunmind (China) 深迈	KP-9000, KP-930/930F		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0141NE-L  	


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
MEC, Sunmind (China) 深迈	KP-9000, KP-930/930F			S0141B-L	Adult finger clip, 3M	/	C6
				S0141C-L	Pediatric finger clip, 3M		C6
				S0141D-L	Adult silicone soft, 3M		C7
				S0141E-L	Pediatric silicone, 3M		C7
				S0141F-L	Neonate wrap(und detachable), 3M		C7
				S0141I-L	Neonate wrap sensor(detachable),3M		C7
Nellcor-Covidien-Medtronics	NPB 40, NPB20, NPB75, NPB 180, NPB 185, NPB-190, NPB-195, NPB 3900, NPB 4000 (OxiSmart) (Non-oximax)		DS-100A	S0010B-S	Adult finger clip, 1M	Need S0010NE-L  	B5
			OXI-P/I	S0010C-S	Pediatric finger clip, 1M		B0
				S0010D-S	Adult silicone soft, 1M		C4
				S0010P-S	Pediatric silicone, 1M		C4
				S0010E-S	Infant silicone, 1M		C4
			OXI-A/N	S0010F-S	Neonate wrap, 1M(und detachable)		B0
			D-YS-YSE	S0010G-S	Adult ear clip sensor, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	NPB3000-3100, Symphony, NPB-290, NPB-295, NPB-395 (OxiSmart) (Non-oximax)			S0010B-L	Adult finger clip, 3M	/	C0
				S0010C-L	Pediatric finger clip, 3M		C0
				S0010D-L	Adult silicone soft, 3M		D2
				S0010P-L	Pediatric silicone, 3M		D2
				S0010E-L	Infant silicone, 3M		D2
				S0010F-L	Neonate wrap, 3M(und detachable)		D2
				S0010G-L	Adult ear clip sensor, 3M		D2
				S0010I-L	Neonate wrap sensor(detachable),3M		D2
			The same as above	The same as above	The same as above	Need S0001NE-L  	
	NPB3000-3100, Symphony, NPB-290, NPB-295, NPB-395 (OxiSmart) (Non-oximax)			S0001B-L	Adult finger clip, 3M	/	D0
				S0001C-L	Pediatric finger clip, 3M		D0
				S0001D-L	Adult silicone soft, 3M		E5
				S0001P-L	Pediatric silicone, 3M		E5
				S0001E-L	Infant silicone, 3M		E5
				S0001F-L	Neonate wrap, 3M(und detachable)		E5
				S0001G-L	Adult ear clip sensor, 3M		E5
				S0001I-L	Neonate wrap sensor(detachable),3M		E5
Minolta (Konica) 柯尼卡美能达	PULSOX-300 PULSOX-300i			S0152B-S	Adult finger clip, 1M	/	C2
				S0152D-S	Adult silicone soft, 1M		C3
				S0152I-S	Neonate wrap sensor(detachable),1M		C3
Nellcor-Covidien-Medtronics	N65 (Oxi tech)		DS-100A	S0026B-S	Adult finger clip, 1M	/	C2
			OXI-P/I	S0026C-S	Pediatric finger clip, 1M		D5
				S0026D-S	Adult silicone soft, 1M		D5
				S0026P-S	Pediatric silicone, 1M		D0
				S0026E-S	Infant silicone, 1M		D5
			OXI-A/N	S0026F-S	Neonate wrap, 1M(und detachable)		C5
			D-YS-YSE	S0026G-S	Adult ear clip sensor, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
				S0433B-S	Adult finger clip, 1M	Need S0026NE-A  	B5
				S0433D-S	Adult silicone soft, 1M		C2
				S0433F-S	Neonate wrap, (und detachable),1M		B0
				S0433G-S	Adult ear clip sensor, 1M		C2
				S0439B-S	Adult finger clip, 1M		B5
			The same as S0010 series	The same as S0010 series	The same as S0010 series		

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Nellcor-Covidien-Medtronics	N550, N560, N595, N600, N751, N5500		The same as S0026 series	The same as above	The same as above	Need S0117OX-L 	
Neusoft (China) 东软	NSC series (Oxi tech)		The same as S0026 series	The same as above	The same as above	Need S0003OX-L 	
					S0003B-L Adult finger clip, 3M	/	C0
					S0003D-L Adult silicone soft, 3M		D2
					S0003I-L 3M Neonate wrap sensor(detachable)		D2
					S0064B-L Adult finger clip, 3M	/	C0
					S0064D-L Adult silicone soft, 3M		D2
					S0064I-L Neonate wrap sensor(detachable),3M		D2
Newtech (China) 纽泰克	Pulse Oximer NT1A, NT1B, NT1D (Digital Tech)				S0108B-S Adult finger clip, 1M	/	D5
					S0108D-S Adult silicone soft, 1M		F5
					S0108I-S Neonate wrap sensor(detachable),1M		F5
	Patient monitor (Digital Tech)				S0108B-L Adult finger clip, 3M	/	C0
					S0108D-L Adult silicone soft, 3M		D2
					S0108I-L Neonate wrap sensor(detachable),3M		D2
	NT3A, NT3B, NT3E, NT3F, NT3B60 GMI/G3C (old version), Newtech/G3C (old version)				S0113B-L Adult finger clip, 3M	/	C6
					S0113C-L Pediatric finger clip, 3M		C0
					S0113D-L Adult silicone soft, 3M		D2
					S0113E-L Infant silicone, 3M		D2
					S0113F-L Neonate wrap(undetachable), 3M		D2
					S0113I-L Neonate wrap sensor(detachable),3M		D2
Nihon Kohden 日本光电	BSM-1101/2101 /23101 7100, 7200, OLV-1100 ALife scope		TL-101S		S0069B-L Adult finger clip, 3M	/	D5
					S0069C-L Pediatric finger clip, 3M		D5
					S0069D-L Adult silicone soft, 3M		E5
					S0069P-L Pediatric silicone, 3M		E5
					S0069E-L Infant silicone, 3M		E5
					S0069F-L Neonate wrap, 3M(undetachable)		E5
					S0069G-L Adult ear clip sensor, 3M		E5
					S0069I-L Neonate wrap sensor(detachable),3M		E5
	Lifescope S, BSS-9800 Lifescope M, BSM 9510 Lifescope P, BSM 4100 Life scope A, BSM 5100 Lifescope L, BSM 2350 Lifescope IBSM 2301K, 2303K		TL-201T		S0005B-S Adult finger clip, 1M	Need S0005NI-L 	C0
					S0005C-S Pediatric finger clip, 1M		D5
					S0005D-S Adult silicone soft, 1M		D5
					S0005P-S Pediatric silicone, 1M		D5
					S0005E-S Infant silicone, 1M		D5
					S0005F-S Neonate wrap, 1M(undetachable)		D5
					S0005G-S Adult ear clip sensor, 1M		D5
					S0005I-S Neonate wrap sensor(detachable),1M		D5
	OPV-1500, OPV-3100;		The same as S0005 series as above	The same as above	The same as above	Need S0159NI-L JL-302T 	
	Lifescope S, BSS-9800 Lifescope M, BSM 9510 Lifescope P, BSM 4100 Life scope A, BSM 5100 Lifescope L, BSM 2350 Lifescope I, BSM 2301K, 2303K		TL-201T		S0005B-L Adult finger clip, 3M	/	D5
					S0005C-L Pediatric finger clip, 3M		D6
					S0005D-L Adult silicone soft, 3M		D0
					S0005P-L Pediatric silicone, 3M		D0
					S0005E-L Neonate silicone, 3M		D0
					S0005F-L Neonate wrap, 3M(undetachable)		D0
					S0005G-L Adult ear clip sensor, 3M		D0
					S0005I-L Neonate wrap sensor(detachable),3M		D0

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Nonin 燕牌	8500 2500 9840 Avant 4000, 9600, 9700 Avant 2120 PulseSense Model 7500, 7500FO (Nonin Tech)		8000AA	S0080B-S	Adult finger clip, 1M		C6
			8000AP	S0080C-S	Pediatric finger clip, 1M		C6
			8000SL	S0080D-S	Adult silicone soft, 1M		D2
			8000SM	S0080P-S	Pediatric silicone, 1M		D2
				S0080E-S	Infant silicone, 1M		D2
				S0080F-S	Neonate wrap, 1M(undetachable)		D2
			8000Q2	S0080G-S	Adult ear clip sensor, 1M		D2
				S0080I-S	Neonate wrap sensor(detachable),1M		D2
	NONIN: 8500, 8600, 8700, 8800 NONIN: 2500		8000AA	S0080B-L	Adult finger clip, 3M		C0
			8000AP	S0080C-L	Pediatric finger clip, 3M		C0
			8000AA	S0080D-L	Adult silicone soft, 3M		D2
			8000AP	S0080E-L	Infant silicone, 3M		D2
				S0080F-L	Neonate wrap(undetachable), 3M		D2
				S0080G-L	Adult ear clip sensor, 3M		D2
	8600 series, 8500, 8700, 8800, 9600, 9700;		The same as above	The same as above	The same as above	Need S0109NE-L 	
				S0109B-L	Adult finger clip, 3M	/	D0
				S0109D-L	Adult silicone soft, 3M		E5
				S0109E-L	Infant silicone, 3M		E5
				S0109F-L	Neonate wrap(undetachable), 3M		E5
				S0109G-L	Adult ear clip sensor, 3M		E0
				S0109I-L	Neonate wrap sensor(detachable),3M		E5
	8604, 8604D;		The same as above	The same as above	The same as above	Need S0080NE-L 	
				S0106B-L	Adult finger clip, 3M	/	C9
				S0106C-L	Pediatric finger clip, 3M		D0
				S0106D-L	Adult silicone soft, 3M		E5
				S0106E-L	Infant silicone, 3M		E5
				S0106F-L	Neonate wrap(undetachable), 3M		E5
				S0106G-L	Adult ear clip sensor, 3M		E5
				S0106I-L	Neonate wrap sensor(detachable), 3M		E5
	Avant 4000 Wearable Digital Pulse Oximetry			S0418D-S	Adult silicone soft, 0.3M	/	E5
				S0418E-S	Infant silicone, 0.3M		E5
Novamatrix 诺医	512/513/710/715, MARS		8776-00	S0062B-S	Adult finger clip, 1M	/	C0
				S0062C-S	Pediatric finger clip, 1M		D2
				S0062D-S	Adult silicone soft, 1M		D2
				S0062P-S	Pediatric silicone, 1M		D2
				S0062E-S	Infant silicone, 1M		D2
				S0062F-S	Neonate wrap, 1M(undetachable)		D2
				S0062G-S	Adult ear clip sensor, 1M		D2
				S0062I-S	Neonate wrap sensor(detachable),1M		D2
	505, 510, 511, 515B/C, 520, 7000, 7100, Oxypleth		The same as above	The same as above	The same as above	Need S0062NE-L 	

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Novamatrix 诺医	505, 510, 511, 515B/C, 520, 7000, 7100, Oxypleth			S0062B-L	Adult finger clip, 3M	/	C0
				S0062C-L	Pediatric finger clip, 3M		C0
				S0062D-L	Adult silicone soft, 3M		D2
				S0062P-L	Pediatric silicone, 3M		D2
				S0062E-L	Infant silicone, 3M		D2
				S0062F-L	Neonate wrap, 3M(undetachable)		D2
				S0062G-L	Adult ear clip sensor, 3M		D2
				S0062I-L	Neonate wrap, 3M		D2
			5547-32-10	S0143B-S	Adult finger clip, 1M	Need, Temporarily unavailable	D5
				S0143C-S	Pediatric finger clip, 1M		D0
				S0143D-S	Adult silicone soft, 1M		D0
				S0143P-S	Pediatric silicone, 1M		D0
				S0143E-S	Infant silicone, 1M		D0
				S0143F-S	Neonate wrap, 1M(undetachable)		D0
				S0143G-S	Adult ear clip sensor, 1M		D0
				S0143I-S	Neonate wrap, 1M		D0
NCC Medical (China)	NTS3000 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0192NE-L	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
PaceTech 伯斯特 /Generra 将军	Generra		as S0010 series	The same as S0010 series	The same as S0010 series	Need S0091BC-L	
				S0091B-L	Adult finger clip, 3M		C0
				S0091C-L	Pediatric finger clip, 3M		C0
				S0091D-L	Adult silicone soft, 3M		D2
				S0091E-L	Infant silicone, 3M		D2
				S0091F-L	Neonate wrap(undetachable), 3M		D2
				S0091G-L	Adult ear clip sensor, 3M		D2
				S0091I-L	Neonate wrap(undetachable),3M		D2
	Pace Tech:All w/ black face (except Vitalmax 800 w/ Nellcor® SpO2), Generra: 710, 200, 300, 400, 810, 530; PACE TECH: Modell520 .		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0082BC-L 4510	
				S0082B-L	Adult finger clip, 3M		D0
				S0082C-L	Pediatric finger clip, 3M		E5
				S0082D-L	Adult silicone soft, 3M		E5
				S0082E-L	Infant silicone, 3M		E5
				S0082F-L	Neonate wrap(undetachable), 3M		E5
				S0082G-L	Adult ear clip sensor, 3M		E0
				S0082I-L	Neonate wrap sensor(detachable),3M		E5
Mediaid /Palco 派克	M300/M305/340, M5305/M5340			S0079B-L	Adult finger clip, 3M	/	C0
				S0079C-L	Pediatric finger clip, 3M		C0
				S0079D-L	Adult silicone soft, 3M		D2
				S0079P-L	Pediatric silicone, 3M		D2
				S0079E-L	Infant silicone, 3M		D2
				S0079F-L	Neonate wrap, 3M(undetachable)		D2
				S0079G-L	Adult ear clip sensor, 3M		D2
				S0079I-L	Neonate wrap sensor(detachable),3M		D2
	M30/40, M100, M130, M900, M960P, M6 Aster, M4 Nova, M1000			S0423B-L	Adult finger clip, 3M	/	D9
				S0423C-L	Pediatric finger clip, 3M		E0
				S0423D-L	Adult silicone soft, 3M		E0
				S0423P-L	Pediatric silicone, 3M		E0
				S0423E-L	Neonate silicone, 3M		E0
				S0423F-L	Neonate wrap, 3M(undetachable)		E0
				S0423G-L	Adult ear clip sensor, 3M		E0
				S0423I-L	Neonate wrap sensor(detachable),3M		E0

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
PETAS (Turkey)	Horizon 1100, 2000XL Mercury, MR1300 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0089BC-L 	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap Sensor(detachable),1M		C4
PETAS		076 		S0089B-L	Adult finger clip, 3M		C0
				S0089C-L	Pediatric finger clip, 3M		C0
				S0089D-L	Adult silicone soft, 3M		D2
				S0089E-L	Infant silicone, 3M		D2
				S0089F-L	Neonate wrap(undetachable), 3M		D2
				S0089G-L	Adult ear clip sensor, 3M		D2
				S0089I-L	Neonate wrap sensor(detachable), 3M		D2
Puao Medical (China) 普奥	DPJ-3000			S0024B-L	Adult finger clip, 3M	/ 	C0
				S0024D-L	Adult silicone soft, 3M		D2
				S0024I-L	Neonate wrap sensor(detachable),3M		D2
Philips/HP 飞利浦	78352C, 78354C, 78834C, M1020A, M1025B, M1025A, M1350B, M1772A/B, M1732A/B, M2475B M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8	052/060 	The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0015OX-L 	
			M1196A	S0015B-S	Adult finger clip, 1M	Need S0015PH-L 	C0
			M11962A	S0015C-S	Pediatric finger clip, 1M		D2
			M1191A	S0015D-S	Adult silicone soft, 1M		D2
			M1192A	S0015P-S	Pediatric silicone, 1M		D2
			M1195A	S0015E-S	Infant silicone, 1M		D2
			M1193A	S0015F-S	Neonate wrap, 1M(undetachable)		D2
			M1194A	S0015G-S	Adult ear clip sensor, 1M		D2
				S0015I-S	Neonate wrap sensor(detachable),1M		D2
			M1191A	S0015B-L	Adult finger clip, 3M	/ 	C0
			M1192A	S0015C-L	Pediatric finger clip, 3M		C0
			M1191A	S0015D-L	Adult silicone soft, 3M		D2
			M1192A	S0015E-L	Infant silicone, 3M		D2
			M1193A	S0015F-L	Neonate wrap(undetachable), 3M		D2
			M1194A	S0015G-L	Adult ear clip sensor, 3M		D2
				S0015I-L	Neonate wrap sensor(detachable), 3M		D2
	78352C, 78354C, 78834C, M1020A, M1025B, M1025A, M1350B, M1772A/B, M1732A/B, M2475B		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0003OX-L 	
			The same as S0015 series	The same as S0015 series	The same as S0015 series	Need S0003PH-L 	
				S0003B-L	Adult finger clip, 3M	/ 	C0
				S0003C-L	Pediatric finger clip, 3M		C0
				S0003D-L	Adult silicone soft, 3M		D2
				S0003P-L	Pediatric silicone, 3M		D2
				S0003E-L	Infant silicone, 3M		D2
				S0003F-L	Neonate wrap, 3M(undetachable)		D2
				S0003G-L	Adult ear clip sensor, 3M		D2
				S0003I-L	Neonate wrap sensor(detachable),3M		D2
	C1, C3, M3, M4, VirDia, MP20, MP30, MP40/50/60/70/90. VM4, VM6, VM8		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0015OX-L 	


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Philips/HP 飞利浦	C1, C3, M3, M4, VirDia, MP20, MP30, MP40/50/60/70/90. VM4, VM6, VM8		The same as S0015 series	The same as S0015 series	The same as S0015 series	Need S0015PH-L 	
	A1, A3		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0026OX-L 	
	N550, N560, N595, N600, N751, N5500 MP20/30/40/50 PM60/70/90 VN4, VM6, VM8(Oxi tech)		The same as S0026 series	The same as S0026 series	The same as S0026 series	Need S0414OX-L	
	MP20/30/40/ PM50/60/70/90 VN4, VM6, VM8 (M Tech)		The same as S0204 series	The same as S0204 series	The same as S0204 series	Need S0197CS-L	
				S0197B-L	Adult finger clip, 3M	/	E5
				S0197D-L	Adult silicone soft, 3M		E5
				S0197I-L	Neonate wrap sensor(detachable),3M		E5
PRIMEDIC 普力马				S0139B-L	Adult finger clip, 3M	/	D0
				S0139C-L	Pediatric finger clip, 3M		E5
				S0139D-L	Adult silicone soft, 3M		E5
				S0139E-L	Infant silicone, 3M		E5
				S0139F-L	Neonate wrap(undetachable), 3M		E5
				S0139G-L	Adult ear clip sensor, 3M		E0
				S0139I-L	Neonate wrap sensor(detachable),3M		E5
	(OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0140NE-L 	
				S0140B-L	Adult finger clip, 3M	/	D0
				S0140C-L	Pediatric finger clip, 3M		E5
				S0140D-L	Adult silicone soft, 3M		E5
				S0140E-L	Infant silicone, 3M		E5
				S0140F-L	Neonate wrap(undetachable), 3M		E5
				S0140G-L	Adult ear clip sensor, 3M		E0
				S0140I-L	Neonate wrap sensor(detachable),3M		E5
RGB medical	(BCI tech module)		3044	S0076B-S	Adult finger clip, 1M	Need S0111BC-L 	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
SAZGAN				S0161B-L	Adult finger clip, 3M	/	D0
				S0161D-L	Adult silicone soft, 3M		E2
				S0161I-L	Neonate wrap sensor(detachable),3M		E2
Schiller 席勒 ODAM/Bruker 布鲁克	CM8 SM783, 784, 785, TM910		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0028NE-L 	
	CM8 SM783, 784, 785, TM910 Schiller Argus TM-7 (Nellocr module)			S0028B-L	Adult finger clip, 3M	/	C0
				S0028C-L	Pediatric finger clip, 3M		C0
				S0028D-L	Adult silicone soft, 3M		D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Schiller 席勒 ODAM /Bruker 布鲁克	CM8 SM783, 784, 785, TM910 Schiller Argus TM-7 (Nellocr module)			S0028E-L	Infant silicone, 3M		D2
				S0028F-L	Neonate wrap(undetachable), 3M		D2
				S0028G-L	Adult ear clip sensor, 3M		D2
				S0028I-L	Neonate wrap sensor(detachable),3M		D2
	TM7, Argus LCM, (M Tech)		The same as S0204 series	The same as S0204 series	The same as S0204 series	Need S0118CS-L 	
				S0118B-L	Adult finger clip, 3M	/	C0
				S0118C-L	Pediatric finger clip, 3M		C0
				S0118D-L	Adult silicone soft, 3M		D2
				S0118E-L	Infant silicone, 3M		D2
				S0118I-L	Neonate wrap sensor(detachable),3M		D2
	Propaq CS, Encore, Micropaq (New) (M) (M Tech)		The same as S0204 series	The same as S0204 series	The same as S0204 series	Need S0204CS-L 	
			LNOP DC-12	S0204B-L	Adult finger clip, 3M	/	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Schiller 西门子 ODAM /Bruker 布鲁克	Propaq CS, Encore Series, Atlas (OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0010NE-L 	
	TM 910-Defigard 500(M) (OxiSmart) (Non-oximax)					Need S0071BC-L 	
	Argus VCM (Oxi tech)		The same as S0026 series	The same as S0026 series	The same as S0026 series	Need S0117OX-L 	
SensorMedics	Oxyshuttle I , Oxyshuttle II,			S0142B-S	Adult finger clip, 1M	Need CB-A400-1003A Temporarily unavailable	D5
				S0142D-S	Adult silicone soft, 1M		D0
				S0142I-S	Neonate wrap sensor(detachable),1M		D0
Spacelabs 太空	90419/01, 90651A/07, 90501, Ultraview 90496 (Novamatrix tech)			S0062B-L	Adult finger clip, 3M	/	C0
				S0062C-L	Pediatric finger clip, 3M		C0
				S0062D-L	Adult silicone soft, 3M		D2
				S0062P-L	Pediatric silicone, 3M		D2
				S0062E-L	Infant silicone, 3M		D2
				S0062F-L	Neonate wrap, 3M(undetachable)		D2
				S0062G-L	Adult ear clip sensor, 3M		D2
				S0062I-L	Neonate wrap sensor(detachable),3M		D2
	90351-0/6, 90465, 90466, 90456, PC express (OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0035NE-L 	
						/	C0
							C0
							D2
							D2
							D2
							D2
							D2
							D2

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Spacelabs 太空	1050, 1600, 1700, 90369, 90469, 90496 Ultraview (OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0004NE-L 	
				S0004B-L	Adult finger clip, 3M	/ 	E5
				S0004C-L	Pediatric finger clip, 3M		E0
				S0004D-L	Adult silicone soft, 3M		E0
				S0004P-L	Pediatric silicone, 3M		E0
				S0004E-L	Infant silicone, 3M		E0
				S0004F-L	Neonate wrap, 3M(undetachable)		E0
				S0004G-L	Adult ear clip sensor, 3M		E0
				S0004I-L	Neonate wrap sensor(detachable),3M		E0
	Ultraview (M tech)		The same as S0204 series	The same as S0204 series	The same as S0204 series	Need S0004CS-L 	
				S0412B-L	Adult finger clip, 3M	/ 	E5
				S0412D-L	Adult silicone soft, 3M		E5
				S0412I-L	Neonate wrap sensor(detachable),3M		E5
Spacelabs 太空	Ultraview (Oxi tech)		The same as S0026 series	The same as S0026 series	The same as S0026 series	Need S0004OX-L 	
				S0203B-L	Adult finger clip, 3M	/ 	E5
				S0203D-L	Adult silicone soft, 3M		E5
				S0203I-L	Neonate wrap sensor(detachable),3M		E5
	PRO2 (BCI tech module)		3044	S0076B-S	Adult finger clip, 1M	/ 	C2
				S0076D-S	Adult silicone soft, 1M		C4
			3043	S0076I-S	Neonate wrap sensor(detachable),1M		C4
STRONG (China)	Prophet21 (BCI tech)			S0021B-L	Adult finger clip, 3M	/ 	C0
				S0021D-L	Adult silicone soft, 3M		D2
				S0021I-L	Neonate wrap sensor(detachable),3M		D2
Unicare (China)	(Digital Tech)		U410-66D	S0400B-L	Adult finger clip, 3M	/ 	C0
				S0400D-L	Adult silicone soft, 3M		D2
				S0400I-L	Neonate wrap sensor(detachable),3M		D2
WEGO (China) 威高	M3512 (OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need S0175NE-L 	
Zoll	M series AED (M Tech)		The same as S0204 series	The same as S0204 series	The same as S0204 series	Need S0204CS-L 	
				LNOP DC-12	S0204B-L	/ 	C0
				S0204D-L	Adult silicone soft, 3M		C0
				S0204I-L	Neonate wrap sensor(detachable),3M		D0
Zondan (China) 和心重典	ZD9000			S0150B-L	Adult finger clip, 3M	/ 	C9
				S0150C-L	Pediatric finger clip, 3M		C9
				S0150D-L	Adult silicone soft, 3M		C0
				S0150E-L	Infant silicone, 3M		C0
				S0150F-L	Neonate wrap(undetachable), 3M		C0
				S0150I-L	Neonate wrap sensor(detachable),3M		C3

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Zondan (China) 和心重典	ZD120B ZD120D ZD120E (Digital Tech)			S0400B-L	Adult finger clip, 3M	/	C0
				S0400B-L	Adult silicone soft, 3M		D2
				S0400B-L	Neonate wrap sensor(detachable),3M		D2
	Apollo N2, Apollo N4 Apollo N5(M tech optional) DS120C, ZD Series patient monitor			S0420B-L	Adult finger clip, 3M	/	C2
				S0420D-L	Adult silicone soft, 3M		C3
				S0420F-L	Neonate wrap(undetachable), 3M		C2
				S0420I-L	Neonate wrap sensor(detachable),3M		C3
	ZD Series patient monitor (OxiSmart) (Non-oximax)		The same as S0010 series	The same as S0010 series	The same as S0010 series	Need  S0150NE-L	
				S0150B-L	Adult finger clip, 3M	/	C9
				S0150D-L	Adult silicone soft, 3M		C0
URAY 中科优瑞				S0407B-L	Adult finger clip, 3M	/	D8
				S0407D-L	Adult silicone soft, 3M		D0
				S0407I-L	Neonate wrap sensor(detachable),3M		D0
TENKO	TK-1033			S0207B-L	Adult finger clip, 3M	/	C0
Dixtal (Brazil) -Philips	Full compatible with Novamatrix Sensors			S0406B-L	Adult finger clip, 3M	/	D8
				S0406D-L	Adult silicone soft, 3M		D0
				S0406I-L	Neonate wrap sensor(detachable),3M		D0
BAOZHONG 保中				S0041C-L	Pediatric finger clip, 3M		C0
				S0041D-L	Adult silicone soft, 3M		D2
				S0041E-L	Infant silicone, 3M		D2
				S0041F-L	Neonate wrap(undetachable), 3M		D2
				S0041G-L	Adult ear clip sensor, 3M		D2
				S0041I-L	Neonate wrap sensor(detachable), 3M		D2
KERNEL MEDICAL 科诺医疗		074/467 		S0057C-L	Pediatric finger clip, 3M		C0
				S0057D-L	Adult silicone soft, 3M		D2
				S0057E-L	Infant silicone, 3M		D2
				S0057F-L	Neonate wrap(undetachable), 3M		D2
				S0057G-L	Adult ear clip sensor, 3M		D2
				S0057I-L	Neonate wrap sensor(detachable), 3M		D2
Mindray (China) 迈瑞	509B, MEC-1000, MEC-1200 New PM6000 PM7000/8000/9000, VS 800, PM600 PM9000 Express (Mindray tech)			S0040B-L	Adult finger clip, 3M	/	C0
				S0040C-L	Pediatric finger clip, 3M		C0
				S0040D-L	Adult silicone soft, 3M		D2
				S0040P-L	Pediatric silicone, 3M		D2
				S0040E-L	Infant silicone, 3M		D2
				S0040F-L	Neonate wrap, 3M(undetachable)		D2
				S0040G-L	Adult ear clip sensor, 3M		D2
				S0040I-L	Neonate wrap sensor(detachable),3M		D2
	MEC-509, 509+, 503, 507	451/452 		S0011B-L	Adult finger clip, 3M		D0
				S0011C-L	Pediatric finger clip, 3M		D0
				S0011D-L	Adult silicone soft, 3M		E5
				S0011E-L	Infant silicone, 3M		E5
				S0011F-L	Neonate wrap(undetachable), 3M		E5
				S0011G-L	Adult ear clip sensor, 3M		E5
				S0011I-L	Neonate wrap sensor(detachable), 3M		E5


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	OEM P/N	MED-LINK REF NO.	Description (Name, Length, Plug, Compatible)	Ext-cable	PRICE CODE
Emtel	Fx2000 (OxiSmart) (Non-oximax)		DS100A	S0010B-S	Adult finger clip, 1M	Need S0178CO-L  	B5
				S0010D-S	Adult silicone soft, 1M		C4
			D-YS	S0010I-S	Neonate wrap sensor(detachable),1M		C4
	Fx2000 (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0178OX-L  	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
Fukuda Densh 福田	DS7100-DS7300 (Oxi Tech)		DS100A	S0026B-S	Adult finger clip, 1M	Need S0117OX-L  	C2
				S0026D-S	Adult silicone soft, 1M		D5
			D-YS	S0026I-S	Neonate wrap sensor(detachable),1M		D5
※NELLCOR (OXI TECH)	All Nellcor & Nellcor equipped OEM monitors Include N-600x,Include GE Dash Series patient monitor (Oximax mould), as 1800, 2500, 3000. Include Spacelabs mCare 300 Vital Signs Monitor(Oximax mould), as 91220 series.	694/554 	DS-100A	S0132B-S	Adult finger clip, 1M		F0
				S0132C-S	Pediatric finger clip, 1M		F0
				S0132D-S	Adult silicone soft, 1M		F0
				S0132E-S	Infant silicone, 1M		F0
				S0132F-S	Neonate wrap(undetachable), 1M		F0
				S0132G-S	Adult ear clip sensor, 1M		F0
				S0132I-S	Neonate wrap sensor(detachable),1M		F0




2


一次性脉搏血氧饱和度探头

Disposable SpO₂ Sensor





Connector type



Sensor type

Adult Disposable SpO2 Sensors

Application : Adult > 30kg,
Application site: Index or other finger

Pediatric Disposable SpO2 Sensor

Application: Pediatric: 10-50kg
Application site: Index or other finger

Infant Disposable SpO2 Sensors


Application: Infant 3~20kg
Application site: great toe

Neonatal Disposable SpO2 Sensors


Application: Neonatal <3 kg. Adult>40kg,
Application site: Neonatal foot.
Adult Index or other finger

Comfort (foam) Disposable SpO2 Sensors

Application: Neonatal <3 kg. Adult>30kg,
Application site: Neonatal foot. Adult Index or other finger.
Soft biomedical comfortable foam material & Velcro fasten tape.



Medical grade application



Microfoam (standard)



non-woven
(Adult & Pediatric only)



Medaplast
(Adult & Infant & Neonatal)



Transpore
(Adult & Pediatric only)



foam
(Adult & Neonatal only)

Type Disignation

S □ □ □ □ □ □ □

- vacant; English packing; C/Z:Chinese; U:USA; J:Economic type; S=sterilization; e.g.S0005M-LPJ;
- material:vacant:Microfoam; P:Medaplast/non-woven; T:Transpore; e.g.S0005J-SP;
- Cable Length: L: indicated L=0.9m, S:indicated S=0.45m; e.g.S0005J-L;
- Disposable Probe type: J: Adult; K: pediatric; L: infant; M: neonatal/Adult; N: Neonatal/Adult Comfort foam);
- Brand code: 0010/Nellcor, 0036/Datex;
- S: Indicated SpO2 sensor.

Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER	
NIHON KOHDEN 日本光电										
Bedside Monitor: BSM-4101,4103, 4111,4113 Life scope P, BSM-5105,5135 Life scope A, BSM-2351,2353 Life scope L, BSM-2301,2303 Life scope I	 24pcs/box		Adult	S0005J-L	S0005J-SP		S0005J-ST		660/940-3	
		TL-251T		S0005J-S	S0005J-SPZ				660/940-3	
			price	L0/box	L0/box		L0/box			
		TL-252T	Pediatric	S0005K-S					660/940-3	
		price		O4/box						
		TL-252T	Infant	S0005L-L		S0005L-LP			660/940-3	
		price		O4/box		O4/box				
		TL-253T	Neonatal/ Adult	S0005M-L		S0005M-LP		S0005N-L	660/940-3	
				S0005M-LZ		S0005M-LPJ		S0005N-LZ	660/940-3	
				S0005M-S		S0005M-LPZ			660/940-3	
				price	L0/box		L0/box		Q8/box	
					Adult	S0069J-S	S0069J-SP			
price	L0/box			L0/box						
	Pediatric			S0069K-S	S0069K-SP					
price				O4/box	O4/box					
	Infant			S0069L-L						
price				O4/box	O4/box					
	Neonatal/ Adult			S0069M-L		S0069M-LP				
price				L0/box		L0/box				
NELLCOR 奈普特										
Nellcor®:N100 (req. preamp cable),N180,N200 (req. preamp cable),N-20,NPB-40,NPB-75,NPB-290/5 ,N-390,N-395,N-3000,N-6000	 24pcs/box		Adult	S0010J-L	S0010J-LP		S0010J-ST		660/905-2	
				S0010J-LU	S0010J-LPU				660/905-2	
		D25		S0010J-S	S0010J-SP			S0010J-STU		660/905-2
				S0010J-SJ	S0010J-SPC				660/905-2	
				S0010J-SU	S0010J-SPZ				660/905-2	
			price	J0/box	J0/box		J0/box			
			Pediatric	S0010K-L	S0010K-SP		S0010K-ST		660/905-2	
		D20		S0010K-S	S0010K-SPC			660/905-2		
				S0010K-SJ	S0010K-SPZ			660/905-2		
				S0010K-SU		660/905-2				
				price	O4/box	O4/box			O4/box	
		I20	Infant	S0010L-L		S0010L-LP			660/905-2	
				S0010L-LJ		S0010L-LPZ			660/905-2	
				S0010L-LU				660/905-2		
			price	O4/box		O4/box				
		N25	Neonatal/ Adult	S0010M-L		S0010M-LP	S0010M-LT	S0010N-L	660/905-2	
				S0010M-LZ		S0010M-LPJ		S0010N-LU	660/905-2	
				S0010M-LJ		S0010M-LPU			660/905-2	
				S0010M-LU		S0010M-LPZ		S0010N-LZ	660/905-2	
				S0010M-S		S0010M-SP			660/905-2	
	price	J0/box		J0/box		Q8/box				
※ NELLCOR OXI-TECH All Nellcor & Nellcor equipped OEM monitors not listed above	 24pcs/box		Adult	S0026J-LJ	S0026J-LPS		S0026J-ST		660/905-2	
				S0026J-S	S0026J-SP				660/905-2	
		MAX-A		S0026J-SJ	S0026J-SPS			S0026J-STZ		660/905-2
				S0026J-SS	S0026J-SPZ				660/905-2	
				S0026J-SU					660/905-2	
			price	O5/box	O5/box		O5/box			
			Pediatric	S0026K-S	S0026K-SP		S0026K-ST		660/905-2	
				S0026K-SJ	S0026K-SPS			660/905-2		
				S0026K-SS	S0026K-SPZ			660/905-2		
				S0026K-SU				660/905-2		
				price	U9/box	U9/box			U9/box	
			Infant	S0026L-L		S0026L-LP			660/905-2	
				S0026L-LJ		S0026L-LPS			660/905-2	
				S0026L-LU		S0026L-LPZ			660/905-2	
				price	U9/box		U9/box			
			Neonatal/ Adult	S0026M-L		S0026M-LP		S0026N-L	660/905-2	
				S0026M-LJ		S0026M-LPJ		S0026N-LJ	660/905-2	
				S0026M-LU		S0026M-LPS		S0026N-LZ	660/905-2	
				S0026M-LZ		S0026M-LPZ			660/905-2	
				price	O5/box		O5/box		O5/box	

Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER
OHMEDA 欧美达									
(Need adapter cable S0014BC-L)Datex-Ohmeda:3740,3710,4700 OxiCap,5250RGM, Biox3760,Ohmeda3700,3770,3775,Rascal II, GE:7000Series,Corometrics511, TRAM A.R, TRAM Modular x00SL Series, as200SL,400SL,600SL,800A,800SL,Mennen:Horizon XL800 (Ohmeda SpO2)	 24pcs/box		Adult	S0014J-S	S0014J-SP				660/940-3
			price	L0/box	L0/box				
			Pediatric	S0014K-S	S0014K-SP				660/940-3
			price	O4/box	O4/box				
			Infant	S0014L-L					660/940-3
			price	O4/box					
			Neonatal/Adult	S0014M-L		S0014M-LP		S0014N-L	660/940-3
		S0014M-S							660/940-3
			price	L0/box		L0/box		Q8/box	
Datex-Ohmeda:3740,3710, only use for Ohmeda oximeter, EMITTER: 660/905/940-4	 24pcs/box	OXY-AP	Adult	S0123J-S	S0123J-SP				660/905/940
					S0123J-SPZ				660/905/940
			price	T2/box	T2/box				
			Pediatric	S0123K-L					660/905/940
		S0123K-S				S0123K-ST		660/905/940	
			price	V3/box			V3/box		
			Infant	S0123L-L					660/905/940
			price	V3/box					
		OXY-AF	Neonatal/Adult	S0123M-L		S0123M-LP		S0123N-L	660/905/940
				S0123M-LZ		S0123M-LPZ		S0123N-LZ	660/905/940
				S0123M-LU				660/905/940	
			price	T2/box		T2/box		V3/box	
PHILIPS 飞利浦									
M3,M4,MP20,MP30,MP40,MP50,MP70,MP80,VM4,VM6,VM8	 24pcs/box		Adult	S0015J-S	S0015J-SP				660/905-2
					S0015J-SPZ				660/905-2
			price	L0/box	L0/box				
			Pediatric	S0015K-S					660/905-2
			price	O4/box					
			Infant	S0015L-L					660/905-2
			price	O4/box					
			Neonatal/Adult	S0015M-L		S0015M-LP		S0015N-L	660/905-2
						S0015M-LPZ		S0015N-LZ	660/905-2
			price	L0/box		L0/box		Q8/box	
Masimo 马西墨									
			Adult	S0020J-S	S0020J-SPZ				
			price	T2/box	T2/box				
			Pediatric	S0020K-S					
			price	T2/box					
			Infant	S0020L-L					
			price	T2/box					
			Neonatal/Adult	S0020M-L		S0020M-LPJ		S0020N-LZ	
						S0020M-LPZ			
			price	T2/box		T2/box		T2/box	
			Neonatal/Adult			S0214M-LPJ			
			price			T2/box			
			Neonatal/Adult			S0217M-LPZ			
			price			T2/box			
			Neonatal/Adult			S0218M-LPZ			
			price			T2/box			
			Adult		S0219J-SPZ				
			price		T2/box				
			Neonatal/Adult			S0418M-LPJ			
			price			T2/box			

Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER
			Adult		S0442J-SPZ				
			price		T2/box				
			Neonatal/ Adult	S0442M-LZ		S0442M-LP S0442M-LPZ		S0442N-LZ	
			price	T2/box		T2/box		T2/box	
DATEX 德恩									
AS/3,CS/3,CH/S,CH/2S,CH-RS,CG/2S,Cardiicap I,Cardiicap II,Cardiicap 5,Capnomac Ultima,Light Monitor,M-Estpr,Oscar II,OSP-200,Satlite Trans,Satlite,Trans Plus,System 5,ULTS00,ULTSIO,ULTSVI,ULTSVO, original factory code :SAF-F4	394  24pcs/box		Adult	S0036J-S	S0036J-SP S0036J-SPC		S0036J-ST		660/905-2 660/905-2
			price	L0/box	L0/box		L0/box		
			Pediatric	S0036K-S					660/905-2
			price	O4/box					
			Infant	S0036L-L		S0036L-LP			660/905-2
			price	O4/box		O4/box			
			Neonatal/ Adult	S0036M-L S0036M-LC		S0036M-LP S0036M-LPC		S0036N-L	660/905-2 660/905-2
			price	L0/box		L0/box		Q8/box	
CSI									
Alaris(IVAC):VitalCheck 4400,CSI:503DX,503S pot,504DX,506,506DX,507ELC2 ScholarIII,8100Poet Plus,Poet (602-3A) (Sensor + Cable),Scholar (Sensor + Cable)	064  24pcs/box		Adult	S0044J-L S0044J-S	S0044J-LP		S0044J-ST		660/905-3 660/905-3
		570SD	price	L0/box	L0/box		L0/box		
		571SD	Pediatric	S0044K-S					660/905-3
			price	O4/box					
		572SD	Infant	S0044L-L					660/905-3
			price	O4/box					
		573SD	Neonatal/ Adult	S0044M-L		S0044M-LP		S0044N-L	660/905-3
			price	L0/box		L0/box		Q8/box	
DATASCOPE									
Datascope:Accutorr 3/4 SAT, Accutorr Plus,Passport (Database Sp02),Compatible for 0020-00-071-01	129  24pcs/box		Adult	S0052J-S					660/940-3
			price	O4/box					
		0998-00-0076-04	Pediatric	S0052K-S					660/940-3
			price	O4/box					
			Infant	S0052L-L					660/940-3
			price	O4/box					
		0998-00-0074-04	Neonatal/ Adult	S0052M-L				S0052N-L	660/940-3
			price	L0/box				O4/box	
NOVANMETRIX 诺医									
Novamatrix:505,510,511,515B/C,5207000,7100,Oxypleth; original match : 8776-00; Spacelabs:90351D/G,90465,90466,90467,90489,90651-07/08,90419-01,90651A-07,original match:8776-00	226  24pcs/box		Adult	S0062J-S					660/940-3
			price	L0/box					
			Pediatric	S0062K-S	S0062K-SP				660/940-3
			price	O4/box	O4/box				
			Infant	S0062L-L					660/940-3
			price	O4/box					
			Neonatal/ Adult	S0062M-L		S0062M-LP		S0062N-L	660/940-3
			price	L0/box		L0/box		Q8/box	
			Adult	S0162J-S					
			price	L0/box					
			Pediatric	S0162K-S					
			price	L0/box					
			Infant			S0162L-LP			
			price			L0/box			
			Neonatal/ Adult			S0162M-LP		S0162N-L	
			price			L0/box		L0/box	


Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER	
BCI										
BCI(Biochem International): 3401,3304,3303,3302,3301,3300; Spacelabs Burdick: PRO2; Dräger: Dräger Oxipac 2000	 24pcs/box		Adult	S0076J-L	S0076J-LP				660/905-2	
				S0076J-S	S0076J-SP				660/905-2	
				S0076J-SU					660/905-2	
				price	L0/box	L0/box				
				Pediatric	S0076K-L	S0076K-LP				660/905-2
					S0076K-S	S0076K-SP				660/905-2
			S0076K-SU						660/905-2	
				price	O4/box	O4/box				
				Infant	S0076L-L		S0076L-LP			660/905-2
					S0076L-LU					660/905-2
				price	O4/box		O4/box			
				Neonatal/ Adult	S0076M-L		S0076M-LP		S0076N-L	660/905-2
	S0076M-LU							660/905-2		
		price	L0/box		L0/box		Q8/box			
NONIN 燕牌										
NONIN: 8500,8600,8700,8800	 24pcs/box	7000A	Adult	S0080J-LU	S0080J-LPC		S0080J-ST		660/905-2	
				S0080J-S	S0080J-LPU				660/905-2	
				S0080J-SU	S0080J-SP		S0080J-STU		660/905-2	
				price	L0/box	L0/box		L0/box		660/905-2
				Pediatric	S0080K-L	S0080K-SP				660/905-2
					S0080K-S					660/905-2
			S0080K-SU						660/905-2	
				price	O4/box	O4/box				
				Infant	S0080L-L		S0080L-LP			660/905-2
					S0080L-LU					660/905-2
				price	O4/box		O4/box			
				Neonatal/ Adult	S0080M-L		S0080M-LPU		S0080N-L	660/905-2
					S0080M-LU		S0080M-LPZ		S0080N-LU	660/905-2
			S0080M-LZ					S0080N-LZ	660/905-2	
				price	L0/box		L0/box		Q8/box	
DOLPHIN (OSI) 海豚										
Dolphin ONE Oximeters, *digital PD output directly DS. Copatible original : 360	 24pcs/box		Adult	S0099J-S			S0099J-ST		660/905-2	
			price	T2/box			T2/box			
			Infant	S0099L-L					660/905-2	
			Neonatal/ Adult	price	T2/box					
				S0099M-L		S0099M-LP		S0099N-LC	660/905-2	
					S0099M-LPC		S0099N-LZ	660/905-2		
				S0099M-LPZ				660/905-2		
	price	T2/box		T2/box		V3/box				
GMI,(General Meditech,Inc),Creative,Newtech 杰纳瑞										
G2A Vital Signs Monitor G3D, G3A, G3C Patient monitor G3D, G3F, G3G Patient monitor G3H Patient monitor Creative: *digital PD output directly DS. PC-900, PC-900A, PC-900Color PC-3000 Patient Monitor Newtech:NT2C	 24pcs/box		Adult	S0108J-S	S0108J-SP				660/905-2	
					S0108J-SPZ				660/905-2	
			price	T2/box	T2/box					
			Pediatric	S0108K-S					660/905-2	
			price	T2/box						
			Neonatal/ Adult	S0108M-L		S0108M-LP		S0108N-L	660/905-2	
				S0108M-LZ		S0108M-LPZ		S0108N-LZ	660/905-2	
	price	T2/box		T2/box		T2/box				
GE-Ohmeda										
GEB650	 24pcs/box		Adult	S0190J-S	S0190J-SPZ				660/905/940-4	
			price	Q9/box	Q9/box					
			Infant	S0190L-L					660/905/940-4	
			price	Q9/box						
			Neonatal/ Adult	S0190M-L		S0190M-LP		S0190N-L	660/905/940-4	
				S0190M-LC		S0190M-LPZ		S0190N-LZ	660/905/940-4	
	price	Q9/box		Q9/box		Q9/box				

Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER			
MED-LINKET 美的连												
Compatible Brand and Models of equipment well be founded in "6 Multi-com&site SpO2 Sensor & Extension Cable" and "5 Y type Multisite sensor" (page 5-1 and 6-1)	 24pcs/box		Adult	S0136J-L	S0136J-LPU		S0136J-STU					
				S0136J-LU								
				S0136J-S								
			Pediatric	price	O4/box	O4/box		O4/box				
				S0136K-L								
				S0136K-S								
			Infant	price	O4/box							
				S0136L-L								
				price	O4/box							
			Neonatal/ Adult		S0136M-L		S0136M-LPU		S0136N-L			
				S0136M-LU				S0136N-LU				
			price	O4/box		O4/box		O4/box				
Konica Minolta												
Pulsox-300, Pulsox-300i	 692		Neonatal/ Adult	S0152M-L					660/905-2			
			price	J0/box								
Mindray / Masimo												
PM-6800 (masimo module, 7pin socket) , T8 Patient monitor *Need adapter cable S0126CS-L compatible with Mindray patient monitor.	 24pcs/box	0010-10 - 42630	Adult	S0153J-S	S0153J-LP				660/905-2			
					S0153J-LPZ				660/905-2			
					S0153J-SP				660/905-2			
					S0153J-SPZ				660/905-2			
			price	J0/box	J0/box							
		0010-10- 42629	Pediatric	S0153K-S					660/905-2			
					price	O4/box						
		0010-10- 42628	Infant	S0153L-L					660/905-2			
					price	O4/box						
		0010-10- 42627	Neonatal/ Adult	S0153M-L		S0153M-LP		S0153N-L	660/905-2			
									S0153M-LJ	S0153M-LPZ	S0153N-LZ	660/905-2
S0153M-LZ	660/905-2											
	price	J0/box		J0/box		Q8/box						
			Adult		S0160J-SPZ							
			price		T2/box							
			Neonatal/ Adult	S0160M-LZ		S0160M-LPZ		S0160N-LZ				
			price	T2/box		T2/box		T2/box				
			Neonatal/ Adult			S0183M-LPZ						
			price			T2/box						
			Adult		S0194J-SPZ							
			price		T2/box							
			Neonatal/ Adult	S0194M-LZ		S0194M-LPZ		S0194N-LZ				
			price	T2/box		T2/box		T2/box				
			Adult		S0195J-SPZ							
			price		T2/box							
			Neonatal/ Adult	S0195M-LZ		S0195M-LPZ		S0195N-LZ				
							S0195N-SC					
			price	T2/box		T2/box		T2/box				

Compatible Models	INSTRUMENT CONNECTOR	OEM P/N	Applicable people	Microfoam	non-woven	Medaplast	Transpore	foam	EMITTER
			Adult	S0204J-S	S0204J-SPZ				
			price	T2/box	T2/box				
			Pediatric	S0204K-S					
			price	T2/box					
			Infant			S0204L-LP			
			price			T2/box			
			Neonatal/ Adult	S0204M-LZ		S0204M-LP		S0204N-LZ	
			price	T2/box		S0204M-LPZ		T2/box	


Clinical Test Result

Emitte: 660/905nm (OXI TECH)




Item	70--100	90--100	80--<90	70--<80	60--<70
# pts	245	82	75	88	1
Bias	0.25	1.17	0.6	-0.89	
ARMS	2.12	1.74	1.86	2.6	
Max diff	5				
Min diff	-8.2				

Emitte: 660/905nm




Item	70--100	90--100	80--<90	70--<80	60--<70
# pts	246	83	75	88	1
Bias	-0.7	0.04	-0.3	-1.74	
ARMS	2.38	1.32	2.04	3.26	
Max diff	3.6				
Min diff	-11.1				

Emitte: 660/940/905nm




Item	70--100	90--100	80--<90	70--<80	60--<70
# pts	245	82	75	88	1
Bias	-0.08	0.17	0.11	-0.5	
ARMS	1.79	1.14	1.63	2.36	
Max diff	5.3				
Min diff	-7				

Emitte: 660/905nm




Item	70--100	90--100	80--<90	70--<80	60--<70
# pts	249	86	75	88	1
Bias	-0.3	0.37	-0.14	-1.11	
ARMS	2.03	1.09	1.89	2.72	
Max diff	3.8				
Min diff	-10.2				




3


血氧探头转接线

SpO2 Sensor Extension Cable






Instrument Connector









Connector(Sensor side)







Type Disignation







- The MED-LINK product range will assist you by standardizing your EXT- Cable & Adapter cable selection while providing very durable products compatible with the many leading manufacturers of patient monitor systems.
- * Masimo SpO2 Adapter cable refurbished or repair only.
- * The brands or registered trade mark listed in the files are belong to the respected owners of the properties.

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
BCI 贝克国际	(Biochem International): 3401,3304,3303,3302,3301,3300;		S0076BC-L	Ext-Cable,8ft,DB9M>DB9F, Suitable for BCI probe	389 		B4
	(Biochem International): 6100, 9100, Advisor, Autocorr, Mini Torr BCI (Biochem International), Mini Torr Plus;		S0111BC-L	Ext-Cable,8ft, Readel 1bit.7P>DB9F, Suitable for BCI probe MOQ 60PCS	558 		B4
Bionet (Korea) 韩国品牌	BM3,BM3 Plus;		S0121BC-L	Ext-Cable,8ft, AMP 6P>DB9F, Suitable for Bionet probe MOQ 40PCS	725 		C5
	BM3Vet, BM31;		S0084BC-L	Ext-Cable,8ft, Readel 1bit.7P>DB9F, Suitable for Bionet probe MOQ 80PCS	609 		B4
	BPM300		S0065NE-L	Ext-Cable,8ft, MD6M>DB9F,Suitable for Nellcor probe	061 	130 	C0
Bruker (ODAM) 布鲁克	Bruker (Odam) all		S0071BC-L	Ext-Cable,8ft, Round12P>DB9F, Suitable for BCI probe MOQ 50PCS	721 		C5
Colin 科林	Datascope:Accutorr Plus, Nellcor:NPB-290/5, N-390,N-395,N-3000 N-6000,NPB-290/5,N-390,N-395,N-3000,N-6000, Nihon Kohden:BSM-4104A, BSM-4114A, Colin BP88/306, Need S0008CO-L(Rev.C) to compatible with Pro1000(OXIMAX)	SCP-10	S0008CO-L	Ext-Cable,8ft, AMP14P>DB9F, Suitable for Nellcor probe, asS0010B-S,S0026B-S	116 	127 	D2
Corpuls 	Corpuls 08/16, 08/16M;		S0138CO-L	Ext-Cable,8ft, Readel 2bit.6P>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	773 	480 	F0
			S0138CS-L	Ext-Cable,8ft, Readel 2bit.6P>DB9F, Suitable for Masimo CS Sensor and MED-LINK S0153B-S MOQ:30PCS		479 	F0
CSI	CSI (Criticare Systems International):506 Spot CSI ,507SD(Criticare Systems International):503 Spot;		S0044BC-L	Ext-Cable,8ft, DB9M>DB9F, Suitable for CSI probe MOQ 50PCS	064 		B3
	CSI (Criticare Systems International):Scholar , Poet (602-3A), 1100 , 581, 508, 507, 507SD,504, 503, 501; Mindray 500A;		S0100BC-L	Ext-Cable,8ft, Lemo 1B.5>DB9F, Suitable for CSI probe instead of S0011NE-L MOQ 40PCS	454 		D3
Datascope	Datascope:Accusat Datascope:Accutorr 3/4 SAT Datascope:Accutorr Plus (Datascope Sp02) Datascope:Passport (Database Sp02);	0012-00-0516-02	S0052BC-L	Ext-Cable,8ft, DIN8P>DB9F, Suitable for Datascope probe MOQ 30PCS	722 		C5
PETAS			S0089BC-L	Ext-Cable,8ft, Readel 2Rib 40°-6P>DB9F, fit for Nellcor probe MOQ 60PCS		130 	B0

Compatible Brand	OEM MODELS NUMBER	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
DATEX 德恩	Datex-Ohmeda:AS/3, CS/3, CH/S, CH/2S, CH-RS, CG/2S, Cardiacap I, Cardiacap II, Cardiacap 5, Capnomac Ultima, Light Monitor, M-Estpr, Oscar II, OSP-200, Satlite Trans, Satlite Trans Plus, ULTSVI, ULTSVO, ULTSIO, ULTS00;	OXY-C3	S0036BC-L	Ext-Cable,8ft, Round 10J>DB9F, Suitable for DATEX probe			C4
		OXY-SL3	S0036OH-L	Ext-Cable,8ft, Round 10J>8J, Suitable for DATEX probe			D3
			S0036NE-L	Ext-Cable,8ft, Round 10J>DB9F, fit for Med-link S0010 series			C4
Datex-Ohmeda 德恩-欧美达	Suitable for Datex-Ohmeda:Ohmeda 3700, Ohmeda 3710, Ohmeda 3770, Ohmeda 3775, Biox 3740, Biox 3760, 3800 OxiCap, 4700 OxiCap, 5250RGM, Rascal II; GE Medical Systems:Corometrics 511; Mennen:Horizon XL (Ohmeda SpO2);		S0014BC-L	Ext-Cable,8ft, Hyc7P>DB9F, Suitable for Ohmeda probe MOQ 40PCS			C2
		OXY-OL3	S0014OH-L	Ext-Cable,8ft, Hyc7P>8J, Suitable for Ohmeda probe			D3
GE-Ohmeda 通用-欧美达	Sensor solutions for GE Ohmeda TruSat™ pulse oximeter;	OXY-MC3	S0127OH-L	Interconnect cable,8ft DB9M>8J, Suitable for Ohmeda probe			D9
Dolphin Medical (OSI) 海豚医疗	Dolphin ONE Oximeters;	110	S0099BC-L	Ext-Cable,8ft, AMP14P>DB9F, Suitable for Dolphin probe			C7
EDAN (China) 理邦	EDAN: M9, WANDONG 万东: BYS-8000, MINDRAY迈瑞: PM-8000 MEC1200;		S0040BC-L	Ext-Cable,8ft, Reader 2bit.6P>DB9F, Suitable for BCI probe			B4
	M9,M99A,M8,M8A, M8B, M3,M3B (Oxi Tech)		S0432OX-L	Exi-Cable,8ft, Round 6P>DB9F, Suitable for MED-LINKET S0026 series			B0
GE Medical (Nellcor module) 通用医疗	Dash 2000/3000/4000 with Nellcor option,Dash 3000/4000/5000 with Ohmeda option, Solar 8000/8000M, i9500 with Tram Module 451/451N/851/851N, Cardiolab®/Mac-Lab®with Tram Module 451/451N Corometrics® 120/2120 series Eagle 1000/3000/4000 Responder 3000 with Nellcor option;	2006644-001	S0002NE-L	Ext-Cable,8ft, Rectangle 11P>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S			A0
GE Medical (Oxi-Tech Module) 通用医疗	Dash 3000/4000/5000 with Nellcor OxiMax option Solar 8000/8000M, i9500 with Tram module 451N5/851N5;	202140 6-001	S0122OX-L	Ext-Cable,8ft, Rectangle 11P>>DB9F, Suitable for DS-100A S0132B-S, and S0010B-S(Need S0026NE-A)			D9
GE Medical (Masimo Module) 通用医疗	Dash 3000/4000/5000 with Masimo option Solar 8000/8000M, i9500 with Tram Module 451M/851M Cardiolab®/Mac-Lab® with Tram Module 451M Corometrics® 259;	201700 2-003	S0025MA-L※	Ext-Cable,8ft,Rectangle 11P>Masimo 6J, Suitable for Masimo LNOP probe			D5
			S0025CS-L	Ext-Cable,8ft, Rectangle 11P>DB9F Suitable for Masimo CS Sensor and MED-LINK S0153B-S			C0
			S0025CO-L	Ext-Cable,8ft, Rectangle 11P>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S			C7








Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
GE-Ohmeda 通用-欧美达	S/5, i4 Modular Monitors with E-series modules Corometrics® 259 with TruSignal Ohmeda Technology;	OXY-ES3	S0128OH-L	Interconnect cable,8ft, Rectangle 11P>8J, Suitable for Ohmeda probe	379 	591 	D9
			S0194NE-L	Interconnect cable,8ft, Rectangle 11P>DB9F, fit for MED-LINK S0194 Series.	955 	130 	D0
GE-MARQUETTE (Oximax Module) 通用-马葵	GEMS Dash Series (Oximax Module)		S0122CO-L	Ext-Cable,8ft, Rectangle 11P>DB9F, Compatible for MED-LINK S0026series.	069 	205 	D0
GE Medical 通用医疗	CARESCAPE* modular monitors and S/5, AS/3 and CS/3 modular monitors with E-(P)RESTN or E-PSM(P) modules. CARESCAPE V100 with TruSignal* option, Responder, B20 and B30 monitors.	TS-G3	S0190TS-L	Ext-Cable,8ft, Rectangle 11P>DB9F, Compatible for MED-LINK S0190B-S series;			D2
GE	GE Coromtrics 120 510 511 118 556		S0431NE-L	Exi-Cable,8ft, 12P>DB9F, Suitable for MED-LINKET **		130 	D2
Hellige 海力格	Servomed 4.Generation SCP 844,851,852; SCS 804; SMK151,153,154,155-1,156,157,SMK181,182,SMV 104T,107,111,168;SMS316;SMC1 08; SMV104,Servomed N4, Servocard, Serie Cardioserv,Vicom SM,SMU 511,611,612,630 Serie SMK-200, SMK210,211,230.231.240,250,SM P 300,310,Pepita 201,202,202 R, ,203,Pepita 203, R204,204R,205, Pepita 205R	3034435 8	S0006NE-L	Ext-Cable,8ft, Round 10P>DB9F, fit for Nellcor probe	077 	130 	C5
Huntleigh Healthcare 亨利特			S0147NE-L	Ext-Cable,8ft, Readlel 1bit.7P>DB9F, Suitable for BCI probe	041 	130 	C4
INVIVO (Nellcor module) 英威	4500,4500Plus,Millenia,Omeg a1445,Omni-TrakTVS,Sat Scout,original cable number 9383;		S0083NE-L	Ext-Cable,8ft, Lemo 1B.7p>DB9F, Suitable for Nellcor probe MOQ 50PCS		130 	C4
INVIVO (Masimo module) 英威	M8;	9217A	S0094MA-L※	Ext-Cable,8ft,Lemo 1B.7p>Masimo 6J,Suitable for Masimo LNOP probe MOQ 20PCS	483 	109 	D0
			S0094CO-L	Ext-Cable,8ft, Lemo 1B.7p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S			C7
	4500, ,Omni Track Omeg 1445Millennia (M Tech)	1863/LN CS DCI225 8/LNCS YI	S0094CS-L	Exi-Cable,8ft,Lemo 1B.7p>DB9F,Compatible for Masimo LNCS sensor and MED-LINK S0153			C0
Kontron 康强	Kontron:7840 Kontron:7845 Kontron:Kolormon Kontron:Micromon Kontron:Minimon 7137 Kontron:Supermon Kontron:Trakmon;		S0019NE-L	Ext-Cable,8ft, Round 12P>DB9F, Suitable for Nellcor probe MOQ 40PCS	070 	130 	C2
			S0421NE-L	Exi-Cable,8ft, Readlel 2bit.6P>DB9F, Suitable for MED-LINKET S0010 series	076 		C2









Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Masimo 马西墨	Masimo all MDE:EscortII OPT30:Prism ,GE Marquette:,Pro1000,V300 , INVIVO:T8 , Schiller: , ZOLL: , Datascope: Trio,Passport2, Spectrum, (Must be Masimo Module);		S0020CO-L	Ext-Cable,8ft, Amp14P>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	403 		C5
			S0020CS-L	Ext-Cable,8ft, Amp14P>DB9F, Suitable for Masimo CS Sensor and MED-LINK S0153B-S		479 	C0
			S0153NE-A	Adapter, DB9M>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010 Series			C0
	MASIMO LNC-10 2056		S0442CS-L	Exi-Cable,8ft, Rectangle 20P>DB9F, Suitable for MED-LINKET S0204 series			E0
	Compatible model depending on the Ext-cable, E.g: Rad-8 Rad-5/Rad-5v; SatShare		S0197MA-L	Exi-Cable,8ft, hemicycle 8p>Masimo 6J, suitable for Masimo LNOP probe	210 		C0
Philips/HP	MP20/30/40/ PM50/60/70/90 VN4, VM6, VM8 (M Tech)	as S0024s eries	S0197CS-L	Exi-Cable,8ft, hemicycle 8p>DB9F,Compatible for NELLCOR sensor and MED- LINK S0010B-S	210 		C0
MEK (Korea) 美克 (韩国品牌)	MP-100, MP110, MP400, MP500,MP600,MP1000 (CSI Module);		S0018BC-L	Ext-Cable,8ft, DB9M>DB9F, Suitable for MEK probe MOQ 80PCS	078 		B5
	REF: MIS3AH_1 MEK ICS: MP1000NT TYPE: MEK (CSI Module);	MIS3AH_1	S0115BC-L	Ext-Cable,8ft, Round 8p>DB9F, Suitable for MEK probe	212 		C7
	MP1000, (Nellcor Module);		S0144NE-L	Ext-Cable,8ft, Round 8p>DB9F, Suitable for Nellcor probe		130 	C7
Mennen 美能			S0103NE-L	Ext-Cable,8ft, Round 8p>DB9F, Suitable for Nellcor probe	213 		C7
	Horizon2000;		S0009NE-L	Ext-Cable,8ft, Lemo 2b. 10P>DB9F, Suitable for Nellcor probe	499 		F0
Mindray (CSI Module) 迈瑞	MEC-509,509+,503,507, OEM No.512A-30-06074;		S0011CS-L	Ext-Cable,8ft, Lemo 1B.5p>DB9F, Suitable for CSI probe	451 	508 	E0
Mindray (mindray module) 迈瑞	VS800(Mindray module), PM-7000,6201,8000,9000, Marketing:CFDA,CE,FDA; OEM No.0010-20-42594 MEC1200;	0010-20- 42594	S0040NE-L	Ext-Cable,8ft, Redel 2bit-40° 6p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S, Mindray 512D,	076 	205 	A0
	PM5000,PM6000,PM8100 Marketing:CFDA,CE. OEM No.0010-21-11957	0010-21- 11957	S0045OX-L	Ext-Cable,8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	566 	205 	B0
	PM-6800, (Mindray module) BeneView T5/T6/T8 (Mindray module) iPM Series (Mindray module) ;	0010-30- 42737	S0125CO-L	Ext-Cable,8ft, Round 7p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	239 	205 	C0


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Mindray (Masimo Module) 迈瑞	PM9000express(.Masimo). PM8002,9201,(PM-6201,7000,8000,M1K0,M2K0 since 2006), Marketing:CFDA,CE.FDA ;	0010-30-42625	S0116CO-L	Ext-Cable,8ft, Radel 2bit-60°6p,>>DB9F,Compatible for NELLCOR sensor and MED-LINK S0010B-S	241 		B0
	New PM-6000 PM7000,8000,9000 PM-9000 Express VS 800,New PM6000(M tech)	0010-30-42625	S0116CO-L	Exi-Cable,8ft,Radel 2bit-60°6p,>>DB9F,Compatible for NELLCOR sensor and MED-LINK S0010B-S			B0
	PM-9000,9100,9200,(PM-6201,7000,8000,M1K0,M2K0 before 2006) Marketing:CFDA,CE.FDA	0010-30-42602	S0013CO-L	Ext-Cable,8ft,Compatible Readlel 2bit 40° 6p>DB9F,Compatible for NELLCOR sensor and MED-LINK S0010B-S	076 		B0
	PM-9000,9100,9200,(PM-6201,7000,8000, M1K0,M2K0 before 2006)(M Tech)	0010-30-42602	S0013CO-L	Exi-Cable,8ft,Compatible Readlel 2bit 40° 6p>DB9F,Compatible for NELLCOR sensor and MED-LINK S0010B-S			B0
	PM-6000 (masimo module, 12pin socket) Marketing:CFDA,CE.FDA OEM No.0010-30-12452;	0010-30-12452	S0012CO-L	Ext-Cable,8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	412 		C7
	PM-6800 (masimo module, 7pin socket) , BeneView T5/T6/T8 (Masimo module)) iPM Series (Masimo module) ;	0010-30-42738	S0126CO-L	Ext-Cable,8ft, Round 7p>DB9F, Suitable for NELLCOR probe,, as S0010B-S	772 		C0
	PM-6800 (masimo module, 7pin socket) , BeneView T5/T6/T8 (Masimo module)) iPM Series (Masimo module) ;	0010-30-42738	S0126CS-L	Ext-Cable,8ft, Round 7p>DB9F, Suitable for Masimo CS probe and MED-LINK S0153B-S	771 	480 	C0
	MINDRAY T5,T8;	0010-20-42712	S0126OX-L	Nellcor OxiMax SpO2 Cable,8ft, Round 8p>DB9F,Suitable for Masimo CS probe and MED-LINK S0026B-S		205 	C0
	MINDRAY T3,T5,T8;		S0199CS-L	Exi-Cable,8ft, Round 8P>DB9F Suitable for MED-LINKET S0153 and S0201 series			C0
	PM9000express, PM9000, 9100, 9200 (masimo module) Marketing:CFDA,CE.FDA;		S0013MA-L※	Ext-Cable,8ft, Compatible Readlel 2bit 6p>Masimo 6J, Suitable for Masimo probe	402 	109 	F5
	PM6000 (masimo module) Marketing:CFDA,CE.FDA OEM No.6200-30-11721;	6200-30-11721	S0012MA-L※	Ext-Cable,8ft, Round 12p>Masimo 6J, Suitable for Masimo probe	505 	109 	F5
	Mindray datascope passport V		S0204CS-L	Mindray 14P>>9P Spo2 2.43M, Fit for S0204Series.	388 		D9
MINDRAY (Nellcor Module) 迈瑞	VS800、8002、9201、PM7000(Since Jan. 2006) patient monitor of Nellcor module and 6pin plug (80° between 2bit);	0010-20-42595(E)	S0129NE-L	Ext-Cable,8ft, Compatible Readlel 2bit 6p (80°)>>DB9F, Suitable for Nellcor probe	076 	544 	B0
Nellcor 耐普特	Datascope:Accutorr Plus, Nellcor:NPB-290/5, N-390,N-395,N-3000 N-6000,NPB-290/5,N-390,N-395,N-3000,N-6000, Nihon Kohden:BSM-4104A, BSM-4114A, Colin BP88/306, Need S0008CO-L(Rev.C) to compatible with Pro1000(OXIMAX)	SCP-10	S0001NE-L	Ext-Cable,8ft, AMP14P>DB9F, Suitable for Nellcor probe	388 	130 	B0

Compatible Brand	OEM MODELS NUMBER	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Nellcor 耐普特	Datascope: Expert,Passport, GE Medical: Corometrics 188/129,CritikonDinamap9700/9710/9720 Plus/Compact/MPS/Pro 300/Pro 400/Select, IvyBiomedical: 405P,405T, M.D.E.: Escort II OPT30,Prism, Nellcor: N100,N200,N180,N-20,NPB-40,NPB-75 , Nonin: 8500,8604, Welch Allyn Protocol:Propaq 206-EL,Propaq 204-EL,Propaq 202-EL,Propaq 106EL;	EC-4	S0010NE-S	Ext-Cable,4ft, DB9M>DB9F, Suitable for Nellcor probe	059 	130 	A8
		EC-8	S0010NE-L	Ext-Cable,8ft, DB9M>DB9F, Suitable for Nellcor probe			A8
Nellcor (Oxi-tech) 耐普特	Nellcor:N550, N-595 GE:Dinamap PRO (w/Oxi), Schiller,Include N-600x, GE Dash Series patient monitor(Oximax mould), as 1800, 2500, 3000. CARESCAPE. Include Spacelabs mCare 300 Vital Signs Monitor(Oximax mould), as 91220 series;		S0026NE-A	OXI Adapter DB9M>DB9F, Suitable for Nellcor probe, Old Nellcor to OXIMA TECH OXIMETER	496 		C0
	All Nellcor & Nellcor equipped OEM monitors not listed above , Philips: Viridia A3;	DEC-4	S0026OX-S	Ext-Cable,4ft, DB9M>DB9F, Suitable for Nellcor oximax probe , as S0026B-S	204 	238 	B0
	All Nellcor & Nellcor equipped OEM monitors not listed above , Philips: Viridia A3;	DEC-8	S0026OX-L	Ext-Cable,8ft, DB9M>DB9F, Suitable for Nellcor oximax probe and MED-LINK S0026B-S	204 	238 	B0
	Nellcor: N550,N560, N-595 GE: Dinamap PRO (w/Oxi) , Schiller;	DOC-10	S0117OX-L	Ext-Cable,8ft, AMP14P>DB9F, Suitable for Nellcor probe and MED-LINK S0026B-S	116 	205 	B0
Nihon Konden 日本光电	Compatitibilities : Be Compatible with Nihon Kohden OPV-1500 , OPV-3100;	JL-302T	S0159NI-L	Ext-Cable,8ft, 3M 20p>DB9F, Suitable for Nihon Konden probe TL-201T and Med-linket S0005 Series probe		090 	E0
			S0069NI-L	Ext-Cable,8ft, Round 10p>DB9F, Suitable for Nihon Konden probe and Med-linket S0005 Series probe; MOQ 20PCS	047 		G0
	Bedside Monitor: BSM-4101,4103,4111,4113 Life scope P,BSM-5105,5135 Life scope A,BSM-2351,2353 Life scope L,BSM-2301,2303 Life scope I	JL-900P	S0005NI-L	Ext-Cable,8ft, Rectangle 14p>DB9F, Suitable for Nihon Konden probe and S0005 Series probe	214 	090 	D5
Nonin 燕牌	8604,8604D;		S0080NE-L	Ext-Cable,8ft, Lemo 1b 6p>DB9F, Suitable for Nonin probe	045 	130 	C5
	8600 series, 8500,8700,8800,9600,9700;		S0109NE-L	Ext-Cable,8ft, AMP 8p>DB9F, Suitable for Nonin probe MOQ 20PCS	215 	130 	D0
Novamatrix 诺医	Novamatrix:505, 510,511,515B/C, 520, 7000, 7100, Oxypleth; Spacelabs Medical:90351-D/G , 90465, , 90466, 90467, 90489, 90651-07/08 , 90419-01, 90651A-07;	8776-00	S0062NE-L	Ext-Cable,8ft, Hypertronics 7p>DB9F, fit for Novamatrix probe and MED-LINK S0062B-S MOQ 40PCS	071 	130 	C2
	Oxypleth (Extension Cable),7100 (Extension Cable),7000 (Extension Cable),520 (Extension Cable),515B/C (Extension Cable) ,505 (Extension Cable),500;		S0062HY-L	Ext-Cable,8ft, Hypertronics 7p>Hys 7J, fit for Novamatrix probe and MED-LINK S0062B-L	775 	326 	D0
Pace Tech 佰斯特 Generra 将军	Pace Tech:All w/ black face (except Vitalmax 800 w/Nellcor® SpO2), Generra: 710, 200, 300, 400, 810, 530;	4510	S0082BC-L	Ext-Cable,8ft, Switchcraft 5J>DB9F, fit for BCI probe MOQ:30pcs	216 		C5


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Pace Tech 佰斯特 Generra 将军			S0091BC-L	Ext-Cable,8ft, Compatible Readel 1bit 7p>DB9F, fit for BCI probe MOQ:30pcs	041 		B4
Philips 飞利浦	Philips Medical:M2601A,M3000A,M3500B,M4735A;	M1943A	S0015OX-L	Ext-Cable,8ft, hemicycle 8p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	210 	205 	B8
	Philips Medical:M2601A,M3000A,M3500B,M4735A;	M1941A	S0015PH-L	Ext-Cable,8ft, hemicycle8P>hemicycle 8J, fit for Philips probe		080 	B8
	Philips Medical:78352C,78354C,78834C, M1020A,M1025B,M1205A,M1350 B,M1722A/B,M1732A/B,M2475B, Viridia A1, Viridia A3;	M1900B	S0003OX-L	Ext-Cable,8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	128 	205 	B0
	Philips Medical:M2475B, M1732A/B, M1722A/B, M1020A, 78833C, 78833A, 78834A, 78352C, 78352A;	M1940A	S0003PH-L	Ext-Cable,8ft, Round 12P>hemicycle 8J, fit for Philips probe		207 	B8
	Philips MP,PM,VM;		S0414OX-L	Exi-Cable,8ft, hemicycle 8P> DB9F Suitable for MED-LINKET S0026 series	052/060 	205 	B0
PRIMEDIC 普力玛			S0139NE-L	Ext-Cable,8ft, Compatible Redel 1Rib-7pin>DB9F,fit for Nellcor probe MOQ 50PCS		130 	C2
			S0140NE-L	Ext-Cable,8ft, Compatible Redel 2Rib-8pin>DB9F,fit for Nellcor probe		130 	C2
S&W (Artema) 丹麦阿提玛	S&W Artema Patient monitor;	SL033057	S0023OX-L	Ext-Cable,8ft, Round 10J>DB9F, fit for Nellcor and S0010 Series SpO2 sensors MOQ 40PCS	209 	205 	C5
S&W Athena and Diascope	S&W Athena and Diascope;		S0156NE-L	Ext-Cable,8ft, Round 10J>DB9F, fit for Nellcor and S0010 Series SpO2 sensors		130 	C5
Schiller (Nellcor Module) 席勒	Schiller Argus TM-7;		S0028NE-L	Ext-Cable,8ft, Din7P>DB9F, fit for Nellcor probe MOQ 60PCS	339 	130 	C2
Schiller (Masimo module) 席勒	Argus Pro, Argus LCM;		S0118MA-L※	Ext-Cable,8ft, DIN7P>Masimo 6J, fit for Masimo probe	339 	109 	D0
	TM7,Argus LCM, (M Tech)	as S0024 series	S0118CS-L	Exi-Cable,8ft,DIN7P>DB9,fit for Masimo LNCS probe	339 		D0
SIMED (Baxter)	Baxter:ASAT , SiMED:S-50 SiMED:S-100, SiMED:S-100e;	600015	S0120NE-L	Ext-Cable,8ft, Hypertronics 8p>DB9F, Compatible for NELLCOR sensor and S0010B-S MOQ 40PCS	447 	130 	C0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Siemens Drager medical 西门子	Siemens medical SC 6002XL, SC7000, SC8000, SC9000XL;	3368433	S0072BC-S	Ext-Cable,4ft, round 7P>DB9F, fit for NELLCOR DS-100A orMED-LINK S0010 Series	073 		B5
	Siemens medical SC 6002XL, SC7000, SC8000, SC9000XL;	3375834	S0072BC-L	Ext-Cable,8ft, round 7P>DB9F, fit for NELLCOR DS-100A o MED-LINK S0010 Series			B5
	Drager medical: Vitalert 1000, Cicero;		S0119NE-L	Ext-Cable,8ft, Lemo 2b 8P>DB9F, Suitable for Nellcor probe	046 	130 	H0
	Siemens Medical:Sirecust 700 Siemens Medical:Sirecust 630 Siemens Medical:Sirem SpO2 Module ;		S0078NE-L	Ext-Cable,8ft, hemicycle10P>DB9F, fit for Nellcor probe MOQ:30PCS	476 		C5
Spacelabs 太空	Spacelabs Medical:90351-0/6; 90465; 0466; 90489; 90651A-08; 90651-A; IM77,90308, PC Scout;	700-0020-0	S0035NE-L	Ext-Cable,8ft, Hypertronics 12p>DB9F, Suitable for Nellcor probe	220 	130 	C2
	Spacelabs Medical: 1050,1600,1700,90369,90469 ,90496 Ultraview;	700-0030-00	S0004NE-L	Ext-Cable,8ft, Compatible Rectangle 10P>DB9F, fit for Nellcor probe	081 	130 	C0
	Single Adapter Cable:90351-D/G; 90465,90466,90467,90489,90651-07/08;2nd Adapter Cable:90351-D/G,90465,90466,90467,90489,		S0035HY-L	Ext-Cable,8ft, Hypertronics 12p>Hypertronics 7J, fit for Novamatrix probe	775 	326 Code: HY 	D0
	Spacelabs Medical: 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview and Ultraview SL with Oximax technology	700-0792-00	S0004OX-L	Ext-Cable, 8ft, Rectangle 10P>DB9F. Fit for MED-LINK S0026 Series Probes.		205 	D2
	Ultraview (M tech)	as S0024 series	S0004CS-L	Exi-Cable,8ft,Compatible Rectangle 10P>DB9, fit for Masimo LNCS probe	081 		C0
AnKe 安科 Choice: 超思 MMED6000D/D	AnKe:553; Biolight;BaoZhong; Cheersails:CSM-2000; WanDong; Goldway:UT4000A UT4000C 4000B; Jumbor:JB9101/9105/9107; TianRong; QiLan:M-III; HongRunDa:EM-6,JERRY:PM2000; JoyceTracker: BMD-50; Mindray:PM9000; Richer:RC9000;ShenMai:KP-900; Spurt:CP-1200; SHIPAI: KMI-1000; ZhongHengSheng:KD580;ZhongYua: HD-2000		S0007BC-L	Ext-Cable,8ft,Compatible Readle 1bt 5P>DB9F, fit for BCI probe	074 		B4
Sunmind 深迈	Sunimind KP-930/930F		S0141NE-L	Ext-Cable,8ft, hemicycle 8p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010series MOQ 50PCS	510 	130 	B8
Biolight 宝莱特	M6,M12, M69(new version);		S0029BC-L	Ext-Cable,8ft,Compatible Readle 1bt 5P>DB9F, fit for BCI probe	408 		B4
	BLT: M66, M69(Old version);		S0101BC-L	Ext-Cable,8ft, Compatible Lemo 1bt 5P >DB9F, fit for BCI probe	044 		C5
	M8000;		S0155DO-L	Ext-Cable,8ft, Compatible Readle 1b 5P >DB9F, fit for MED-LINK S0160 series.	074 	130 	B2

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
Biolight 宝莱特	A6		S0165DO-L	Ext-Cable,8ft, Round 9p>DB9F,fit for MED-LINK S0165M-L.	948 		C4
Biocare 邦健 Jumbor 精博	BM9000;		S0022BC-L	Ext-Cable,8ft, Compatible Readlel 2bit.6P>DB9F, fit for BCI probe;MOQ:50pcs	076 		B4
Choice oximax module 超思	NELLCOR OXIMAX module		S0112OX-L	Ext-Cable,8ft, MOQ 60PCS Compatible Readlel 1bt 9P>DB9F, fit for Nellcor probe DS-100A and MED-LINK S0026B-S;	444 	205 	C0
Creative 科瑞康	PC5000, PC9000.		S0160NE-L	Ext-Cable,8ft,Compatible Readlel 2bit.5P>DB9F,fit for S0160 series.	898 	130 	B2
	UP-6000, PC-9000 (Non-Oximax)	DS100A D-YS	S0063BC-L	Exi-Cable,8ft, Compatible Readlel 2bit.6P>DB9F, fit for BCI probe instead of S0047BC-L.	076 		B4
Contec	CMS-7000		S0155NE-L	Ext-Cable,8ft, Compatible Readlel 1bt 5P>DB9F, fit for BCI probe.	408 		B4
	GSM9000		S0155DO-L	Ext-Cable,8ft, Compatible Readlel 1bt 5P>DB9F, fit for S0160 series.		130 	B2
GOLDWAY 金科威			S0061BC-L	Ext-Cable,8ft, Compatible Readlel 2bt 7P>DB9F, fit for BCI probe.	041 		B5
	Goldway: UT4000A, UT4000C 4000B PACE TECH;		S0007BC-L	Ext-Cable,8ft, Compatible Readlel 1bit.5p>DB9F, fit for BCI probe.	074 		B4
	UT4000A,UT4000B, UT4000F UT4000ACS(OxiSmart)(Non-oximax)	DS100A D-YS	S0007NE-L	Ext-Cable,8ft,Compatible Readlel 1bt,5P>DB9P,fit for Nellcor probe			B4
	UT4000A, UT4000C, UT4000E, UT4000F, UT4000Apro, UT4000Fpro, UT6000A;		S0038BC-L	Ext-Cable,8ft, Lemo 1B.5>DB9F, fit for BCI probe	696 		C5
3F 三埃弗	COMEN:STAR-1000; LANKE:LK-8600A; 3F: DIONA PMS-8100; CSI:RADO 4200; MAYTAG: MTK-2000;		S0021BC-L	Ext-Cable,8ft, Compatible Readlel 1bt 6P>DB9F, fit for BCI probe	583 		B4
Neusoft 东软	NSC series patient monitor;		S0003OX-L	Ext-Cable,8ft, Round 12p>DB9F, Compatible for NELLCOR sensor and MED-LINK S0010B-S	128 	205 	B8
MMED6000D P/M10 中恒生	MMED6000DPM/M10,KD580;		S0169NE-L	Ext-Cable, 8ft, Readlel 1bit,6p>DB9F, Suitable for BCI Probe		130 	B4

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	CONNECTOR (SENSOR SIDE)	PRICE CODE
M&B 麦邦	M&B: CD2000		S0093NE-L	Ext-Cable,8ft, Hypertronics 6p>DB9F, Compatible for NELLCOR sensor or MED-LINK S0010B-S.	447 	130 	C0
Emtel	Emtel: (Fx2000) 		S0178OX-L	Ext-Cable,8ft, 12p>DB9F, Compatible for NELLCOR sensor and S0010B-S.		205 	C5
	S0178CO-L		S0178CO-L	Ext-Cable,8ft, Round 12p>DB9F, Compatible for MED-LINK S0010 series.	1442 	205 	C5
Shanghai NuoCheng 上海诺成	ShangHai NuoCheng: NTS3000		S0192NE-L	Ext-Cable,8ft, Lemo 6p>DB9F, fit for S0010 series.	1317 	130 	C6
	NTS-3000B		S0438NE-L	Exi-Cable,8ft, Round 6P>DB9F, Suitable for MED-LINKET **		130 	C6
Hexin ZongDan 和心重典	<u>ZD Series patient monitor</u>		S0150NE-L	Ext-Cable,Length 8ft, Compatible Readet 1bt 6p>DB9F, Fit for S0010 series.	014 	130 	B2
Wego (Shandong Weigao Group) 威高	<u>M3512</u>		S0175NE-L	Ext-Cable,8ft, Round 12p>DB9F, Fit for MED-LINK S0010 series.	1077 	130 	B9
Guoteng 国腾	<u>GT9000</u>		S0024NE-L	Ext-Cable,8ft, Compatible Readet 1bt 6P>DB9F, fit for S0010 series.	543 	130 	B2
HongRunDa 宏润达	EM-7		S0196NE-L	Exi-Cable,8ft, Readet 2bit.6P>DB9F, Suitable for MED-LINKET S0108 series	076 		B4
COMEN 科曼	COMEN C80		S0437NE-L	Exi-Cable,9ft, Round 12PIN>DB9F, Suitable for MED-LINK **	059 	130 	

※: Only Refurbished or repair service available for the EU, USA, Canada, Japan and Australian market.




4

一体式监护心电电缆和导联线

One-Piece Series ECG cable
With Lead Wires











Connector type




Lead Position Marked



Standard Snap S



type AA Grabber A



type RL Grabber RL C





Type Disignation

E □ □ □ □ □ □

- 5A: 5Lead: A, Standard AHA
- 3H: 3Lead: H, Standard AHA
- 3A: 3Lead: A, Standard AHA
- 5I: 5Lead: I, Standard IEC
- 3IH: 3Lead: IH, Standard IEC
- 3I: 3Lead: I, Standard IEC
- Patient end termination: P: Assemble Clip, A: AA Clip, E: IEC mark Clip, F: Multifunctional Clip, M: Mini Clip, C: Clip(Grabber), S: Snap
- Brand code: as 041:Bionet, 040:Biosys
- Yoke type:A: One-piece, B: Lifelinc, C:Din style, D: AA style, E: VS style
- E: ECG Cable with Leadwires

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE	
AIR SHIELDS	(AIR):HRRM-71-1/2,Porta-Fib I,II,III, System5(new),System6(Neonatal)		EA002S3A	AHA,	3LD:A,	SNAP,	TPU.			B5	
ALT	(ALT):800,800Plus,CX ATL Ultrasound CX200,CX400,Apogee,HDI 9/2000 Interspec Cardiology XL Mark IV,Mark VII ,Ultramark 4/5/7/9		EA002C3A	AHA,	3LD:A,	CLIP,	TPU.			B6	
			EA002S3I	IEC,	3LD:I,	SNAP,	TPU.			B5	
			EA002C3I	IEC,	3LD:I,	CLIP,	TPU.			B6	
			EA002S5A	AHA,	5LD:A,	SNAP,	TPU.			B8	
			EA002C5A	AHA,	5LD:A,	CLIP,	TPU.			B7	
			EA002S5I	IEC,	5LD:I,	SNAP,	TPU.			B8	
BCI	(BCI):3101,3404,6100,6200, 9100,9200,Advisor ,Autocorr		EA002C5I	IEC,	5LD:I,	CLIP,	TPU.			B9	
COLIN科林	(COLIN):BP308, BP408, CBM3000		EA003S3A	AHA,	3LD:A,	SNAP,	TPU, 1KΩ			B8	
CSI	(CSI):504US,602-4USP,Poet2,Scholar		EA003C3A	AHA,	3LD:A,	CLIP,	TPU, 1KΩ		30pcs	B9	
GE MEDICAL	(GMS):Corometrics 556 Critikon 8100T/Dinamap 8700/9700		EA003S3I	IEC,	3LD:I,	SNAP,	TPU, 1KΩ		70pcs	B8	
			EA003C3I	IEC,	3LD:I,	CLIP,	TPU, 1KΩ		30pcs	B9	
			EA003C5A	AHA,	5LD:A,	CLIP,	TPU, 1KΩ		30pcs	B0	
IVY	(IVY):101 (before 1989),402, 700		EA003C5I	IEC,	5LD:I,	CLIP,	TPU, 1KΩ		30pcs	B0	
LSI	(LSI):LS5 , 261			E0020A	AHA,	3LD:A,	SNAP,	PVC			A0
MDE	Prism, 360SL, 450SL,521A PortaPak 80,PortaPak 90/1000			E0020L	IEC,	3LD:A,	SNAP,	PVC		130pcs	A0
		E0002A		AHA,	5LD:A,	SNAP,	PVC			B2	
PHYSIO-CONTROL	(MPC): Lifepak 6			EA020S3A	AHA,	3LD:A,	SNAP,	TPU.			B5
(MEDTRONIC)	Life Pak 9, Life Pak 9B		EA020C3A	AHA,	3LD:A,	CLIP,	TPU.			B6	
NELLCOR 莱普特	VSM-1ESF (w/resistors)		EA020S3I	IEC,	3LD:I,	SNAP,	TPU.			B5	
NELLCOR 莱普特	(NELLCOR):N-200/250 C-LOCK		EA020C3I	IEC,	3LD:I,	CLIP,	TPU.			B6	
NIHON KOHDEN	N-1000,NPB-3900,NPB-4000		EA020S5A	AHA,	5LD:A,	SNAP,	TPU.			B6	
			EA020C5A	AHA,	5LD:A,	CLIP,	TPU.		60pcs	B7	
日本光电	OEC-6102A (s/n>20156)/7102A/8108A OEC-6105A (s/n>20226),TEC-7100A TEC-5200A(s/n>20421),TEC-7200A/7300A;		EA020S5I	IEC,	5LD:I,	SNAP,	TPU.			B8	
			EA020C5I	IEC,	5LD:I,	CLIP,	TPU.			B9	
PACE-TECH 博斯特	Minipack 3000/3100,MiniMax4000CL Vitalmax 800 Plus/2100/2200/4000/4100 Vitalmax/4000CL/4000 Modular/4100CL		EA021S3A	AHA,	3LD:A,	SNAP,	TPU, 1KΩ		60pcs	B8	
			EA021S3I	IEC,	3LD:I,	SNAP,	TPU, 1KΩ			B8	
PHILIPS 飞利浦	(PMS):M3921A A1,M3923A A1 M3925AA1,M3927AA3,M3928A3, M3929AA3	EA021C3I	IEC,	3LD:I,	CLIP,	TPU, 1KΩ			B9		
PIONEER	(PIONEER)(American Optical):26125 33167, 5260 , 5330 , Pulsar 4	EA021S5A	AHA,	5LD:A,	SNAP,	TPU, 1KΩ			B9		
		EA021S5I	IEC,	5LD:I,	SNAP,	TPU, 1KΩ			B9		
PPG	(PPG)(Datamedix, Becton-Dickinson)	EA021C5I	IEC,	5LD:I,	CLIP,	TPU, 1KΩ		16pcs	B0		
PPG	Guardian 1001/N1001		E0020J	AHA,	3LD:A,	SNAP,	PVC		70pcs	A0	
SPACELABS 太空,伯迪克	(BURDICK):Medic3/4/5/4045Defib 500/600/900 Series (w/o respiration) 90300/90400/90600/90700 Series TEK-208/408/511/512/514/521 PC Bedside , PCMS		E0020K	IEC,	3LD:A,	SNAP,	PVC		30pcs	A0	
	E0002J		AHA,	5LD:A,	SNAP,	PVC			B2		
	E0002K		IEC,	5LD:A,	SNAP,	PVC		30pcs	B2		
	E0020W		IEC,	3LD:I,	CLIP,	PVC			A0		
	TEKTRONIX		(Vitatek):4045Defib/208/400/500Series (Protocol):Propaq100/200Series,Atlas Propaq Encore, Propaq CS,Ultra Smart								
WELCH ALLYN											
ZOLL	(ZOLL):D900, PD1200, PD1400										
GOLDWAY 金科威	UT4000A, UT4000A, UT4000Apro,UT6000A, UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800										
Biolight宝莱特											
Guoteng国腾											
											
			EA002S5A		EA020S5I						

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE
BIONET KOREA 韩国品牌	BM3	015/500 	EA041S5A	AHA,	5LD:A,	SNAP,	TPU,	1KΩ	60pcs	C1
			EA041S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ		B9
			EA041C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ	30pcs	B0
			EA041C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ	60pcs	C2
			EA041S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	70pcs	B9
	BPM-103	014 	EA040S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ	30pcs	B9
			EA040S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ		C1
			EA040S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	70pcs	B9
BRUKER (ODAM) 布鲁克	SM784, SM785 with 12-pin input connector	012 	EA017C3IH	IEC,	3LD:IH,	CLIP,	TPU,			C4
COLIN 科林	BP88 / BP306	013 	EA062S5A	AHA,	5LD:A,	SNAP,	TPU,		30pcs	D5
			EA062C5A	AHA,	5LD:A,	CLIP,	TPU,		30pcs	D6
			EA062S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	C0
			EA062S5I	IEC,	5LD:I,	SNAP,	TPU,		30pcs	D5
			EA062S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	C0
	BP88S	025 	EA061S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	C0
			EA061S5I	IEC,	5LD:I,	SNAP,	TPU,		30pcs	D2
			EA061C5I	IEC,	5LD:I,	CLIP,	TPU,		30pcs	D3
			EA061S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	C0
			EA061C3I	IEC,	3LD:I,	CLIP,	TPU,			C0
Creative 科瑞康 Spurt 世博达 Biolight 宝莱特	Creative:PC9000S,PC9000,UP6000, Biolight: M12	014 	EA046S5A	AHA,	5LD:A,	SNAP,	TPU,			C1
			EA046C5A	AHA,	5LD:A,	CLIP,	TPU,		30pcs	C2
			EA046S3A	AHA,	3LD:A,	SNAP,	TPU,			B9
			EA046C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	B0
			EA046S5I	IEC,	5LD:I,	SNAP,	TPU,		60pcs	C1
			EA046C5I	IEC,	5LD:I,	CLIP,	TPU,		60pcs	C2
			EA046C3I	IEC,	3LD:I,	CLIP,	TPU,		70pcs	B0
Corpuls	Corpuls 08/16, 0816M 		EA076C3IH	IEC,	4LD:IH,	CLIP,	TPU,			E0
DATASCOPE	2000,2001,2002,2100,2200,3000, 3000A ,Ballon Pump, M/D3 w/lead select,M/D3A,M/D4, Passport,Passport IL,Passport XG, Passport XL,Passport 2, Passport 2LT,Spectrum System 90, System 90T , System 96, System 97	371 	EA002S5A	AHA,	5LD:A,	SNAP,	TPU,			B8
			EA002C5A	AHA,	5LD:A,	CLIP,	TPU,	6P	30pcs	B0
			EA002S3A	AHA,	3LD:A,	SNAP,	TPU,			B5
			EA002C3A	AHA,	3LD:A,	CLIP,	TPU,			B8
			EA002S5I	IEC,	5LD:I,	SNAP,	TPU,			B8
			EA002C5I	IEC,	5LD:I,	CLIP,	TPU,			B0
			EA002S3I	IEC,	3LD:I,	SNAP,	TPU,			B7
			EA002C3I	IEC,	3LD:I,	CLIP,	TPU,			B8

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE
DATEX 德恩	AS/3, CS/3, S/5, Cardiacap 1, Cardiacap 2 , Cardiacap 5 , Light Monitor , Satliteplus		EA010S5A	AHA,	5LD:A,	SNAP,	TPU,			C9
			EA010C5A	AHA,	5LD:A,	CLIP,	TPU,			C0
			EA010S3A	AHA,	3LD:A,	SNAP,	TPU,		40pcs	C7
			EA010C3A	AHA,	3LD:A,	CLIP,	TPU,			C8
			EA010S5I	IEC,	5LD:I,	SNAP,	TPU,			C9
			EA010C5I	IEC,	5LD:I,	CLIP,	TPU,			C0
			EA010S3I	IEC,	3LD:I,	SNAP,	TPU,		50pcs	C7
			EA010C3I	IEC,	3LD:I,	CLIP,	TPU,			C8
DRAGER SIEMENS 德尔格	Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard 8000, Cato, Babylog8000/8000 plus, PB8800 Serie 8000, Cicero, Parameterbox,	170 	EA057C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	E1
福田 FUKUDA DENSHI	DATASCOPE:Expert FUKUDA DENSHI:DS5100E, DS5300W, DS5400,	253 	EA068S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ	30pcs	D3
			EA068C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ	30pcs	D4
			EA068S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ	30pcs	D4
			EA068C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ	40pcs	D5
			EA068S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	40pcs	D3
			EA068C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ	40pcs	D4
PETAS		242 	EA064S3H	AHA,	3LD:H,	SNAP,	TPU,		30pcs	C8
			EA064C3H	AHA,	3LD:H,	CLIP,	TPU,		30pcs	C9
			EA064S3IH	IEC,	3LD:IH,	SNAP,	TPU,		30pcs	C8
			EA064C3IH	IEC,	3LD:IH,	CLIP,	TPU,		30pcs	C9
GE-MEDICAL Marquette 通用医疗马葵	GEMS:Dash PRO 4000, Dash PRO 3000, Dash PRO 2000, Dash 1000, Eagle Systems, MAC-Lab, Solar 9500, Solar 8000. Solar 3000, Tram 100, Tram 200, Tram 300, Tram 400, Tram 500, Tram 600, Tram 800, Unity Systems	020/383 	EA007S5A	AHA,	5LD:A,	SNAP,	TPU,			C7
			EA007C5A	AHA,	5LD:A,	CLIP,	TPU,			C8
			EA007S3A	AHA,	3LD:A,	SNAP,	TPU,		40pcs	C6
			EA007C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	C7
			EA007S5I	IEC,	5LD:I,	SNAP,	TPU,			C7
			EA007C5I	IEC,	5LD:I,	CLIP,	TPU,			C8
			EA007S3I	IEC,	3LD:I,	SNAP,	TPU,			C6
			EA007C3I	IEC,	3LD:I,	CLIP,	TPU,			C7
	PRO1000	377 	EA021S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ		B7
			EA021S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ		B7
			EA021C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ		B9
GE-MEDICAL 通用医疗	GE MEDICAL SYSTEMS:2000, 2020, 2110, 2110N, 2120, 2210, 2230, 2230N, 2310, 2330, 2330N, 7000 Series, Tram AR	231 	EA069S5A	AHA,	5LD:A,	SNAP,	TPU,		30pcs	C9
			EA069C5A	AHA,	5LD:A,	CLIP,	TPU,		30pcs	C0
			EA069S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	C7
			EA069C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	C8
			EA069S5I	IEC,	5LD:I,	SNAP,	TPU,		30pcs	C9
			EA069C5I	IEC,	5LD:I,	CLIP,	TPU,		30pcs	C0
			EA069S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	C7
			EA069C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	C8
HELLIGE 海力格	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,, CardioServ , VICOM-sm	021 	EA011S5A	AHA,	5LD:A,	SNAP,	TPU,			D4
			EA011C5A	AHA,	5LD:A,	CLIP,	TPU,		30pcs	D5
			EA011S3A	AHA,	3LD:A,	SNAP,	TPU,			C0
			EA011C3I	IEC,	3LD:I,	CLIP,	TPU,			C0
KONTRON 康强	7000, 7135, 7135B, 7141, 7210 7250, 7251, K2000, KAAT, Kolormon, Micromon, Minimon, Supermon , Vitalmon	011 	EA031S5A	AHA,	5LD:A,	SNAP,	TPU,		30pcs	C5
			EA031C5A	AHA,	5LD:A,	CLIP,	TPU,		30pcs	C6
			EA031S5I	IEC,	5LD:I,	SNAP,	TPU,		30pcs	C5
			EA031C5I	IEC,	5LD:I,	CLIP,	TPU,			C6
			EA031S3I	IEC,	3LD:I,	SNAP,	TPU,		40pcs	C3
			EA031C3I	IEC,	3LD:I,	CLIP,	TPU,		50pcs	C4

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE
KONTRON 康强			EA032C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	C0
			EA032S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	C9
			EA032C3I	IEC,	3LD:I,	CLIP,	TPU,		40pcs	C0
L&T (INDIA) 印度品牌	DLanet50 EA030S3H = EA030S3A		EA030S3H	AHA,	3LD:H,	SNAP,	TPU,	1KΩ	30pcs	C5
			EA030C3H	AHA,	3LD:H,	CLIP,	TPU,	1KΩ	30pcs	C6
			EA030S3IH	IEC,	3LD:IH,	SNAP,	TPU,	1KΩ	30pcs	C5
			EA030C3IH	IEC,	3LD:IH,	CLIP,	TPU,	1KΩ	30pcs	C6
MEK 美克 韩国品牌	MP1000,MP600,MP500		EA029S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	B7
			EA029C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	B8
			EA029C5I	IEC,	5LD:I,	CLIP,	TPU,		30pcs	B0
			EA029S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	B7
			EA029C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	B8
	M160246 M360697		EA033S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	C3
			EA033C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	C4
			EA033C5I	IEC,	5LD:I,	CLIP,	TPU,		30pcs	C5
M&B 麦邦			EA072S3A	AHA,	3LD:A,	SNAP,	TPU,			C4
			EA072S5A	AHA,	5LD:A,	SNAP,	TPU,			C3
MENNEN 美能	Horizon 250,3000,450, Microsolo,936 Series,425/101 Preamp,Cardio-Pak 2000,740, 741,742		EA059S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ	30pcs	C4
			EA059C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ	30pcs	C5
			EA059S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	30pcs	C4
			EA059C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ	30pcs	C5
	(MENNEN):900,1100,1110, Horizon 2000,2100,2200,5200 Horizon 9000XL,MR1200,1270 Horizon 1280,1300,Horizon 1380		EA065S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	C0
			EA065C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	C0
			EA065S5I	IEC,	5LD:I,	SNAP,	TPU,		50pcs	D5
			EA065C5I	IEC,	5LD:I,	CLIP,	TPU,			D5
			EA065C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	C0
MINDRAY 迈瑞	PM7000/8000/9000		EA085S3A	AHA,	3LD:A,	SNAP,	TPU,			B5
			EA085C3A	AHA,	3LD:A,	CLIP,	TPU,			B6
			EA085S3I	IEC,	3LD:I,	SNAP,	TPU,			B5
			EA085C3I	IEC,	3LD:I,	CLIP,	TPU,			B6
			EA085S5A	AHA,	5LD:A,	SNAP,	TPU,			B6
			EA085C5A	AHA,	5LD:A,	CLIP,	TPU,			B7
			EA085S5I	IEC,	5LD:I,	SNAP,	TPU,		66pcs	B8
			EA085C5I	IEC,	5LD:I,	CLIP,	TPU,			B9
	MEC1000, MEC1200 with 6-pin input connector		EA020S3A	AHA,	3LD:A,	SNAP,	TPU,			B5
			EA020C3A	AHA,	3LD:A,	CLIP,	TPU,			B6
			EA020S3I	IEC,	3LD:I,	SNAP,	TPU,			B5
			EA020C3I	IEC,	3LD:I,	CLIP,	TPU,			B6
			EA020S5A	AHA,	5LD:A,	SNAP,	TPU,			B6
			EA020C5A	AHA,	5LD:A,	CLIP,	TPU,			B7
			EA020S5I	IEC,	5LD:I,	SNAP,	TPU,			B8
			EA020C5I	IEC,	5LD:I,	CLIP,	TPU,			B9
	BeneView (T5, T6, T8) iPM series 0010-30-42719 0010-30-42720		EA050S5A	AHA,	5LD:A,	SNAP,	TPU,		30pcs	C9
			EA050S3A	AHA,	3LD:A,	SNAP,	TPU,			C7
			EA050C3A	AHA,	3LD:A,	CLIP,	TPU,		50pcs	C8
			EA050S5I	IEC,	5LD:I,	SNAP,	TPU,			C9
			EA050C5I	IEC,	5LD:I,	CLIP,	TPU,			C0
			EA050S3I	IEC,	3LD:I,	SNAP,	TPU,			C7
	PM5000/6000		EA060S5A	AHA,	5LD:A,	SNAP,	TPU,		50pcs	C3
			EA060S3A	AHA,	3LD:A,	SNAP,	TPU,			C3
			EA060S5I	IEC,	5LD:I,	SNAP,	TPU,		40pcs	C3
			EA060S3I	IEC,	3LD:I,	SNAP,	TPU,		40pcs	C3
			EA060C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	C3

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE
NEC	3M12		EA053S5A	AHA,	5LD:A,	SNAP,	TPU,		30pcs	D4
			EA053C5A	AHA,	5LD:A,	CLIP,	TPU,		40pcs	D5
			EA053S3A	AHA,	3LD:A,	SNAP,	TPU,		30pcs	D3
			EA053S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	D3
	PB1916E		EA054C3A	AHA,	3LD:A,	CLIP,	TPU,		30pcs	E0
			EA054S3I	IEC,	3LD:I,	SNAP,	TPU,		30pcs	E9
NIHON KOHDEN 日本光电	OEC-6102A (s/n<20156), OEC-6105A (s/n<20226), OEC-6120A/J/K BSM-7105K		EA037S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	30pcs	C7
			EA037C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ	60pcs	C8
	BSM-7102A, OMP-7201C, OMP-7203C, TEC-5200A (s/n<20421)		EA038S3I	IEC,	3LD:I,	SNAP,	TPU,		40pcs	C0
			EA038C3I	IEC,	3LD:I,	CLIP,	TPU,		30pcs	C0
	TEC-7621C		EA075C3A	AHA,	3LD:A,	CLIP,	TPU,	200KΩ		D5
	TEC-7621K, TEC-7631C		EA074C3I	IEC,	3LD:I,	CLIP,	TPU,	100KΩ		D5
PETAS	KMA160R, 165R, 260R, K-250, 300...		EA063S3H	AHA,	3LD:H,	SNAP,	TPU,		30pcs	B9
			EA063C3H	AHA,	3LD:H,	CLIP,	TPU,		30pcs	B0
			EA063S3IH	IEC,	4LD:IH,	SNAP,	TPU,			B9
			EA063C3IH	IEC,	4LD:IH,	CLIP,	TPU,			B0
			EA063M3IH	IEC,	4LD:IH,	mini CLIP,	TPU,		30pcs	B0
			EA063C5I	IEC,	5LD:IH,	CLIP,	TPU,			C2
			EA063S5I	IEC,	5LD:IH,	SNAP,	TPU,			C2
PHILIPS 飞利浦	43100A, 43110A, 43120A, 78352C, 78354C, 78834C, 862474 C3, M1001A, M1002A, M1165A, M1166A, M1167A, M1175A, M1177A , M1205A, M1264A, M1275A Transport, M1280A, M1722A/B, M1723A/B, M2475B, M2601A, M3000A, M3001A, M3046A M2/M3/M4, M4735A		EA023S5A	AHA,	5LD:A,	SNAP,	TPU,	1KΩ		C9
			EA023C5A	AHA,	5LD:A,	CLIP,	TPU,	1KΩ		C0
			EA023S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ		C7
			EA023C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ		C8
			EA023S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ		C9
			EA023C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ		C0
			EA023S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ		C7
			EA023C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ		C8
			EA023A3I	IEC,	3LD:I,	(RL GRABBER),	TPU,	1KΩ		C8
	43100A/43110A/43110M/43120A/MC Defib, 43200A Portable, M3500B, 77000AC/77020A, 77010AC Sonos/AC/AR, 77025A, 77030A, 77035A, 77040A, 78208A, 78210A, 78330A, 7833 1A, 78332A, 78333A, 78341A, 78342A, 78 345A, 78346A, 78351T, 78352A/C, 78353 A/B, 78354A, 78532A/B, 78534A/B/C, 78 619A, 7		EA035S5A	AHA,	5LD:A,	SNAP,	TPU,	1KΩ	30pcs	D9
			EA035C5A	AHA,	5LD:A,	CLIP,	TPU,	1KΩ		D0
			EA035S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ		D7
			EA035C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ		D8
			EA035S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ	20pcs	D9
			EA035C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ	20pcs	D0
			EA035S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ		D7
			EA035C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ	30pcs	D8
Primedix 普利马			EA077S3H	AHA,	3LD:H,	SNAP,	TPU,	10KΩ		I4
			EA077C3H	AHA,	3LD:H,	CLIP,	TPU,	10KΩ	10pcs	I4
			EA077S3IH	IEC,	3LD:IH,	SNAP,	TPU,	10KΩ	10pcs	I4
			EA077C3IH	IEC,	3LD:IH,	CLIP,	TPU,	10KΩ	20pcs	I4
MEDTRONIC PHYSIO-CONTROL 美敦力	Lifepak 12, 120, Lifepak 20		EA066S5A	AHA,	5LD:A,	SNAP,	TPU,	10KΩ		D5
			EA066C5A	AHA,	5LD:A,	CLIP,	TPU,	10KΩ		D5
			EA066S3A	AHA,	3LD:H,	SNAP,	TPU,	10KΩ	30pcs	C0
			EA066C3A	AHA,	3LD:H,	CLIP,	TPU,	10KΩ	50pcs	C0
			EA066S5I	IEC,	5LD:I,	SNAP,	TPU,	10KΩ	30pcs	D5
			EA066S3I	IEC,	3LD:IH,	SNAP,	TPU,	10KΩ		C0
			EA066C3I	IEC,	3LD:IH,	CLIP,	TPU,	10KΩ		C0


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	LEADS	PATIENT END TERMINAL	Material	Defibrillation withstand	MOQ	PRICE CODE
MEDTRONIC PHYSIO-CONTROL 美敦力	PHYSIO-CONTROL :Lifepak 2,3,33, Scope Monitor II; SIEMENS :Porta Pak 500PB, Porta Pak 500PM; SIMONSEN & WEELS(S&W) :CB-600 Defib, DMS-600; SURVIVAL INSTRUMENTS :Safeguard I, II UNIRAD:Series C Echo; VIGGO-SPECTRAMED (Gould) :Ekoline 20A, 21, Smith-Kline 20A		EA067S3A	AHA,	3LD:H,	SNAP,	TPU,		30pcs	B9
			EA067C3A	AHA,	3LD:H,	CLIP,	TPU,			B0
			EA067S3I	IEC,	3LD:IH,	SNAP,	TPU,		30pcs	B9
			EA067C3I	IEC,	3LD:IH,	CLIP,	TPU,		30pcs	B0
SAADAT			EA083S3I	IEC,	3LD:IH,	SNAP,	TPU,	1KΩ	20pcs	D5
			EA083P3I	IEC,	3LD:IH,	SNAP,	TPU,	1KΩ	20pcs	D5
S&W (Artema) Diascope 丹麦阿提玛	Diascope-NT, Athena Systems,		EA018S3A	AHA,	3LD:H,	SNAP,	TPU,			C0
			EA018C5I	IEC,	5LD:I,	CLIP,	TPU,		30pcs	D0
			EA018S3I	IEC,	3LD:IH,	SNAP,	TPU,		40pcs	C0
			EA018C3I	IEC,	3LD:IH,	CLIP,	TPU,			C0
SIEMENS 西门子	ECG Monitor, Polymed Modul,		EA052C5I	IEC,	5LD:I,	CLIP,	TPU,		60pcs	B0
SCHILLER 席勒	SHILLER ARGUS LCM+		EA082C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ		D0
SPACELABS 太空	90496 Ultraview, 90369 Ultraview, 90367 Ultraview		EA009S5A	AHA,	5LD:A,	SNAP,	TPU,	1KΩ	30pcs	C9
			EA009C5A	AHA,	5LD:A,	CLIP,	TPU,	1KΩ		C0
			EA009C3A	AHA,	3LD:A,	CLIP,	TPU,	1KΩ	40pcs	C8
			EA009S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ	40pcs	C9
			EA009C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ	30pcs	C0
			EA009S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ	40pcs	C7
			EA009C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ		C8
SPACELABS BURDICK 太空	GE MEDICAL SYSTEMS :Corometrics 503,Corometrics 504,Corometrics 508; SIEMENS ELECTROMEDICAL SYSTEMS :806180A Nuclear Camera		EA036S3A	AHA,	3LD:H,	SNAP,	TPU,		70pcs	B9
			EA036C3A	AHA,	3LD:H,	CLIP,	TPU,		30pcs	B0
			EA036S3I	IEC,	3LD:IH,	SNAP,	TPU,		60pcs	B9
			EA036C3I	IEC,	3LD:IH,	CLIP,	TPU,		60pcs	B0
			ADVANCED MEDICAL RESEARCH (AMR) :Model 3R; AEQUITRON MEDICAL :9101,9216 (Neonate), ATL ULTRASOUND :Ultramark 8,Ultramark 6,Mark VIII,Mark III,Mark II,600,400; BARD :500,500 GILSON; BECKMAN (Offner) :Offner Dynograph (all), VSM-10C , RM-10 BIOCROM ; INC :All models; B							
WELCH ALLYN 伟伦	Propaq 100 Series, Propaq CS , Ultra Smart , Atlas Propaq 200 Series, Propaq Encore,		EA021S5A	AHA,	5LD:A,	SNAP,	TPU,	1KΩ	60pcs	B9
			EA021S3A	AHA,	3LD:A,	SNAP,	TPU,	1KΩ		B7
			EA021S5I	IEC,	5LD:I,	SNAP,	TPU,	1KΩ		B9
			EA021C5I	IEC,	5LD:I,	CLIP,	TPU,	1KΩ		B0
			EA021S3I	IEC,	3LD:I,	SNAP,	TPU,	1KΩ		B7
			EA021C3I	IEC,	3LD:I,	CLIP,	TPU,	1KΩ		B8



Features:


- Ideal for both adult and pediatric patients
- "One-LINE" is compatible with all Infinity patient monitors.
- Fast and easy to apply with clearly labeled,color-coded snaps
- More comfortable for patients,
- Flexible, durable and easy to clean
- "One-LINE" cable design with strategic electrode snap placement
- No need for separate leadwires; one piece design
- Cable can be cleaned or disinfected
- Lightweight wire can be used on a large cross section of patients
- Available in AHA and IEC color coding
- Latex-free

Type Disignation



Exemple: E-023P3A indicated Use with PHILIPS M1 series patient monitor, 3-leads, AHA, the Patient end termination is pinch.

Instrument Connector type






5

单线式监护心电导联线

One-Line Series ECG Lead Wires






Features:

- Ideal for both adult and pediatric patients
- "One-LINE" is compatible with all Infinity patient monitors.
- Fast and easy to apply with clearly labeled,color-coded snaps
- More comfortable for patients,
- Flexible, durable and easy to clean
- "One-LINE" cable design with strategic electrode snap placement
- No need for separate leadwires; one piece design
- Cable can be cleaned or disinfected
- Lightweight wire can be used on a large cross section of patients
- Available in AHA and IEC color coding
- Latex-free

Type Disignation



Example: EJ-096P5A indicated Compatible with Siemens Multicable, Length: 96 inch, 5-leads, AHA, Termination: pinch.

3-LD, AAMI, 72 inch 


3-LD, IEC , 72 inch 


5-LD, AAMI, 96 inch 

5-LD, IEC , 96 inch 

Declaration

All registered trademark and brand style mentioned in this information is always belonging to original made possessor. We only cite for machine compatibility use, no any other purpose exist. This is only for reference use; please do not take it as working guidance. Otherwise, we will not be responsible for any possible cost. This information has been carried out since 2010-Jan-15, we wouldn't further inform when revised and upgraded.


Yoke type	Product Guide	Model No.	Description	Compatible Brand	Need Adapter
DIN type, Code: C	 Price code: B0	EC-072P3A	Din 3LD, 72 inch, AAMI Leads	Datascope	EC002-3AI
				Spacelabs	EC020-3AI
		EC-072P3I	Din 3LD, 72 inch, IEC Leads	Biosys	EC040-3AI
		MOQ: 70pcs		Creative	EC046-3AI
				MEK	
				Lohmeier	EC078-3AI
	 Price code: D0	EC-096P5A	Din 5LD, 96 inch, AAMI Leads	Datascope	EC002-5AI
				Spacelabs	EC020-5AI
		EC-096P5I	Din 5LD, 96 inch, IEC Leads	Biosys	EC040-5AI
				Creative	EC046-5AI
				MEK	EC029-5AI
AAMI type, Code: D	 Price code: C0	ED-072P3A	AA-3LD, 72 inch, AAMI Leads	PHILIPS	ED023-3AI
		MOQ: 40pcs		PHILIPS	ED035-3AI
				PHILIPS	ED036-3AI
		ED-072P3I	AA-3LD, 72 inch, IEC Leads		
		MOQ: 50pcs			
	 Price code: D0	ED-096P5A	AA-5LD, 96 inch, AAMI Leads	PHILIPS	ED023-5AI
				PHILIPS	ED035-5AI
		ED-096P5I	AA-5LD, 96 inch, IEC Leads	PHILIPS	ED036-5AI
					
VS type, Code: E	 Price code: D0	EE-072P3A	VS 3LD, 72 inch, AAMI Leads	Marquette	EE007-5AI
					
		EE-072P3I	VS 3LD, 72 inch, IEC Leads		
	 Price code: D0	EE-096P5A	VS 5LD, 96 inch, AAMI Leads	Marquette	EE007-5AI
				Hellige	EE011-5AI
		EE-096P5I	VS 5LD, 96 inch, IEC Leads		
Euro type, Code: J	 Price code: C0	EJ-072P3A	Euro-3LD, 72 inch, AAMI Leads	Siemens	EJ052-3AI
				Mindray	EJ021-3AI
				Mindray	EJ050-3AI
		EJ-072P3I	Euro-3LD, 72 inch, IEC Leads	Mindray	EJ051-3AI
				GEMS	
	 Price code: D0	EJ-096P5A	Euro-5LD, 96 inch, AAMI Leads	Siemens	EJ052-5AI
				Mindray	EJ021-5AI
				Mindray	EJ050-5AI
		EJ-096P5I	Euro-5LD, 96 inch, IEC Leads	Mindray	EJ051-5AI
				Drager	EQ056-5AI
TRU-LINK type, Code: L	 Price code: B9	EL-072P3A	TRU-3LD, 72 inch, AAMI Leads	Spacelabs	EL009-5AI
					
		EL-072P3I	TRU-3LD, 72 inch, IEC Leads		
		MOQ: 50pcs			
	 Price code: C0	EL-096P5A	TRU-5LD, 96 inch, AAMI Leads	Spacelabs	EL009-5AI
					
		EL-096P5I	TRU-5LD, 96 inch, IEC Leads		
					







6

监护仪心电电缆和导联线 ECG Trunk Cable and Leads for Patient Monitor





Yoke type and code

 Din 3-Ld, Code: C	 Din 5-Ld, Code: C	 Colin,5-Ld,Code: M
 Lifelinc(LL),3-Ld,Code: B	 Lifelinc(LL),5-Ld,Code: B	 TRU-link,5-Ld,Code: L
 ASP,3-Ld,Code: H	 ASP,5-Ld,Code: H	 VS,5-Ld,Code: E
 AAMI(AA),3-Ld,Code: D	 AAMI(AA),5-Ld,Code: D	 NK,5-Ld,Code: N
 EURO,3-Ld,Code: J	 EURO,5-Ld,Code: J	 NK,6-Ld,Code: P
 Conmed,3-Ld,Code: G	 Conmed,5-Ld,Code: G	 Multi-Link, 5Ld, Code: Q
 NEC,3-Ld,Code: K	 NEC,5-Ld,Code: K	 Lohmeier multi-link: JM
 Multi-link,Code: R	 Fukuda 16p,Code: Y	 Philips M1668A yoke: DG
Din2.0 Pin: S ; 2.0Jack yoke: I ; LL1 type yoke: U ; NK Din2.0 jack: V GE SEER 10Ld: W ; GE MAX-1: E ; Philips Trim Yoke: X ;		





Instrument Connector











Type Disignation

E□□□□□□□





Color coding: **7A**: 7-Ld, AHA(AAMI); **10A**: 10-Ld,AHA; **7I**: 7-Ld,IEC; **10I**:10-Ld,IEC; **5A**:5-Ld, AHA(AAMI);**3H**:4-Ld,AHA;
3A:3-Ld,AHA; **5I**: 5-Ld, IEC; **3IH**:4-Ld,IEC; **3I**:3-Ld,IEC; **5AI**:5-Ld, AHA/IEC; **3H/IH**:4-Ld, AHA/IEC; **3AI**:3-Ld, AHA/IEC
Patient end termination type: **S**: snap; **C**: Clip (grabber),
If the product is a cable, the lattice is useless, but use the "-" to express , as ED008-3A
Brand code, as 041 indicated Bionet; if the product is a leads, the lattice is indicated length, as 040 indicated 40 in.
Yoke type: A: one-piece; B: Lifelinc, (LL); C: Din style; D: AA style; E: VS style, other sytle or details as above
E: Indicated patient minitor ECG cable and lead wires

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
Din Style Normal Din式	AIR SHIELDS (NARCO, Vickers): HRRM-71-1/2, Porta-Fib I, II, III, System 5 (new), System 6 (Neonatal); ATL ULTRASOUND: 800, 800 Plus, Apogee, CX ATL LTRASOUND: CX200, CX400, HDI 9/2000, Interspec;	D-1340	EC020-3AI	Din 3Ld Patient Cable, 9ft AHA/IEC, straight 6pin>Din 3J, no resistance fit for Din style LeadWires	004 	101 		B9
		D-1540	EC020-5AI	Din 5Ld Patient Cable, 9ft AHA/IEC, straight 6pin>Din 5J, no resistance fit for Din style LeadWires	004 	102 		B0
			EC021-3AI	Din 3Ld Patient Cable, 9ft AHA/IEC, straight 6pin>Din 3J, <u>1KΩ</u> resistance fit for Din style LeadWires	003 	101 		C2
			EC021-5AI	Din 5Ld Patient Cable, 9ft AHA/IEC, straight 6pin>Din 5J, <u>1KΩ</u> resistance fit for Din style LeadWires	003 	102 		C5
Lifeline (LL) Style Normal LL型	LIFE SCIENCE INSTRUMENTS (LSI): LS5, 261 MEDICAL DATA electronics (MDE): Escort 100, Escort 101, Escort 102, Escort 200, Escort 300, Prism, 360SL, 450SL, 521A, PortaPak 80, PortaPak 90, PortaPak 1000;		EB020-3AI	LL 3Ld Patient Cable, 9ft AHA/IEC, straight 6pin>LL 3LD, no resistance fit for LL style LeadWires	004 	107 		B9
			EB020-5AI	LL 5Ld Patient Cable, 9ft AHA/IEC, straight 6pin>LL 5LD, no resistance fit for LL style LeadWires	004 	105 	80pcs	B0
			EB021-3AI	LL 3Ld Patient Cable, 9ft AHA/IEC, straight 6pin>LL 3LD, <u>1KΩ</u> resistance fit for LL style LeadWires	003 	107 		C3
			EB021-5AI	LL 5Ld Patient Cable, 9ft AHA/IEC, straight 6pin>LL 5LD, <u>1KΩ</u> resistance, fit for LL style LeadWires	003 	105 	50pcs	C5
Conmed Style Normal 康美型	PHILIPS MEDICAL SYSTEMS: M3921A A1 Compact Monitor, M3923A A1 Compact Monitor, M3925A A1 Compact Monitor, M3927A A3 Compact Monitor, M3929A A3 Compact Monitor PIONEER (American Optical): 26125, 33167, 5260, 5330, Pulsar 4;		EG020-3AI	Conmed 3Ld Patient Cable, Length: 9ft; AHA/IEC, straight 6pin>Conmed 3LD, no resistance, fit for Conmed style LeadWires	004 	671 	30pcs	C5
			EG020-5AI	Conmed 5Ld Patient Cable, Length: 9ft; AHA/IEC, straight 6pin>Conmed 5LD, no resistance, fit for Conmed style LeadWires	004 	672 		C7
			EG021-3AI	Conmed 3Ld Patient Cable, Length: 9ft; AHA/IEC, straight 6pin>Conmed 3LD, <u>1KΩ</u> resistance, fit for Conmed style LeadWires	003 	671 	30pcs	C9
			EG021-5AI	Conmed 5Ld Patient Cable, Length: 9ft; AHA/IEC, straight 6pin>Conmed 5LD, <u>1KΩ</u> resistance, fit for Conmed style LeadWires	003 	672 	30pcs	C0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
Bionet Korea (韩国品牌)	BM3;		EB041-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 8pin>LL-3LD, 1KΩ resistance fit for LL style LeadWires	500 	107 	40pcs	C2
	BIONET BM5/BM7		ED400-3A	3LD Patient Cable,L=2.7M 12pin>AA-3LD 1KΩ resistance fit for AA style Lead Wires		086 		D4
Biosys Korea (韩国品牌)	BPM-103;		EC040-3AI	3Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 3J, 1KΩ resistance fit for Din style LeadWires	014 	101 		C3
			EC040-5AI	5Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 5J, 1KΩ resistance fit for Din style LeadWires	014 	102 		C4
Colin 科林	BP88 / BP306;		EM062-5I	5Ld Patient Cable,9ft IEC, L type round 6pin>6J, no resistance fit for Colin LeadWires	013 	083 	30pcs	D2
	BP88S;		EM061-5I	5Ld Patient Cable,9ft IEC, straight 6P>6J, no resistance fit for Colin LeadWires	025 	083 	20pcs	E0
Creative 科瑞康 Spurt 世博达 Biolight 宝莱特	Creative: PC9000S,PC9000,UP6000, Biolight: M12 ;		EC046-3AI	3Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 3J, 1KΩ resistance fit for Din style LeadWires	014 	101 		C3
			EC046-5AI	5Ld Patient Cable,9ft AHA/IEC, Readel 6pin>Din 5J, 1KΩ resistance fit for Din style LeadWires	014 	102 		C4
Datascope	2000,2001,2002,2100,2200,3000 ,3000A ,Ballon Pump,M/D3 w/lead select,M/D3A,M/D4,Passport,Pa ssport IL,Passport XG,Passport XL,Passport 2,Passport 2LT,Spectrum System 90, System 90T , System 96, System 97;		EC002-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 3J, no resistance fit for Din style LeadWires	005 	101 		B9
			EC002-5AI	Din 5Ld Patient Cable,9ft AHA/IEC, straight 6pin>Din 5J, no resistance fit for Din style LeadWires	005 	102 	50pcs	B0
Datex 德恩	AS/3, CS/3, S/5, Cardiacap 1, Cardiacap 2 , Cardiacap 5 , Light Monitor , Satliteplus ;		EB010-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 3LD, no resistance fit for LL style LeadWires	023 	107 	30pcs	C8
			EB010-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 10J>LL 5LD, no resistance fit for LL style LeadWires	023 	105 	40pcs	C0
Datex-Ohmeda 德恩-欧美达	Datex-Ohmeda Patient monitor;		EH010-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 3LD, 4.7KΩ resistance fit for ASP style LeadWires	023 	183 		D1
	Datex-Ohmeda Patient monitor;		EH010-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 5LD, 4.7KΩ resistance fit for ASP style LeadWires	023	221		D2

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
Drager德尔格 Siemens 西门子	Drager UM1/3/3.1, RM1, PM8010, PM8014, Babyguard 8000, Cato, Babylog8000/8000 plus, PB8800, Serie 8000, Cicero, Parameterbox;		EC057-3AI	SG 3Ld Patient Cable,9ft AHA/IEC, Round 10pin>Din 3J, no resistance fit for Din style LeadWires	170 	101 	20pcs	D0
	Multimed-Pot system fur serie SC 6000, SC 6002XL, SC 7000, SC 9000, Art. Nr.3368391 (8.2ft) Art. Nr. 5950196 (4.9ft) ;	3368391	EQ056-5AI	SC9000XL Multi-link Cable, 8.2ft AHA/IEC, 1KΩ resistance fit for Euro style LeadWires	178 	179 		M0
		5950196	EQ057-5AI	SC9000XL Multi-link Cable, 4.9ft AHA/IEC, 1KΩ resistance fit for Euro style LeadWires	178 	179 		M0
	Multimed-Pot system fur serie SC 6000, SC 6002XL, SC 7000, SC 9000,	MS20094	EQ091-6AI	Multi-link Cable, 8.2ft AHA/IEC, 1KΩ resistance	178 			O0
Siemens 西门子	Sirecust Series 400, 500, 600, Serie 700, 900, 1200, Sirecust 341/610/620/630/720/722, Sirecust 730/732/900/960/961/1260, Sirecust 1281/1801/400/-500, ECG Monitor, Polymed Modul, Modulbox Sirem;		EJ052-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 10J>Euro 3LD, no resistance fit for Euro style LeadWires	017 	242 	40pcs	C5
			EJ052-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 10J>Euro 5LD, no resistance fit for Euro style LeadWires	017 	243 		C6
GE-Medical Marquette 通用医疗-马葵	GEMS:Dash PRO 4000, Dash PRO 3000, Dash PRO 2000, Dash 1000, Eagle Systems, MAC-Lab, Solar 9500, Solar 8000, Solar 3000, Tram 100, Tram 200, Tram 300, Tram 400, Tram 500, Tram 600, Tram 800, Unity Systems;		EE007-5AI	5Ld Patient Cable,9ft AHA, (IEC) Round 10J>VS 5LD, no resistance fit for VS style LeadWires	020 	089 		C5
GE-Hellige 海力格	Cardioserv Eagle 1000/3000;		EE011-5AI	5Ld Patient Cable,9ft AHA, (IEC) Round 10J>VS 5LD, 10KΩ resistance fit for VS style LeadWires	021 	089 	30pcs	D6
	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,VICOM-sm;		EB011-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 10P>LL 5LD, no resistance fit for LL style LeadWires	021 	105 	30pcs	C0
	Hellige,Servomed 4 , Generation, SCP 851, SCP 852 , SCP 844, SCS 804,CardioServ , VICOM-sm;		EH011-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 3LD, 1KΩ resistance fit for ASP style LeadWires	021 	183 	30pcs	D4
			EH011-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 10J>ASP 5LD, 1KΩ resistance fit for ASP style LeadWires	021 	221 	30pcs	D5
GE-medical Marquette 通用医疗-马葵	Pro1000;		EH021-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 6pin>ASP 3LD, 1KΩ resistance fit for ASP style LeadWires	007 	183 	30pcs	D4
			EH021-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 6pin>ASP 5LD, 1KΩ resistance fit for ASP style LeadWires	007 	221 	30pcs	D5

Compatible Brand	OEM MODELS NUMBER	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
Goldway 金科威	Goldway: UT4000A,UT4000Apro,UT6000A , UT4000B, UT4000C, UT4000F, UT6000F, UT4000Fpro, UT4800;		EB002-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 6p>LL 3LD, no resistance fit for LL style LeadWires	005 	107 		B9
			EB002-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 6p>LL 5LD, no resistance fit for LL style LeadWires	005 	105 		B0
Huntleigh Healthcare 亨利特	UK MONITOR;		EC047-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, DB9M>Din 3J, no resistance fit for Din style LeadWires		101 	60pcs	B0
Kontron 康强	7000, 7135, 7135B, 7141, 7210, 7250, 7251, K2000, KAAT, Kolormon, Micromon, Minimon, Supermon , Vitalmon ;		EB031-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 12P>LL 5LD, no resistance fit for LL style LeadWires	011 	105 	50pcs	C5
MEK Korea 美克 (韩国品牌)	MP1000,MP600,MP500;		EC029-5AI	Din 5Ld Patient Cable,9ft AHA/IEC, DB9M>Din 5J, no resistance fit for Din style LeadWires	016 	102 	50pcs	C1
MINDRAY 迈瑞	Mindray: PM7000/8000/9000; Creative: UT4000		EJ085-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires	007 	242 		C1
			EJ085-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires	007 	243 		C2
	PM-6000 after 2004;	0010-30-12378	EJ021-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires	007 	242 		C1
		0010-30-12257	EJ021-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 6pin>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires	007 	243 		C2
	PM-6800,PM-6000 after 2004 , with 12-pin green input connector BeneView (T5, T6, T8), iPM Series;	0010-30-42724	EJ051-3AI	3Ld Patient Cable,9ft AHA/IEC, 12P>Euro 3LD, 1KΩ resistance /Inductance fit for Euro style LeadWires	577 	242 		D0
		0010-30-42723	EJ051-5AI	5Ld Patient Cable,9ft AHA/IEC, straight, Round 12P>Euro 5LD, 1KΩ resistance /Inductance fit for Euro style LeadWires	222 	243 		E1
			EC050-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 12pin> >Din 3J, 1K Ω resistance, Fit for Din style LeadWires	577 	201 		D0
	PM6000, with 12-pin green input connector,T8;	0010-30-12379	EJ050-3AI	3Ld Patient Cable,9ft AHA/IEC, Type L Round 12P>Euro 3LD, 1KΩ resistance fit for Euro style LeadWires	222 	242 		C5
		0010-30-12260	EJ050-5AI	5Ld Patient Cable,9ft AHA/IEC, Type L, Round 12P>Euro 5LD, 1KΩ resistance fit for Euro style LeadWires		243 		C6


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
Mindray 迈瑞		0012-00-1745-01	ER090-3AI	3Ld Patient Cable,10.5ft IEC , 12pin>Mindray-3LD 1KΩ resistance fit for Mindray 3 Leadwires				D5
			ER090-5AI	5Ld Patient Cable,10.5ft IEC , 12pin>Mindray-5LD 1KΩ resistance fit for Mindray 5 Leadwires				E2
NEC	3M12;	47524	EK053-3I	3Ld Patient Cable,9ft AHA/IEC, Round 16p>NEC 3LD, no resistance fit for 47504 LeadWires			30pcs	D5
		47525	EK053-5I	5Ld Patient Cable,9ft AHA/IEC, Round 16p>NEC 5LD, no resistance fit for 47505 LeadWires			30pcs	D0
Nihon Kohden 日本光电	OEC-6102A (s/n<20156), OEC-6105A (s/n<20226), OEC-6120A/J/K BSM-7105K;		EC037-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 8p>Din 3LD, no resistance fit for Din style LeadWires			30pcs	C0
		JC-005P	EN037-3I	3Ld Patient Cable,9ft IEC, Round 8p>NK 6J, no resistance fit for BR-019 LeadWires			40pcs	D5
Nihon Kohden 日本光电	BSM-7102A,OMP-7201C, OMP-7203C, TEC-5200A (s/n<20421);		EC038-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 11p>Din 3LD, no resistance fit for Din style LeadWires				D5
			EN038-3I	3Ld Patient Cable,9ft IEC, Round 11p>NK 6J no resistance fit for BR-019 LeadWires			30pcs	D5
	BSM-2301, BSM-2353, BSM-5100, Multi-parameter bedside monitors BSM-73;	JC-906P	EP055-6I	6Ld Patient Cable,9ft ,IEC, Rectangle 12p>NK 8J, no resistance fit for BR-903P, BR-906P				E5
	OPV-1500 Lifescope N BSM-73;	L060 JC-103T	EP080-3I	3Ld Patient Cable,9ft ,IEC, Rectangle 12p>NK 8J, no resistance fit for BR-903P, BR-906P				E0
PHILIPS 飞利浦	78352C,7834C, 78834C, M1001A/B, M1002A/B, M1722A/B, M1723A/B, M2475B, M3000A, M3001A, M4735A, VM4/V24;	M1500A	ED023-3A	3Ld Patient Cable,9ft AHA, Round 12p>AA-3LD 1KΩ resistance fit for AA style LeadWires				C0
		M1510A	ED023-3I	3Ld Patient Cable,9ft IEC, Round 12p>AA-3LD 1KΩ resistance fit for AA style LeadWires				C0
	78352C,7834C, 78834C, M1001A/B, M1002A/B, M1722A/B, M1723A/B, M2475B, M3000A, M3001A, M4735A, VM4/V24;	M1520A	ED023-5A	5Ld Patient Cable,9ft AHA, Round 12p>AA-5LD 1KΩ resistance fit for AA style LeadWires				D4
		M1530A	ED023-5I	5Ld Patient Cable,9ft IEC, Round 12p>AA-5LD 1KΩ resistance fit for AA style LeadWires				D4

Compatible Brand	OEM MODELS NUMBER	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
PHILIPS 飞利浦	M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C;	M1669A	EDG073-3AI	3Ld Patient Cable,9ft IEC/AAMI, Round 12p>3-LD 1KΩ resistance fit for Philips LeadWires	519 			D9
PHILIPS 飞利浦	M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C;	M1668A	EDG073-5AI	5Ld Patient Cable,9ft IEC/AAMI, Round 12p>5-LD 1KΩ resistance fit for Philips LeadWires	519 			E5
PHILIPS 飞利浦	Philips Instruments with 8-Pin Connector: 78208A,78210A,78330A, 78331A,78332A,78333A, 78341A,78342A,78345A, 78346A,78351T,78352A,78353A, 78354A,78532A/B,78534A/B/C, M1722A/B,M3500B;	M1600A	ED035-5A	5Ld Patient Cable,9ft AHA, Round 8p>AA-5LD 1KΩ resistance fit for AA style LeadWires	019 	085 	30pcs	D4
		M1610A	ED035-5I	5Ld Patient Cable,9ft IEC, Round 8p>AA-5LD 1KΩ resistance fit for AA style LeadWires	019 		30pcs	D4
PHILIPS 飞利浦	Philips Instruments with 8-Pin Connector: 77000AC,77020A/AC,77020AR, 77025A,77030A,77035A,77040A, 78208A,78210A,78330A,78331 A,78332A,78333A,78341A,7834 2A,78345A,78346A,78351T,783 52A,78353A/B,78354A,78532A/ B,78534A/B/C,M1722A/B,M1723 A/B,M2400A,M2406A,M2475B,	M1580A	ED035-3A	3Ld Patient Cable,9ft AHA, Round 8p>AA-3LD 1KΩ resistance fit for AA style LeadWires	019 	086 	30pcs	C0
		M1590	ED035-3I	3Ld Patient Cable,9ft IEC, Round 8p>AA-3LD 1KΩ resistance fit for AA style LeadWires	019 	086 		C0
PHILIPS 飞利浦	78834C 78850A;	M1620A	ED036-3A	3Ld Patient Cable,9ft AHA, Round 5p>AA-3LD 1KΩ resistance fit for AA style LeadWires	236 	086 	50pcs	C0
			ED036-3I	3Ld Patient Cable,9ft IEC, Round 5p>AA-3LD 1KΩ resistance fit for AA style LeadWires	236 	086 	50pcs	C0
SPACELABS 太空医疗	90496 Ultraview, 90369 Ultraview,90367 Ultraview;	IEC:700-0008-07 AHA:700-0008-06	EL009-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 17p>TRU-LINK 5Ld, 1KΩ resistance fit for TRU-LINK LeadWires	022 	091 		C9
			EE009-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 17p>TRU-LINK 5Ld, 1KΩ resistance fit for VS style leads.	022 	089 	30pcs	C9
			EJ009-3AI	3Ld Patient Cable,9ft AHA/IEC, Round 17p>Euro 5Ld, 1KΩ resistance fit for Euro style LeadWires.	022 	246 		C7
			EJ009-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 17p>Euro 5Ld, 1KΩ resistance fit for EURO style leads.	022 	247 		C9


Compatible Brand	OEM MODELS NUMBER	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
福田 Fukuda Denshi	FUKUDA: 7100 patient monitor;		EJ032-5AI	5Ld Patient Cable,9ft AHA/IEC, Round 12P>Euro 5LD, fit for Euro style LeadWires;	963 	243 		D5
			EE032-5AI	5Ld Patient Cable,9ft AHA/IEC, Kontron12p>VS 5 LD,10KΩ resistance , fit for VS style LeadWires	963 	089 	30pcs	D0
	DATASCOPE:Expert FUKUDA DENSHI:DS5100E, DS5300W, DS5400, DS7101/L, DS7141;		EY068-5AI	5Ld and 3Ld Patient Cable,9ft AHA/IEC, Round 12pin> 16 jack non- resistance fit for EY032S3I LeadWires	253 	373 	20pcs	F2
Lohmeier 隆美尔			EC078-3AI	3Ld Patient Cable,9ft <u>IEC/AAMI</u> , 5pin+5Jack plug>Din-3LD non-resistance fit for Din1.5 style Leads	533 	101 	20pcs	F0
	D-81241, original P/N.: 98.060.120/A;	98.060.120/A	EJM079-5AI	5Ld Multi-Cable,9ft <u>IEC/AAMI</u> , 27pin plug>Euro 5Ld ECG+2*IBP+SpO2+2*Temp (discharge inside)				O0
Emtel	 EC092-3AI		EJ086-3AI	3Ld Patient Cable,9ft AHA/IEC, Kontron 12P>Euro3LD, fit for Euro style LeadWires;				D0
			EC086-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, Kontron12Pin,1bit >Din 3 LD, no resistance fit for Din style LeadWires .				D0
			EC086-5AI	Din 5Ld Patient Cable,9ft AHA/IEC, Kontron 12Pin>Din 5 LD, no resistance fit for Din style LeadWires .	012 	102 	20pcs	D0
			EC092-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, Round 12Pin, 2bit. Orange>Din 3 LD, 1KΩ resistance , fit for Din style LeadWires .				D8
			EC094-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, Round 12Pin, 1bit. Green>Din 3 LD, 1KΩ resistance, fit for Din style LeadWires .				D0
			EC095-3AI	Din 3Ld Patient Cable,9ft AHA/IEC, Round 12Pin, 1bit. Green>Din 3 LD, 20KΩ resistance, fit for Din style LeadWires .				D0

LEAD WIRES


Low profile, insert molded snap or pinch connectors offer patient comfort and secure attachment to snap electrodes. The snap termination's ergonomic, teardrop design reduces tangling at the patient end connector. Grabber and mini clip terminations have du

Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
Bionet Datex Siemens GE-Hellige Kontron Goldway S&W (Artema)	suitable for all LL-Plug System , Yoke type: Lifelinc(LL),Code: B  EB040C3A  EB040C5A		EB024S3A	LL lead wires, 24 in. (61 cm). 3-Ld	AHA (AAMI)	Snap	70pcs	B2
			EB024C3I		IEC	Grabber (Clip)		B3
			EB024S5A	LL lead wires, 24 in. (61 cm). 5-Ld	AHA (AAMI)	Snap	60pcs	B5
			EB024C5A		AHA (AAMI)	Grabber (Clip)	40pcs	B6
			EB040S3A	LL lead wires, 40 in. (102 cm). 3-Ld	AHA (AAMI)	Snap	80pcs	B2
			EB040C3A		AHA (AAMI)	Grabber (Clip)	100pcs	B3
			EB040S3I		IEC	Snap	150pcs	B2
			EB040C3I		IEC	Grabber (Clip)		B3
			EB040S5A	LL lead wires, 40 in. (102 cm). 5-Ld	AHA (AAMI)	Snap		B5
			EB040C5A		AHA (AAMI)	Grabber (Clip)	80pcs	B6
			EB040S5I		IEC	Snap	100pcs	B5
			EB040C5I		IEC	Grabber (Clip)		B6
Biosys Creative Datascope Nihon Kohden AIR SHIELDS (NARCO, Vickers) ATL ULTRASOUND	suitable for all Din-Plug System , Yoke type: Din style,Code: C  EC040S3A  EC040S5A		EC018S3A	Din lead wires, 18 in. (45 cm). 3-Ld	AHA (AAMI)	Snap		A6
			EC018S3I		IEC	Snap	30pcs	A6
			EC018S5A	Din lead wires, 18 in. (45 cm). 5-Ld	AHA (AAMI)	Snap	100pcs	A0
			EC018C5A		AHA (AAMI)	Grabber (Clip)	30pcs	B1
			EC018C5I		IEC	Grabber (Clip)		B1
			EC024S3A	Din lead wires, 24 in. (61 cm). 3-Ld	AHA (AAMI)	Snap		A6
			EC024C3I		IEC	Grabber (Clip)		A7
			EC024S5A		AHA (AAMI)	Snap		A0
			EC024C5A	Din lead wires, 24 in. (61 cm). 5-Ld	AHA (AAMI)	Grabber (Clip)	30pcs	B1
			EC024S5I		IEC	Snap		A0
			EC024C5I		IEC	Grabber (Clip)		B1
			EC040S3A	Din lead wires, 40 in. (102 cm). 3-Ld	AHA (AAMI)	Snap		A6
			EC040C3A		AHA (AAMI)	Grabber (Clip)		A7
			EC040S3I		IEC	Snap	30pcs	A6
			EC040C3I		IEC	Grabber (Clip)		A7
			EC040S5A	Din lead wires, 40 in. (102 cm). 5-Ld	AHA (AAMI)	Snap		A0
			EC040C5A		AHA (AAMI)	Grabber (Clip)		B1
			EC040S5I		IEC	Snap		A0
			EC040C5I		IEC	Grabber (Clip)		B1
PHILIPS M3000A, M3001A, M1001A/B, M1002A/B, 78352C, 78354C	 M1673A  M1644A	M1673A	EDG040S3A	Multi-Link Ldwr, 3-Ld Set-Group, 40 in. (102cm)	AHA (AAMI)	Snap		C5
		M1674A	EDG040S3I		IEC	Snap		C5
		M1671A	EDG040C3A		AHA (AAMI)	Grabber (Clip)		C5
		M1672A	EDG040C3I		IEC	Grabber (AA Clip)		C5
			EDG040M3I		IEC	Grabber (Mini)		C5
		M1644A	EDG040S5A	Multi-Link Ldwr, 5-Ld Set-Group, LA,RA,V=40in(102cm); LL,RL=61in(155cm);	AHA (AAMI)	Snap		C0
		M1645A	EDG040S5I		IEC	Snap		C0
		M1968A	EDG040C5A		AHA (AAMI)	Grabber (Clip)		C0
		M1971A	EDG040C5I		IEC	Grabber (Clip)		C0
PHILIPS M1672A		M1672A	EDG040C3I-RL	Multi-Link Ldwr, 3-Ld Set-Group, 40 in(102cm)	IEC	Snap		C5
			EDG040C3A-RL	Multi-Link Ldwr, 3-Ld Set-Group, 40 in(102cm)	AHA(AAMI)	Snap		C5
		M1672A	EDG040C5I-RL	Multi-Link Ldwr, 5-Ld Set-Group, LA,RA,V = 40in(102cm); LL,RL = 61in(155cm)	IEC	Snap		C0
			EDG040C5A-RL	Multi-Link Ldwr, 5-Ld Set-Group, LA,RA,V = 40in(102cm); LL,RL = 61in(155cm)	AHA(AAMI)	Snap		C0
PHILIPS	suitable for all AA-Plug System , Yoke type: AA style,Code: D  ED040C5A suitable for all AA-Plug System , Yoke type: AA style,Code: D OR:For operating room use: includes special filtering; does not allow respiration monitoring.	M1605A	ED040S3A	AA lead wires, 40 in. (102 cm). 3-Ld	AHA (AAMI)	Snap		B8
		M1603A	ED040C3A		AHA (AAMI)	Grabber (Clip)		B8
		M1615A	ED040S3I		IEC	Snap		B8
		M1613A	ED040C3I		IEC	Grabber (Clip)		B8
		M1625A	ED040S5A	AA lead wires, 5-Ld LA,RA,V 40in(102cm); LL,RL 61in(155cm)	AHA (AAMI)	Snap		C5
		M1623A	ED040C5A		AHA (AAMI)	Grabber (Clip)		C5
		M1635A	ED040S5I		IEC	Snap		C5
		M1633A	ED040C5I		IEC	Grabber (Clip)		C5
		M1601A	ED040C3A-OR	AA lead wires, OR 40 in. (102 cm). 3-Ld	AHA (AAMI)	Grabber (Clip)		C8
		M1611A	ED040C3I-OR		IEC	Grabber (Clip)		C8
		M1621A	ED040C5A-OR	AA lead wires, 5-Ld. OR LA,RA,V 40in(102cm); LL,RL 61in(155cm)	AHA (AAMI)	Grabber (Clip)		D6
		M1631A	ED040C5I-OR		IEC	Grabber (Clip)		D6

Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
GE--Marquette (Set –Group type Lead wires)  185	suitable for all Multi-link(VS)-Plug System , Yoke type: Multi-link(VS),Code: E  EE029C3A	E9008LF	EE029S3A-G	Multi-Link Ldwr Set – Group,, 29 in. (76 cm), 3-Ld	AHA (AAMI)	Snap		C1
		E9003CL	EE029C3A-G		AHA (AAMI)	Grabber (Clip)		C2
		E9003CN	EE029C3I-G		IEC	Grabber (Clip)		C2
		E9008LG	EE051S3A-G	Multi-Link Ldwr Set – Group,, 51 in. (130 cm), 3-Ld	AHA (AAMI)	Snap	30pcs	C1
		E9003CM	EE051C3A-G		AHA (AAMI)	Grabber (Clip)	30pcs	C2
		E9003CP	EE051C3I-G		IEC	Grabber (Clip)		C2
GE--Marquette (Set –Group type Lead wires) 	suitable for all Multi-link(VS)-Plug System , Yoke type: Multi-link(VS),Code: E  EE029S5A	E9008L	EE029S5A-G	Multi-Link Ldwr Set – Group,, 29 in. (76 cm), 5-Ld	AHA (AAMI)	Snap		C1
		E9003CE	EE029C5A-G		AHA (AAMI)	Grabber (Clip)		C2
		E9008LB	EE029S5I-G		IEC	Snap		C1
		E9003CG	EE029C5I-G	Multi-Link Ldwr Set – Group,, 51 in. (130 cm), 5-Ld	IEC	Grabber (Clip)		C2
		E9003CF	EE051C5A-G		AHA (AAMI)	Grabber (Clip)		C2
			EE051C5I-G		IEC	Grabber (Clip)		C2
		E9008LD	EE051S5A-GM	Multi-Link Ldwr SetGroup, 5-Ld , Mixed Length, RL,LL,V–51in.(130cm) ; RA,LA–29 in.(74cm)	AHA (AAMI)	Snap	30pcs	C1
		E9003CJ	EE051C5A-GM		AHA (AAMI)	Grabber (Clip)	30pcs	C2
			EE051C5I-GM	Multi-Link Ldwr SetGroup, 5-Ld , Mixed Length, N,F,C–51in. (130cm) , R,L–29 in.(74cm)	IEC	Grabber (Clip)		C2
GE-Medical Marquette (Set –Assembly type Lead wires)  140	suitable for all Multi-link(VS)-Plug System , Yoke type: Multi-link(VS),Code: E  EE051C5A-M	E9008KB	EE029S5A	Multi-Link Ldwr Set 29 in. (76 cm), 5-Ld	AHA (AAMI)	Snap		C1
		E9002ZW	EE029C5A		AHA (AAMI)	Grabber (Clip)		C2
		E9008KD	EE029S5I		IEC	Snap		C1
		E9002ZZ	EE029C5I		IEC	Grabber (Clip)		C2
		E9008KC	EE051S5A	Multi-Link Ldwr Set, 51 in. (130 cm), 5-Ld	AHA (AAMI)	Snap		C1
		E9002ZY	EE051C5A		AHA (AAMI)	Grabber (Clip)		C2
		E9008KE	EE051S5I		IEC	Snap		C1
		E9003A	EE051C5I		IEC	Grabber (Clip)		C2
		E9008KF	EE051S5A-M	Multi-Link Ldwr Set, 5-Ld , Mixed Length, RL,LL,V–51in.(130cm); RA,LA–29 in.(74cm)	AHA (AAMI)	Snap	30pcs	C1
		E9003AA	EE051C5A-M		AHA (AAMI)	Grabber (Clip)		C2
			EE051S5I-M	Multi-Link Ldwr Set, 5-Ld , Mixed Length, N,F,C–51in.(130cm) ; R,L–29 in.(74cm)	IEC	Snap		C1
		E9003AB	EE051C5I-M		IEC	Grabber (Clip)		C2
Datex PHILIPS PIONEER PPG SPACELABS BURDICK TEKTRONIX (Vittek) WELCH ALLYN  138	suitable for all Conmed-Plug System , Yoke type: Conmed,Code: G  EG040S5A		EG024C3I	Conmed lead wires, 24 in. (61 cm), 3-Ld	IEC	Grabber (Clip)	30pcs	B4
			EG024S5A	Conmed lead wires, 24 in. (61 cm), 5-Ld	AHA (AAMI)	Snap	30pcs	C2
			EG024C5A		AHA (AAMI)	Grabber (Clip)	30pcs	C3
			EG024C5I		IEC	Grabber (Clip)	30pcs	C3
			EG040S3A	Conmed lead wires, 40 in. (102 cm), 3-Ld	AHA (AAMI)	Snap		B3
			EG040C3A		AHA (AAMI)	Grabber (Clip)	100pcs	B4
			EG040S3I		IEC	Snap	30pcs	B3
			EG040C3I		IEC	Grabber (Clip)	30pcs	B4
			EG040S5A	Conmed lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Snap		C2
			EG040C5A		AHA (AAMI)	Grabber (Clip)		C3
			EG040S5I		IEC	Snap	30pcs	C2
			EG040C5I		IEC	Grabber (Clip)	40pcs	C3

Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
Datex-Ohmeda GE-medical Pro1000  137	suitable for all ASP-Plug System , Yoke type: ASP, Code: H		EH024S3A	ASP lead wires, 24 in. (61 cm), 3-Ld	AHA (AAMI)	Snap		B8
			EH024C3I		IEC	Grabber (Clip)		B8
	 EH024C3I		EH024C5I	ASP lead wires, 24 in. (61 cm), 5-Ld	IEC	Grabber (Clip)	30pcs	C7
			EH040S3A		AHA (AAMI)	Snap		B8
	 EH040A3A		EH040C3A		AHA (AAMI)	Grabber (Clip)		B8
			EH040S3I	ASP lead wires, 40 in. (102 cm), 3-Ld	IEC	Snap		B8
			EH040C3I		IEC	Grabber (Clip)		B8
			EH040A3A		AHA (AAMI)	Grabber(AA type)		B8
			EH040S5A		AHA (AAMI)	Snap		C7
			EH040C5A	ASP lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Grabber (Clip)		C7
			EH040S5I		IEC	Snap		C7
			EH040C5I		IEC	Grabber (Clip)		C7
type LM Lead wires 494			EZ040S3A		AHA (AAMI)	Snap	70pcs	B8
			EZ040C3A	LM lead wires, 40 in. (102 cm), 3-Ld	AHA (AAMI)	Grabber (Clip)	30pcs	B8
			EZ040S3I		IEC	Snap	30pcs	B8
			EZ040C3I		IEC	Grabber (Clip)	30pcs	B8
			EZ040S5A		AHA (AAMI)	Snap	30pcs	C7
			EZ040C5A	LM lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Grabber (Clip)	30pcs	C7
			EZ040S5I		IEC	Snap	30pcs	C7
			EZ040C5I		IEC	Grabber (Clip)		C7
Mindray Siemens SPACELABS BURDICK Viggo- Spectramed (Statham) WESTINGHOUSE	suitable for all Euro-Plug System , Yoke type: Euro style, Code: L		EJ024C3I	Euro style lead wires, 24 in. (61 cm), 3-Ld	IEC	Grabber (Clip)		B9
			EJ024C5A	Euro style lead wires, 24 in. (61 cm), 5-Ld	AHA (AAMI)	Grabber (Clip)	40pcs	C1
	 084		EJ024C5I		IEC	Grabber (Clip)		C1
			EJ040S3A		AHA (AAMI)	Snap		B8
	 EJ040S5I		EJ040C3A		AHA (AAMI)	Grabber (Clip)		B9
			EJ040M3A	Euro style lead wires, 40 in. (102 cm), 3-Ld	AHA (AAMI)	Mini Grabber (Clip)	60pcs	D0
			EJ040S3I		IEC	Snap		B8
			EJ040C3I		IEC	Grabber (Clip)		B9
			EJ040S5A		AHA (AAMI)	Snap		C0
			EJ040C5A	Euro style lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Grabber (Clip)		C1
			EJ040S5I		IEC	Snap		C0
			EJ040C5I		IEC	Grabber (Clip)		C1
Siemens 西门子	 EQ040C3I		EQ040C3I	ECG leads, 40 in.(102cm),3 leads	IEC	Grabber(clip)		C5
	 EQ040S3I		EQ040S3I	ECG leads, 40 in.(102cm),3 leads	IEC	Snap		C5
	 EQ040C5I		EQ040C5I	ECG leads, 40 in.(102cm), 5 leads	IEC	Grabber(clip)		C0
NEC suitable for all NEC-Plug System , Yoke type: NEC style, Code: K	 097		EK029S3I	47504 style lead wires, 29 in. (76 cm), 3-Ld	IEC	Snap	30pcs	B1
	 100		EK029S5I	47505 style lead wires, 29 in. (76 cm), 5-Ld	IEC	Snap	30pcs	B5
		47505	EK029C5I		IEC	Grabber (Clip)	30pcs	B6

Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
 SPACELABS 166	suitable for all TRU-LINK Plug System , Yoke type: TRU-LINK style, Code: L	700-0007-00	EL024S3A	TUR-LINK style lead wires, 24 in. (61 cm), 3-Ld	AHA (AAMI)	Snap		B5
		700-0007-04	EL024S4A	TUR-LINK style lead wires, 24 in. (61 cm), 4-Ld	AHA (AAMI)	Snap	30pcs	B0
		700-0006-04	EL024C4A		AHA (AAMI)	Grabber (Clip)	30pcs	C1
		700-0007-05	EL024S4I		IEC	Snap	30pcs	B0
		700-0006-05	EL024C4I		IEC	Grabber (Clip)	30pcs	C1
		700-0007-08	EL024S5A	TUR-LINK style lead wires, 24 in. (61 cm), 5-Ld	AHA (AAMI)	Snap	50pcs	C4
		700-0007-09	EL024S5I		IEC	Snap	40pcs	C4
		700-0006-09	EL024C5I		IEC	Grabber (Clip)	40pcs	C5
		700-0007-12	EL024S6A	TUR-LINK style lead wires, 24 in. (61 cm), 6-Ld	AHA (AAMI)	Snap	30pcs	C9
		700-0006-12	EL024C6A		AHA (AAMI)	Grabber (Clip)	30pcs	C0
		700-0007-13	EL024S6I		IEC	Snap	30pcs	C9
		700-0006-13	EL024C6I		IEC	Grabber (Clip)	30pcs	C0
		700-0007-16	EL024S10A	TUR-LINK style lead wires, 24 in. (61 cm), 10-Ld	AHA (AAMI)	Snap	30pcs	E5
		700-0006-16	EL024C10A		AHA (AAMI)	Grabber (Clip)	30pcs	E6
		700-0007-17	EL024S10I		IEC	Snap	30pcs	E5
		700-0006-17	EL024C10I		IEC	Grabber (Clip)		E6
		700-0007-03	EL040S3I	TUR-LINK style lead wires, 40 in. (102 cm), 3-Ld	IEC	Snap	60pcs	B5
		700-0006-03	EL040C3I		IEC	Grabber (Clip)		B6
		700-0007-06	EL040S4A	TUR-LINK style lead wires, 40 in. (102 cm), 4-Ld	AHA (AAMI)	Snap	30pcs	B0
		700-0006-06	EL040C4A		AHA (AAMI)	Grabber (Clip)	30pcs	C1
		700-0007-07	EL040S4I		IEC	Snap	30pcs	B0
		700-0006-07	EL040C4I		IEC	Grabber (Clip)	30pcs	C1
		700-0007-10	EL040S5A	TUR-LINK style lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Snap		C4
		700-0006-10	EL040C5A		AHA (AAMI)	Grabber (Clip)	50pcs	C5
		700-0007-11	EL040S5I		IEC	Snap		C4
		700-0006-11	EL040C5I	TUR-LINK style lead wires, 40 in. (102 cm), 6-Ld	IEC	Grabber (Clip)		C5
		700-0007-14	EL040S6A		AHA (AAMI)	Snap	30pcs	C9
		700-0006-14	EL040C6A		AHA (AAMI)	Grabber (Clip)	30pcs	C0
		700-0007-15	EL040S6I		IEC	Snap	30pcs	C9
		700-0006-15	EL040C6I		IEC	Grabber (Clip)	30pcs	C0
		700-0007-18	EL040S10A	TUR-LINK style lead wires, 40 in. (102 cm), 10-Ld	AHA (AAMI)	Snap	30pcs	E5
		700-0006-18	EL040C10A		AHA (AAMI)	Grabber (Clip)	30pcs	E6
		700-0007-19	EL040S10I		IEC	Snap	30pcs	E5
		700-0006-19	EL040C10I		IEC	Grabber (Clip)	30pcs	E6

Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
Colin suitable for all Colin-Plug System , Yoke type: Colin style, Code: <u>M</u>	 009	CL-3601	EM040S3I	COLIN style lead wires, <u>40in. (102 cm). 3-Ld</u>	IEC	Snap	50pcs	B8
			EM040C3I		IEC	Grabber (Clip)	50pcs	B8
			EM040S5I	COLIN style lead wires, <u>40in. (102 cm). 5-Ld</u>	IEC	Snap	50pcs	C5
Nihon Konden suitable for all NK-5LD Plug System , Yoke type: NK-5LD style, Code: <u>N</u>	 126	BR-019	EN032S3I	NK style lead wires, <u>32 in. 80 cm. 3-Ld</u>	IEC	Snap		B8
		BR-019P	EN032C3I		IEC	Grabber (Clip)		B8
	 125	BR-021P	EN032S5I	NK style lead wires, <u>32 in. 80 cm. 5-Ld</u>	IEC	Snap	50pcs	C4
			EN032C5I		IEC	Grabber (Clip)	50pcs	C5
Nihon Konden suitable for all NK-6LD Plug System , Yoke type: NK-6LD style, Code: <u>P</u> BSM-73	 171/433	BR-913P	EP035S3I	NK style lead wires, <u>35 in. 90 cm. 3-Ld</u>	IEC	Snap		B8
		BR-903P	EP035C3I		IEC	Grabber (Clip)		B8
			EP035S6I	NK style lead wires, <u>35 in. 90 cm. 6-Ld</u>	IEC	Snap		C7
		BR-906P	EP035C6I		IEC	Grabber (Clip)		C7
Nihon Konden suitable for all NK-5LD Plug System , Yoke type: NK-5LD style, Code: <u>R</u>	 124		HA004S3I	NK style lead wires, <u>32 in. 80 cm. 3-Ld</u>	IEC	Snap	40pcs	B0
		BR-546S	HA004C3I		IEC	Grabber (Clip)		B0
	 123	BR-002P	EV032C3I	NK style lead wires, <u>32 in. 80 cm. 3-Ld</u>	IEC	Grabber (Clip)	60pcs	B0
	 122		EV032S5I	NK style lead wires, <u>32 in. 80 cm. 5-Ld</u>	IEC	Snap	30pcs	C1
FUKUDA DENSHI 福田	 372		EY032S3I	One-piece lead wires, <u>32 in. 80 cm. 3-Ld</u>	IEC	Snap	40pcs	C0
			EY032S3A		AHA (AAMI)	Snap	30pcs	C0
Mindray 迈瑞	 Datascope passport V, V12, V21	0012-00-1503-14	ER027C3I	Euro style lead wires, <u>28 in. 70 cm. 3-Ld</u>	IEC	Grabber (type RL)		C5
			ER027C5I	Euro style lead wires, <u>28 in. 70 cm. 5-Ld</u>	IEC	Grabber (type RL)		C9

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
PHILIPS	M3000A, M3001A, M1001A/B,M1002A/B, 78352C,78354C	M1669A	EDG073-3AI	3Ld Patient Cable,9ft IEC/AAMI, Round 12p>3-LD 1KΩ resistance fit for Philips LeadWires	519 			D9
	M3000A, M3001A, M1001A/B,M1002A/B, 78352C,78354C	M1668A	EDG073-5AI	5Ld Patient Cable,9ft IEC/AAMI, Round 12p>5-LD 1KΩ resistance fit for Philips LeadWires	519 			E5



Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,.)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
PHILIPS Compatible M1668A 5-lead trunk cable. Use EDG073-3AI or EDG073-5AI Trunk cable.		M1673A	EDG040S3A	Multi-Link Ldwr, 3-Ld Set-Group, 40 in (102cm)	AHA (AAMI)	Snap		C5
		M1674A	EDG040S3I		IEC	Snap		C5
		M1671A	EDG040C3A		AHA (AAMI)	Grabber (Clip)		C5
		M1672A	EDG040C3I		IEC	Grabber (AA Clip)		C5
			EDG040M3I		IEC	Grabber (Mini)		C5
		M1644A,	EDG040S5A	Multi-Link Ldwr, 5-Ld Set-Group, LA,RA,V=40in(102cm); LL,RL=61in(155cm);	AHA (AAMI)	Snap		C0
		M1645A,	EDG040S5I		IEC	Snap		C0
		M1968A,	EDG040C5A		AHA (AAMI)	Grabber (Clip)		C0
		M1971A,	EDG040C5I		IEC	Grabber (Clip)		C0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	MOQ	PRICE CODE
PHILIPS	78352C, 78354C, 78834C Legacy HP Monitors,Modules M1001A/B,M1002A/B M3001A Opt. C12 or Opt. C18 IntelliVue Multi-Measurement Modules M3002A Opt. C12 MMS X2 M8102A Opt. C12 MP2 Monitor M8105A Opt. C12 MP5 Monitor M3535A/M3536A HeartStar;	M1949A	VDG023-AAI	10-lead ECG trunk cable with 12-pin ECG input connector. AAMI and IEC labels included. Length: 8.9' (2.7m)				E5



Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,.)	Color coding / Leads	Patient end termination	MOQ	PRICE CODE
PHILIPS Compatible M1663A or M1949A 10-lead trunk cable.		M1644A+ M1602A	VDG040SNA	5+5 Lead Sets, Length:1m, Lead mark: AAMI: (RL,LA,LL,RA,V) + (V2,V3,V4,V5,V6;) IEC: (N, L, F, R, C) + (C2,C3,C4,C5,C6;)	AHA (AAMI)	Snap		E5
		M1645A+ M1604A	VDG040SNI		IEC	Snap		E5
		M1968A+ M1976A	VDG040CNA		AHA (AAMI)	Grabber (Clip)		E5
		M1971A+ M1978A	VDG040CNI		IEC	Grabber (Clip)		E5




7

一次性心电导联线

Dispoisable ECG Lead Wires









Trunk Cable

There are so many adapter that can assist the Lead wires to be applied to all monitors.

Disposable ECG Lead wires

There are not only standard disposable ECG leads (see below picture), but also disposable ECG leads to match with all brands ECG cables directly.

 Din 3-Ld, Code: C	 Din 5-Ld, Code: C	 package:24pcs/box ECD040P3A J6/BOX	
 Lifelinc(LL) 3-Ld,Code: B	 Lifelinc(LL),5-Ld,Code: B	 package:24pcs/box ECD040P3I J6/BOX	
 ASP 3-Ld,Code: H	 ASP,5-Ld,Code: H	 package:24pcs/box ECD040P5 N5/BOX	
 ASP 3-Ld,Code: H	 ASP,5-Ld,Code: H	 package:24pcs/box ECD040P5I N5/BOX	
 AAMI(AA) 3-Ld,Code: D	 AAMI(AA),5-Ld,Code: D	 package:24pcs/box EJD040P3A L2/BOX	
 AAMI(AA) 3-Ld,Code: D	 AAMI(AA),5-Ld,Code: D	 package:24pcs/box EDGD040P3I L2/BOX	
 EURO 3-Ld,Code: J	 EURO,5-Ld,Code: J	 package:24pcs/box EDD040P5A O8/BOX	
 EURO 3-Ld,Code: J	 EURO,5-Ld,Code: J	 package:24pcs/box EED040P5I O8/BOX	
 Conmed 3-Ld,Code: G	 Conmed,5-Ld,Code: G	 Disposable ECG Lead wires for neonate OEM-V3321A Mindary,10-LD,IEC	
 VS type,Code: E	 TRU-link,5-Ld,Code: L		
 Philips ECG Yoke: DG	 NK,6-Ld,Code: P		




8

一体式心电图仪心电电缆和导联线

One-Piece Series EKG Cable
With Lead Wires






Connector type



Lead Position Marked



12 Lead: I
Standard IEC

12 Lead: A
Standard AHA


S: Standard Snap

C: Clip(type RL Grabber)

D: Din 3.0

B: Banana 4.0

Type Disignation



VA010DCI

VA002DNI

VA005BBI


VA016BAI

VA021BDI

VA024DNI

VA025CAI





Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	Defibrillation withstand	PATIENT END TERMINAL	MOQ	PRICE CODE
Bosch 博世 Cambridge Custo-med DEGO Hellige 海力格 Siemens 西门子 Von Berg (hormann)	Bosch: 603 D, 603 ER, 603 S, 606 Cambridge: CM 6000, CM 6400 Custo-med: Custo-card DEGO: Cardiomed 3 Hellige: EK 36, EK41, EK43, EK53, EK56, EK403, EK413, EK512, EK512 E, EK512 P, Cardiosmart, CardioSys, Corna Siemens: Cardiostat1/3T/703/710/31/31S Cardina C, Cardirex 3T/4/6T/62, Cathcor, Megacard Elema A/B, R, R/E, Mingodoc, Mingocard 3/4/7, Mingograph 4/ 62/ 81 Mingograph 82 / 740, Mingolog 7, Mingophon 3/7/310/410/420/710/720, Miracard 1, Sirecard440/440S/460/460S/740 Siereg, Sirecard 803, Sirecust 701Von Berg: Bioset3500/3600/3700/6000/8000		VA029CNA	AHA,	No Resistance,	Clip,	30pcs	E2
			VA029DNA	AHA,	No Resistance,	Din3.0,	30pcs	E1
			VA029BNA	AHA,	No Resistance,	Banana		E2
			VA029SAA	AHA,	4.7kΩ Resistance,	Snap,	30pcs	E3
			VA029DAA	AHA,	4.7kΩ Resistance,	Din3.0	30pcs	E3
			VA029CNI	IEC,	No Resistance,	Clip,	30pcs	E2
			VA029DNI	IEC,	No Resistance,	Din3.0,	30pcs	E1
			VA029BNI	IEC,	No Resistance,	Banana	30pcs	E2
			VA029DAI	IEC,	4.7kΩ Resistance,	Din3.0	30pcs	E3
			VA029BAI	IEC,	4.7kΩ Resistance,	Banana	20pcs	E4
Hellige 海力格	Hellige: EK 51		VA011CBA	AHA,	10 kΩ Resistance,	Clip	30pcs	E4
			VA011DBI	IEC,	10 kΩ Resistance,	Din3.0	30pcs	E3
Avionics(Del Mar) Custo-med Del mar Ergoline Esaote Biomedica Fidelity Innomed Kontron 康强 Reynolds Schiller 席勒 Bionet	Avionics(Del Mar): 910 / 920 / 930 / 940 / 942 / 950 / 960 / 970 / 980 Custo-med: Custo-norm Del mar: 910,920,930,940,942,950, 960,970,980 Ergoline: Autoruler, Autoscript 6/12 Cardiette, EK 3003 / 3012, Ergoline Esaote Biomedica: EKG P120 Fidelity: LP 3000 Innomed: Heart Mirror (3-Kanal) Kontron: EKG P80 Reynolds: Cardiotrack 12 Schiller:AT3, AT5, AT6,AT10, AT60, AT104 PC, AT104, AT101 CS6, CS12,CS100, CS200 Trentina: All Excel-Types Von Berg: Bioset 9000 Bionet:All models	 Short Screw 	VA021SNA	AHA,	No Resistance,	Snap,	20pcs	E1
			VA021BNA	AHA,	No Resistance,	Banana		E2
			VA021BBA	AHA,	10 kΩ Resistance,	Banana		E4
			VA021BDA	AHA,	10 kΩ+SPD,	Banana	30pcs	F0
			VA021CNI	IEC,	No Resistance,	Clip,		E2
			VA021BNI	IEC,	No Resistance,	Banana		D5
			VA021CBI	IEC,	10 kΩ Resistance,	Clip		E4
			VA021DBI	IEC,	10 kΩ Resistance,	Din3.0	30pcs	E3
			VA021BBI	IEC,	10 kΩ Resistance,	Banana		E4
								
Schiller 席勒 Esaote Biomedica	Schiller: AT-2 Plus, AT1, AT2, AT4, AT101, AT102 Esaote Biomedica: P80, P80Power, P80PowerSix	 9.5mm Long Screw 	VA022SBA	AHA,	10 kΩ Resistance,	Snap,	30pcs	E3
			VA022CBA	AHA,	10 kΩ Resistance,	Clip	30pcs	E4
			VA022DBA	AHA,	10 kΩ Resistance,	Din3.0	30pcs	E3
			VA022BBA	AHA,	10 kΩ Resistance,	Banana		E4
			VA022SBI	IEC,	10 kΩ Resistance,	Snap,	30pcs	E3
			VA022CBI	IEC,	10 kΩ Resistance,	Clip		E4
			VA022DBI	IEC,	10 kΩ Resistance,	Din3.0	30pcs	E3
			VA022BBI	IEC,	10 kΩ Resistance,	Banana		E4
Schiller 席勒	AT101,AT-2 Plus,AT1, AT2, AT4,AT102		98122841015	IEC,	No Resistance,	Din3.0,		E0

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	Defibrillation withstand	PATIENT END TERMINAL	MOQ	PRICE CODE
Bosch / dimeq Cambridge Cardioline/Remco Cardionics Hellige海力格 Honeywell/Philips: Polymed Schwarzer SECA	Bosch/dimeq: 501A,501NV,503,601 503B,503D,503NV,503V,506,506D, Cambridge: VS 6, SC 1000 Delta 1/3/300/360, E1/E1R /E3 Cardionics: all Models Hellige: Corina. EK 51 Honeywell/Philips: Cardioplan, CR 300, CR 330, ER 330 Polymed: Alpha 600 / 800 Schwarzer: VS 6 SECA: 3000	028 	VA004SAA	AHA,	4.7kΩ Resistance, Snap,		30pcs	C9
			VA004CAA	AHA,	4.7kΩ Resistance, Clip		30pcs	C0
			VA004DAA	AHA,	4.7kΩ Resistance, Din3.0		30pcs	C9
			VA004BAA	AHA,	4.7kΩ Resistance, Banana		30pcs	C0
			VA004SAI	IEC,	4.7kΩ Resistance, Snap,		30pcs	C9
Burdick 伯迪克 Quinton 昆騰 ATRIA	BURDICK (QUINTON): Eclipse 4, Eclipse 400,Eclipse 8, Eclipse 800, Eclipse 850, Eclipse 850i, Eclipse Plus, Eclipse LE II BURDICK with serial number starting with 1067 or 92304 ATRIA: ATRIA PLUS, ATRIA3000	162 	VA005CBA	AHA,	10 kΩ Resistance, Clip		30pcs	E4
			VA005DBA	AHA,	10 kΩ Resistance, Din3.0		30pcs	E3
			VA005BBA	AHA,	10 kΩ Resistance, Banana		20pcs	E4
			VA005CBI	IEC,	10 kΩ Resistance, Clip		30pcs	E4
			VA005DBI	IEC,	10 kΩ Resistance, Din3.0		30pcs	E3
			VA005BBI	IEC,	10 kΩ Resistance, Banana			E4
Burdick 伯迪克	EK-10 Burdick: Elite, Elite II, E-350, E550, E560, (1st Generation Eclipse LE/LEi, with serial number starting with 1051).	039 	VA002CNA	AHA,	No Resistance, Clip,		30pcs	C7
			VA002BNA	AHA,	No Resistance, Banana		30pcs	C7
			VA002SNI	IEC,	No Resistance, Snap,		30pcs	C6
			VA002CNI	IEC,	No Resistance, Clip,		30pcs	C7
			VA002DNI	IEC,	No Resistance, Din3.0,		30pcs	C6
			VA002BNI	IEC,	No Resistance, Banana			C7
	Burdick Quinton Eclipse 4, 8, 400, 800, 850, Plus and Elite II, ATRIA Plus Quinton. Burdick #007705, Stress cable with detachable leads 007706 Fukuda Denshi: Alpha 500 / 600, FCP 2201	028 	VA004SAA	AHA,	4.7kΩ Resistance, Snap,		30pcs	C9
			VA004CAA	AHA,	4.7kΩ Resistance, Clip		30pcs	C0
			VA004DAA	AHA,	4.7kΩ Resistance, Din3.0		30pcs	C9
			VA004BAA	AHA,	4.7kΩ Resistance, Banana		30pcs	C0
EDAN 理邦	SE-12 Express SE-3 SE-601A	038 	VA030SBA	AHA,	10 kΩ Resistance, Snap,		30pcs	C9
			VA030CBA	AHA,	10 kΩ Resistance, Clip		30pcs	C0
			VA030DBA	AHA,	10 kΩ Resistance, Din3.0		30pcs	C9
			VA030BBA	AHA,	10 kΩ Resistance, Banana		50pcs	C0
			VA030CBI	IEC,	10 kΩ Resistance, Clip		30pcs	C0
			VA030DBI	IEC,	10 kΩ Resistance, Din3.0		30pcs	C9
			VA030BBI	IEC,	10 kΩ Resistance, Banana			C0
	SE-3		VA050BBA	AHA,	10kΩ Resistance, Banana			C0
Fukuda Denshi 福田	Fukuda Denshi Autocardiner, Cardimax FX-2111 / FX-3010 / FX-4010, FCP-2155	034 	VA017BAA	AHA,	4.7kΩ Resistance, Banana			C0
			VA017DAI	IEC,	4.7kΩ Resistance, Din3.0			C9
			VA017BAI	IEC,	4.7kΩ Resistance, Banana			C0
FUKUDA ME 福田	KP-500		VA024CNA	AHA,	No Resistance, Clip,		30pcs	E0
			VA024BNA	AHA,	No Resistance, Banana		30pcs	E0
			VA024SNI	IEC,	No Resistance, Snap,		30pcs	E9
			VA024CNI	IEC,	No Resistance, Clip,		30pcs	E0
			VA024DNI	IEC,	No Resistance, Din3.0,		40pcs	E9
	KP-500D		VA024SEA	AHA,	20kΩ+discharge, Snap,		30pcs	F5
			VA024CEA	AHA,	20kΩ+discharge, Clip,		30pcs	F6
			VA024DEA	AHA,	20kΩ+discharge, Din3.0,		30pcs	F5
			VA024SEI	IEC,	20kΩ+discharge, Snap,		30pcs	F5
			VA024CEI	IEC,	20kΩ+discharge, Clip,		30pcs	F6
			VA024DEI	IEC,	20kΩ+discharge, Din3.0,		30pcs	F5

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	Defibrillation withstand	PATIENT END TERMINAL	MOQ	PRICE CODE
FUKUDA ME	FX-031		VA014SNA	AHA,	No Resistance,	Snap,	30pcs	E9
			VA014CNA	AHA,	No Resistance,	Clip,	30pcs	E0
			VA014SNI	IEC,	No Resistance,	Snap,	30pcs	E9
			VA014CNI	IEC,	No Resistance,	Clip,	30pcs	E0
			VA014DNI	IEC,	No Resistance,	Din3.0,	30pcs	E9
	Fukuda M-E: Cardisuny alpha 1000, Cardisuny alpha 6600 A / 6600 AX		VA004SAA	AHA,	4.7kΩ Resistance,	Snap,	30pcs	C9
			VA004CAA	AHA,	4.7kΩ Resistance,	Clip	30pcs	C0
			VA004DAA	AHA,	4.7kΩ Resistance,	Din3.0	30pcs	C9
			VA004BAA	AHA,	4.7kΩ Resistance,	Banana	30pcs	C0
			VA004SAI	IEC,	4.7kΩ Resistance,	Snap,	30pcs	C9
KANZ PC-104, Cardioline remco	Kanz: 103, 106 Cardioline/remco: delta 1,3,30,60 delta 1 plus, delta 3 plus, delta 60 plus		VA016CNA	AHA,	No Resistance,	Clip,	30pcs	E3
			VA016DNA	AHA,	No Resistance,	Din3.0,		E2
			VA016BNA	AHA,	No Resistance,	Banana		E3
			VA016SAA	AHA,	4.7kΩ Resistance,	Snap,	30pcs	E4
			VA016CAA	AHA,	4.7kΩ Resistance,	Clip	30pcs	E5
			VA016SNI	IEC,	No Resistance,	Snap,		E2
			VA016DNI	IEC,	No Resistance,	Din3.0,	30pcs	E2
			VA016BNI	IEC,	No Resistance,	Banana		D5
			VA016BAI	IEC,	4.7kΩ Resistance,	Banana		E5
Kanz PC-109	ECG 108/110/1203,1205		VA015SNA	AHA,	No Resistance,	Snap,	30pcs	C9
			VA015CNA	AHA,	No Resistance,	Clip,	30pcs	C0
			VA015BNA	AHA,	No Resistance,	Banana	30pcs	C0
			VA015CNI	IEC,	No Resistance,	Clip,	30pcs	C0
			VA015DNI	IEC,	No Resistance,	Din3.0,	30pcs	C9
			VA015BNI	IEC,	No Resistance,	Banana		C0
Marquette (GEMS)	Hellige: MicroSmart, MAC 500 / 1100 MAC 1600 / 1200 / 1200 ST		VA008CBA	AHA,	10 kΩ Resistance,	Clip	30pcs	C0
			VA008BBA	AHA,	10 kΩ Resistance,	Banana		C0
			VA008BBI	IEC,	10 kΩ Resistance,	Banana		C0
MEDICAL RESEARCH LABS (MRL)	MEDICAL RESEARCH LABS (MRL): Portable Intensive Care (PIC) System		VA012SBA	AHA,	10 kΩ Resistance,	Snap,	30pcs	F5
			VA012CBA	AHA,	10 kΩ Resistance,	Clip	30pcs	F6
			VA012DBA	AHA,	10 kΩ Resistance,	Din3.0	30pcs	F5
			VA012BBA	AHA,	10 kΩ Resistance,	Banana	30pcs	F6
			VA012SBI	IEC,	10 kΩ Resistance,	Snap,		F5
			VA012CBI	IEC,	10 kΩ Resistance,	Clip	30pcs	F6
			VA012DBI	IEC,	10 kΩ Resistance,	Din3.0	30pcs	F5
			VA012BBI	IEC,	10 kΩ Resistance,	Banana	20pcs	F6
力 MEDTRONIC PHYSIO CONTRO	MEDTRONIC PHYSIO CONTROL: Lifepak 12		VA013SBA	AHA,	10 kΩ Resistance,	Snap,	30pcs	F5
			VA013CBA	AHA,	10 kΩ Resistance,	Clip	30pcs	F6
			VA013DBA	AHA,	10 kΩ Resistance,	Din3.0	30pcs	F5
			VA013BBA	AHA,	10 kΩ Resistance,	Banana	30pcs	F6
			VA013SBI	IEC,	10 kΩ Resistance,	Snap,		F5
			VA013DBI	IEC,	10 kΩ Resistance,	Din3.0	30pcs	F5
Mindray 迈瑞	BeneView (12-Ld module) Oem p/n:0010-30-42721 (AAMI std.) Oem p/n:0010-30-42722 (IEC std.)		VA020SBA	AHA,	1 kΩ Resistance,	Snap,	30pcs	D9
			VA020CBA	AHA,	1 kΩ Resistance,	Clip	30pcs	D0
			VA020DBA	AHA,	1 kΩ Resistance,	Din3.0	30pcs	D9
			VA020BBA	AHA,	1 kΩ Resistance,	Banana	30pcs	D0
			VA020SBI	IEC,	1 kΩ Resistance,	Snap,	30pcs	D9
			VA020CBI	IEC,	1 kΩ Resistance,	Clip	30pcs	D0
			VA020DBI	IEC,	1 kΩ Resistance,	Din3.0	30pcs	D9

Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	Defibrillation withstand	PATIENT END TERMINAL	MOQ	PRICE CODE
MORTARA	MORTARA INSTRUMENT:ELI 100 MORTARA INSTRUMENT:ELI 50 MORTARA INSTRUMENT:ELI 200		VA025SAA	AHA,	4.7kΩ Resistance, Snap,			E9
			VA025BAA	AHA,	4.7kΩ Resistance, Banana		30pcs	E0
			VA025SAI	IEC,	4.7kΩ Resistance, Snap,		20pcs	E9
			VA025CAI	IEC,	4.7kΩ Resistance, Clip		20pcs	E0
			VA025DAI	IEC,	4.7kΩ Resistance, Din3.0		30pcs	E9
			VA025BAI	IEC,	4.7kΩ Resistance, Banana			E0
	Martara Surveyor 	223 	VA035SBI	IEC,	10 kΩ Resistance, Snap,			F0
NEC	YY-1063		VA003SBA	AHA,	10 kΩ Resistance, Snap,		30pcs	F9
			VA003CBA	AHA,	10 kΩ Resistance, Clip		30pcs	F0
			VA003DBA	AHA,	10 kΩ Resistance, Din3.0		30pcs	F9
			VA003BBA	AHA,	10 kΩ Resistance, Banana		30pcs	F0
			VA003SBI	IEC,	10 kΩ Resistance, Snap,		30pcs	F9
			VA003CBI	IEC,	10 kΩ Resistance, Clip		30pcs	F0
			VA003DBI	IEC,	10 kΩ Resistance, Din3.0		20pcs	F9
			VA003BBI	IEC,	10 kΩ Resistance, Banana		30pcs	F0
Nihon Kohden Biocare DongJiang	Nihon Konden: ECG-9620/9010/9020 ECG-9022/9110/9130/9132/ ECG-8420(Except 9320) 1150/1250/1350/1550/9010 K BIOCARE : ECG-101/101G/300 ECG-300G,ECG-1200, ECG-9803. CMICS: ECG-11A, ECG-11B,ECG-11D ECG-32A, ECG-32A(II), ECG-120	038  Long Screw	VA001SNA	AHA,	No Resistance, Snap,		30pcs	C3
			VA001CNA	AHA,	No Resistance, Clip,		30pcs	C3
			VA001DNA	AHA,	No Resistance, Din3.0,			C2
			VA001BNA	AHA,	No Resistance, Banana		40pcs	C3
			VA001SNI	IEC,	No Resistance, Snap,		60pcs	B0
			VA001CNI	IEC,	No Resistance, Clip,		60pcs	B0
			VA001DNI	IEC,	No Resistance, Din3.0,			B0
			VA001BNI	IEC,	No Resistance, Banana			B0
Nihon Kohden	BSM-2301,BSM-2353, BSM-5100, Supply Code No. K901 Article No.BJ-900P		VA036SNI	IEC,	No Resistance, Snap,		30pcs	F1
			VA036CNI	IEC,	No Resistance, Clip,		30pcs	F2
	Nihon Kohden: Cardiofax6151/6353, Cardiofax EKG-8270/8350/8370/8420 8423/8450/8453/8820/8823/8830/9130 1150/1250/1350/1550/9010 K Cardiofax-Q	038 	VA001CAA	AHA,	4.7kΩ Resistance, Clip		30pcs	C0
			VA001DAA	AHA,	4.7kΩ Resistance, Din3.0		30pcs	C9
			VA001BAA	AHA,	4.7kΩ Resistance, Banana		40pcs	C0
			VA001SAI	IEC,	4.7kΩ Resistance, Snap,		30pcs	C9
			VA001DAI	IEC,	4.7kΩ Resistance, Din3.0		30pcs	C9
			VA001BAI	IEC,	4.7kΩ Resistance, Banana			C0
	Cardiofax Q ECG-9110K Cardiofax Q ECG-9130K ECG-9130P, ECG-9620P special screw, imperial standard(SAE)	Note: partnumber with 001 is Long Screw, and with 009 is Short Screw;	VA009SNA	AHA,	No Resistance, Snap,		30pcs	C3
			VA009BNA	AHA,	No Resistance, Banana		30pcs	C3
			VA009DNI	IEC,	No Resistance, Din3.0,			C2
			VA009BNI	IEC,	No Resistance, Banana			C3
	ECG-9320 ECG-9522P (Original part No.: BR-911D)		VA010SCA	AHA,	20 kΩ Resistance, Snap,		30pcs	J0
			VA010CCA	AHA,	20 kΩ Resistance, Clip		30pcs	J0
			VA010DCA	AHA,	20 kΩ Resistance, Din3.0		10pcs	J0
			VA010BCA	AHA,	20 kΩ Resistance, Banana		30pcs	J0
			VA010SCI	IEC,	20 kΩ Resistance, Snap,		30pcs	J0
			VA010CCI	IEC,	20 kΩ Resistance, Clip		30pcs	J0
			VA010DCI	IEC,	20 kΩ Resistance, Din3.0		10pcs	J0
			VA010BCI	IEC,	20 kΩ Resistance, Banana		10pcs	J0
PETAS			VA023SNA	AHA,	No Resistance, Snap,		30pcs	E9
			VA023CNA	AHA,	No Resistance, Clip,		30pcs	E0
			VA023DNA	AHA,	No Resistance, Din3.0,		30pcs	E9
			VA023BNA	AHA,	No Resistance, Banana		30pcs	E0
			VA023SNI	IEC,	No Resistance, Snap,		30pcs	E9
			VA023CNI	IEC,	No Resistance, Clip,		30pcs	E0
			VA023DNI	IEC,	No Resistance, Din3.0,		30pcs	E9
			VA023BNI	IEC,	No Resistance, Banana			E0


Compatible Brand	Compatible Models No.	INSTRUMENT CONNECTOR	MED-LINK REF NO.	STANDARD	Defibrillation withstand	PATIENT END TERMINAL	MOQ	PRICE CODE
PHILIPS (HP)	PHILIPS MEDICAL SYSTEMS: M1770A PageWriter 200i , M1771A PageWriter 200 M1772A PageWriter 100	035 	VA018BCA	AHA,	20 kΩ Resistance,	Banana	30pcs	C0
			VA018BCI	IEC,	20 kΩ Resistance,	Banana		C0
			VA018SCI	IEC,	20 kΩ Resistance,	Snap.	30pcs	C0
Spacelabs	90496 Ultraview Module	022 	VA027SBA	AHA,	1 kΩ Resistance,	Snap,	30pcs	F5
			VA027CBA	AHA,	1 kΩ Resistance,	Clip	30pcs	F6
			VA027DBA	AHA,	1 kΩ Resistance,	Din3.0	30pcs	F5
			VA027BBA	AHA,	1 kΩ Resistance,	Banana	30pcs	F6
			VA027SBI	IEC,	1 kΩ Resistance,	Snap,	30pcs	F5
			VA027CBI	IEC,	1 kΩ Resistance,	Clip	30pcs	F6
			VA027DBI	IEC,	1 kΩ Resistance,	Din3.0	30pcs	F5
			VA027BBI	IEC,	1 kΩ Resistance,	Banana	30pcs	F6
Shanghai Konde 海 ZhonLian JianYi	ShangHai Kohden: ECG-6511, 6151, 6551, 8110P/K, 6353, 6403, 6504 JIANYI: XD-106,XD-104B/D	028 	VA004SNA	AHA,	No Resistance,	Snap,	30pcs	C3
			VA004CNA	AHA,	No Resistance,	Clip,	30pcs	C3
			VA004DNA	AHA,	No Resistance,	Din3.0,	30pcs	C2
			VA004BNA	AHA,	No Resistance,	Banana	60pcs	C3
			VA004SNI	IEC,	No Resistance,	Snap,	30pcs	C3
			VA004CNI	IEC,	No Resistance,	Clip,	30pcs	C3
			VA004DNI	IEC,	No Resistance,	Din3.0,	50pcs	C2
			VA004BNI	IEC,	No Resistance,	Banana	30pcs	C3
Trentina:	All Excel-Types 	294 	VA031SNI	IEC,	No Resistance,	Snap,	30pcs	F1
			VA031CNI	IEC,	No Resistance,	Clip,	30pcs	F2
			VA031DNI	IEC,	No Resistance,	Din3.0,	30pcs	F1
			VA031BNI	IEC,	No Resistance,	Banana	20pcs	F2
ZOLL		477 	VA034BBI	IEC,	10 kΩ Resistance,	Banana		F0
			VA034SBI	IEC,	10KΩ Resistance,	Snap		F0
			VA034SBA	AHA ,	10KΩ Resistance,	Snap		F0
			VA034CBI	IEC,	10KΩ Resistance,	Grabber		G1




9

分体式EKG电缆和导联线 EKG Multi-Link Cable and Lead Wires





Type Designation



SPECIFICATIONS

Storage and transport environment: -5~+40℃

Operating temperature: 0~+40℃

Humidity

Operating/Storage/Transportation 0% to 80% non condensing Altitude

Hyperbaric Pressure 86kPa~106kPa

Biocompatibility: All patient contact materials are latex free and have been tested according to ISO 10993-5,ISO 10993-10.

Instrument Connectors

A variety of 15 pin D-subminiature connector and round type solutions are available in either metal or plastic connectors, overmolded housings and straight or angled flex-reliefs. Connectors are surrounded by insert molded flex-reliefs to protect terminations and extend product life.

Trunk Cables




The multi-link an 2 meter (80 inch) trunk cable Shielded, low noise cable minimizes microphonic noise and electrical interference. Flexreliefs at the connector and cable yoke provide added durability and reduce conductor breakage. The cable is available in AHA or IEC nomenclature and color coded patient terminations. Lot numbers are included to indicate equipment compatibility and product traceability.

Patient end termination

Lead wires can be terminated to a variety of patient connectors to mate with adapters or industry standard electrode attachments. Shielded lead wires are jacketed in TPU and have color coded flex reliefs. Lead wires can accommodate 4.7 k, 10k or 20k ohm resistors (snap, grabber, banana and straight pin only).

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Standard)	INSTRUMENT CONNECTOR	Yoke	MOQ	PRICE CODE
Fukuda 福田			VJ032-EAI	12-Lead ECG Trunk Cable, 12pin>>2p*10 Euro Yoke, L=2.2m, <u>AAMI/IEC</u> , 20kΩ Res.+discharge Fit Euro type leadwires				E0
	FUKUDA DENSHI Fukuda Denshi DYNASCOPE DS-8500 CIO-05CTP-10NU		VJ200-EAI	10LD EKG Trunk Cable, L=2.2m 15pin>>Euro 10LD Eoru Yoke, no resistance AHA/IEC,fit for Euro style Lead Wires as EJ040S5A and VJ040S5A				O0
Hellige 海力格 GE-Marquette 马葵	MicroSmart, MAC 500 / 1100 / 1200 / 1200 ST	223 418 08	VE008-BAI	MAC1200 10Ld EKG Trunk Cable, L=2.2m, DB15M>VS 10L Yoke <u>AAMI/IEC</u> , 10kΩ Res.				C0
GE-Medical 通用医疗	For GE Eagle, Solar, Dash , Tram, MAC-Lab Cath Lab System, Datex-Ohmeda S/5 FM, Original P/N: (AAMI: E9002ZH, 416035-001) (IEC: E9002ZJ, 416035-002)		VE006-BAI	Multi-Link 12-Ld ECG cable L=2.2m, Rectangle 11p>VS 10L Yoke <u>AAMI/IEC</u> , 1kΩ Res.				D5
Avionics(Del Mar) Custo-med Del mar Ergoline Esaote Biomedica Fidelity Innomed Kontron Reynolds Schiller Trentina (Ellettronica) Von Berg Bionet Welch allyn,	Avionics(Del Mar): 910/920/930 /940/942/950/960/970/980 , Custo-med: Custo-norm, Ergoline: Autoruler, Autoscript 6/12, Cardiette, EK 3003 / 3012, Ergoline; Esaote Biomedica: EKG P120, Fidelity: LP 3000, Innomed: Heart Mirror(3-Kanal), Kontron: EKG P80, Reynolds: Cardiotrack 12, Schiller: AT3, AT5, AT6,AT10, AT60, AT104 PC, AT104, CS6, CS12,CS100, CS200 Trentina: All Excel-Types, Von Berg: Bioset 9000		VE021-NAI	Schiller 10Ld EKG Trunk Cable,L=2.2m DB15M>VS 10L Yoke <u>AAMI/IEC</u> , <u>no</u> Res.				D3
Mindray 迈瑞	PM-7000/PM-9000Super/PM-9000Express (12 LEAD ECG MODULE) BeneView Oem p/n:0010-30-42721 (AAMI) Oem p/n:0010-30-42722 (IEC)	0010-30-42721	VE020-BAI	Mindray 10Ld EKG Trunk Cable,L=2.2m Round 12p>VS 10L Yoke <u>AAMI/IEC</u> , 1kΩ Res.				D5
Spacelabs 太空	TRU-LINK Accessories for 90496 Module	700-0008-01	VE027-BAI	Spacelabs 10Ld EKG Trunk Cable,L=2.2m Round 17p>VS 10L Yoke <u>AAMI/IEC</u> , 1 kΩ Res.				D5
GEMS		201656 0-001	VF008-N	GE CAM 14 ext-cable, 50in. (130cm)				L0
			VF008-15	GE CAM 14 ext-cable, 15ft (450cm).				O0
Philips 飞利浦	XLI M1719A		V0018D	Philips DB9M Trunk Cable+ Philips DB9M Trunk Cable, 8.5ft (260cm),1pcs/pk				F0/pk

LEAD WIRES

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,)	Color coding Standard	Patient end termination	MOQ	PRICE CODE
Hellige 海力格 GE-Marquette 通用-马葵  140	suitable for all MultiLink-Plug 	384 018 16	VE008SNA	10-Ld Set patient leads, 4 x limb lead (130cm), 6 x chest leads (70cm), , no Resistance, VS-2P plug	AHA (AAMI)	Snap		C5
			VE008BNA		AHA (AAMI)	Banana		C5
			VE008SNI		IEC	Snap	30pcs	C5
			VE008CNI		IEC	Grabber (Clip)		C0
			VE008BNI		IEC	Banana		C5
GE-Medica 通用医疗  C ₂ C ₃ C ₄ C ₅ C ₆  N R L F C _(c)	Holter Multi-Link Leadwire Sets – For GE SEER MC Holter Recorder For GE Eagle, Solar, Dash Monitors, Tram, MAC-Lab Cath Lab System, Datex-Ohmeda S/5 FM 	E9008KC	EE051S5A	Multi-Link Ldwr Set, 5Ld, L=130cm, AHA	AHA (AAMI)	Snap	40PCS	C5
		416468-001 E9008KG	EW051S5A	Multi-Link Ldwr Set, 5-Ld, Snap, V2-V6, AHA , 51 in. (130cm)	AHA (AAMI)	Snap	40pcs	C5
		E9008KE	EE051S5I	Multi-Link Ldwr Set, 5Ld, L=130cm, IEC	IEC	Snap		C1
		416468-002 E9008KH	EW051S5I	Multi-Link Ldwr Set, 5Ld, Snap, C2-C6, IEC , 51 in. (130cm)	IEC	Snap		C5
			EW051C5I	Multi-Link Ldwr Set, 5Ld, Grabber (Clip), C2-C6, IEC , 51 in. (130cm)	IEC	Grabber (Clip)	50pcs	C6
GE medical 通用医疗  136	For GE MAC PC, MAC 6, MAC 12, MAC 15, MAC VU, CASE 12, CASE 15, CASE 16, MAX-Personal, MAX-1, CENTRA Systems with AM4 or AM5 Acquisition Module 		VF008SNA	10-Ld Set patient leads, 4 x limb lead (130cm), 6 x chest leads (70cm), , no Resistance, L-2P plug	AHA (AAMI)	Snap	30pcs	D5
			VF008CNA		AHA (AAMI)	Grabber (Clip)	30pcs	D5
			VF008DNA		AHA (AAMI)	Din 3.0 plug	30pcs	D5
			VF008SNI		IEC	Snap	30pcs	D5
			VF008CNI		IEC	Grabber (Clip)	30pcs	D5
CONMED 康美 JINJIANG  325	Cardio Beats Jinjiang Electronic Tech instrument: LEAD2000, GE electrophysiology machine 		VG019SNA	10-Ld Set patient leads, 4 x limb lead (130cm), 6 x chest leads (70cm), , no Resistance, 2P plug	AHA (AAMI)	Snap	30pcs	D5
			VG019DNA		AHA (AAMI)	Din 3.0 plug	30pcs	D5
			VG019CNI		IEC	Grabber (Clip)	30pcs	D5
			VG019DNI		IEC	Din 3.0 plug	30pcs	D5
			VG019BNI		IEC	Banana	30pcs	D5
PHILIPS medical  552	Use with Philips Instrument M1700A M1701A M1702A; TRIM II, Trim 1, 2, 3	M1713B	VX018BNA		AHA (AAMI)	Banana		D5
		9898031 29191	VX018BNI		IEC	Banana		D5


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,)	Color coding Standard	Patient end termination	MOQ	PRICE CODE
Fukuda 福田	 541		EJ040S5A	Euro style Lead wire Set, 5-Ld, 40in.(102), _ (RA,LA,RL,LL,V)	AHA (AAMI)	Snap		C0
			VJ040S5A	Euro style Lead wire Set, 5-Ld, 40in.(102), (V2, V3, V4, V5, V6)	AHA (AAMI)	Snap		C0
			EJ040S5I	Euro style Lead wire Set, 5-Ld, 40in.(102), _ (RF,F,C, R,L)	IEC	Snap		C0
			VJ040S5I	Euro style Lead wire Set, 5-Ld, 40in.(102), _ (C2, C3, C4, C5, C6)	IEC	Snap		C0
			VJ040C5I	5Ld, L=100cm	IEC	Grabber (Clip)		C0
Mortara	 Mortara 250C		VT047BNI	10-Ld Set patient leads, 4 x limb lead (120cm), 6 x chest leads (80cm), no Resistance, 2P plug	IEC	Banana		D5
			VT047CNI	12-Ld Set Patient Leads, Grabber (Clip), IEC	IEC	Grabber (Clip)		D5
			VT047SNI	12-Ld Set Patient Leads, Snap, IEC	IEC	Snap		D5

ADAPTER

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,)	Productor Guide	MOQ	PRICE CODE
Hellige 海力格 GE-Marquette 通用-马葵	For GE MAC 1100/1200/1200ST, CardioSmart, CardioSys, MAC 5000, MAC 5000ST, CASE, CASE 8000 Systems with CAM 14 Acquisition Module or with Cable Accepting CAM 14 Leadwires	E9006PH	VE008A20	Leadwire,CAM/Universal, 20in.(51cm),6pcs/pk	 140 143	5pk	C4/pk
		E9006PJ	VE008A29	Leadwire,CAM/Universal, 29in.(74cm),6pcs/pk		30pk	C4/pk
		E9006PK	VE008A40	Leadwire,CAM/Universal, 40in.(102cm),6pcs/pk		40pk	C4/pk
		E9006PL	VE008A51	Leadwire,CAM/Universal, 51in.(130cm),4pcs/pk			C4/pk
		E9006PM	VE008A26	Leadwire,CAM/Universal, 26in.(66cm),6pcs/pk		50pk	C4/pk
		E9006PN	VE008A36	Leadwire,CAM/Universal, 36in.(90cm),6pcs/pk		40pk	C4/pk
Hellige GE-Marquette	For GE MAC PC, MAC 6, MAC 12, MAC 15, MAC VU, CASE 12, CASE 15, CASE 16, MAX-Personal,MAX-1, CENTRA Systems with AM4 or AM5 Acquisition Module	E9001ZT	VF008A24	Leadwire,AM4/Universal, 24 in.(60cm),6pcs/pk	 136 143	5pk	C4/pk
		E9001ZY	VF008A36	Leadwire,AM4/Universal, 36 in.(90cm),6pcs/pk		40pk	C4/pk
		E9001ZZ	VF008A42	Leadwire,AM4/Universal, 42 in.(107cm),6pcs/pk		5pk	C4/pk
		E9002A	VF008A52	Leadwire,AM4/Universal, 52 in.(132cm),4pcs/pk		40pk	C4/pk



Type Disignation



Example: **VR001-NAI** indicated Use with NihonKonden EKG, 10-Lds, AHA and IEC Colour code.

EKG Multi-Link Cable

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Standard)	INSTRUMENT CONNECTOR	Yoke	MOQ	PRICE CODE
MEDTRONIC PHYSIO CONTRO	Medtronic Physio Control: Lifepak 12		VR013-BAI	12-Lead ECG Trunk Cable, 12pin>>LL4+7pin Yoke, L=2.0m, AAMI/IEC, 10kΩ Res. Fit LL 4LD leadwires and VR024S6A, VR024S6I				F0
Spacelabs	90496 Ultraview Module		VR027-EAI	12-Lead ECG Trunk Cable, 17pin>>LL4+7pin Yoke, L=2.0m, AAMI/IEC, 1kΩ Res ,Fit LL 4LD leadwires and VR024S6A, VR024S6I				F0

EKG Multi-Link Lead set


Compatibility	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Standard)	Diagram	MOQ	PRICE CODE
EKG Multi-Link Cable	Medtronic Physio Control: Lifepak 12, Zoll medical: R Series Monitor Defibrillators		VR024S6A	AAMI 6-Ld ECG leadwires, 7pin>>6*Snap, L=1.15m,		30pcs	C0
			VR024S6I	IEC 6-Ld ECG leadwires, 7pin>>6*Snap, L=1.15m,			C0
EKG Multi-Link Cable	Medtronic Physio Control: Lifepak 12, Zoll medical: R Series Monitor Defibrillators		VB051S4A	AAMI 4-LD ECG leadwires, LL 2pin >> 4*Snap, L=1.0m,		70pcs	B5
			VB051S4I	IEC 4-LD ECG leadwires, LL 2pin >> 4*Snap, L=1.0m,			B5



10

心电电极 ECG Electrodes






Trunk Cable

There are so many adapter that can assist the electrodes to be applied to all monitors.

 Din 3-Ld, Code: C	 Lifeline(LL), 5-Ld, Code: B
 ASP, 3-Ld, Code: H	 AAMI(AA), 5-Ld, Code: D
 EURO, 3-Ld, Code: J	 Conmed, 5-Ld, Code: G
 VS, 5-Ld, Code: E	 TRU-link, 5-Ld, Code: L
 Philips ECG Yoke: DG	 NK, 5-Ld, Code: N

Disposable ECG Electrode

There are not only standard disposable electrodes (see below picture), but also electrodes to match with all brands ECG cables directly.



Compatible Brand	MED-LINK P/N.	Color code	LEADS	Description	Length	Packing	PRICE CODE
According to the yoke of trunk cable, use for E.C.G. monitoring Paediatric monitoring	V0014-C0243A	AAMI	3LD	Microfoam paster, Solid Gel, Preattached Leadwires, Copper wires,	610mm	1 set/bag; 25 set/box, MOQ: 25 sets	F5 / box
	V0014-C0243I	IEC	3LD		610mm		F5 / box
	V0014-C0245A	AAMI	5LD		610mm		J5 / box
	V0014-C0245I	IEC	5LD		610mm		J5 / box
According to the yoke of trunk cable, use for E.C.G. monitoring Paediatric monitoring	V0015-C0603A	AAMI	3LD	Microfoam paster, Solid Gel, Preattached Leadwires, Carbon wires for radiotransparent applications	1200mm	1 set/bag; 25 set/box	F0 / box
	V0015-C0603I	IEC	3LD		1200mm		F0 / box
	V0015-C0845A	AAMI	5LD		1200mm		J0 / box
	V0015-C0845I	IEC	5LD		1200mm		J0 / box

Disposable ECG Electrodes


Compatible Brand	Productor Guide	OEM P/N	MED-LINK REF NO.	Description	PRICE CODE
All Monitoring/ Telemetry/ Electrocardiograph instrument		GEMS OEM P/N: E9001BG	V0014C/P	Disposable Paediatric ECG Electrodes, Cloth Round, 40mm diameter, wet gel, snap electrode. Silver/silver chloride (Ag/AgCl) sensor, repositionable. – packaging (film/disc): 1000	J0
		GEMS P/N: E9007SG	V0014A	Disposable Adult ECG Electrodes, Cloth Round, 2”(50mm) diameter, wet gel, snap electrode. Silver/silver chloride (Ag/AgCl) sensor, repositionable. – packaging (film/disc): 1000pcs MOQ: 1000pcs	J0

Cardiography Reuseble ECG Electrodes

● Suction ECG electrodes

Compatible Brand	Productor Guide	OEM P/N	MED-LINK REF NO.	Description	Price Code
All Resting ECG Recommended for Nihon Konden, GE, Philips		Nihon konden: H043	V0013AB	Adult suction electrode, – perfect fit for 3.0mm Din plug or 0.156-in.(4mm) banana plug – Latex-free, – Adult size replacement bulb for all 21mm diameter electrodes. Bulb diameter is 26mm. – Metal Electrodes: Nickel-plate. – 1 box = 6 bulbs	A0/box
All Resting ECG Recommended for Nihon Konden, GE, Philips			V0013A-P	Paediatric suction electrode, – perfect fit for 3.0mm Din plug leadwires – Latex-free, – Adult size replacement bulb for all 17mm diameter electrodes. Bulb diameter is 23mm. – Metal Electrodes: Nickel-plate. – 1 box = 6 bulbs MOQ: 120 boxes	A0/box
			V0013B-P	Paediatric suction electrode, – perfect fit for 0.156-in.(4mm) banana plug leadwires – Latex-free – Adult size replacement bulb for all 17mm diameter electrodes. Bulb diameter is 23mm. – Metal Electrodes: Nickel-plate. – 1 box = 6 bulbs MOQ: 120 boxes	A0/box
All Resting ECG Recommended for GE-Marquette, Schiller, Mortala, Burdick, Philips		HP OEM ON:40419A	V0013C-A	Adult suction Ag/AgCl electrode, – perfect fit for 3.0mm Din plug or 0.156-in.(4mm) banana plug or (4mm)Snap leadwires – Adult size replacement bulb for all 24mm diameter electrodes. Bulb volume is 5cc.(dia.32mm) – Metal Electrodes: Ag/AgCl . – 1 box = 6 bulbs	B5/box
		HP OEM ON:40422A	V0013C-P	Paediatric suction Ag/AgCl electrode, – perfect fit for 3.0mm Din plug or 0.156-in.(4mm) banana plug or (4mm)Snap leadwires – Adult size replacement bulb for all 17mm diameter electrodes. Bulb volume is 2cc. (dia.23mm) – Metal Electrodes: Ag/AgCl . – 1 box = 6 bulbs	B5/box


● ADAPTER



Model No.: V0010H
 Name: Adapter,4mm with grabber end
 Suitable for Snap ECG Electrode
 Socket fit for 4.0mm Banana plug
 Packaging: 10pcs/pk
 Price code: B8/pk





Model No.: V0010G
 Name: Adapter,4mm with Snap end
 Suitable for Snap ECG Electrode
 Socket fit for 4.0mm Banana plug
 Packaging: 10pcs/pk
 Price code: B8/pk



11

在X光照射中不显影的导联线 Radiotransparent Lead Wires (RTL)



When used with Radiotransparent ECG electrodes, the Radiotransparent Leadwires offers a radiotransparent system resulting in an uninterrupted view of the chest during heart catheterizations, x-ray and thallium stress test studies.


Compatible Brand	Plug	Patient end termination	MED-LINK REF NO.	Description (Name, Length, Patient end termination, Resistance,)	PRICE CODE
Neusoft Medical Systems Fit for 4.0mm banana plug , Yoke Code: CC			RT-CC036S-0	RTL, LL type plug, 36 inch, Snap, NO.Res.	C0
			RT-CC048S-0	RTL, LL type plug, 48 inch, Snap, NO.Res.	C0
			RT-CC060S-0	RTL, LL type plug, 60 inch, Snap, NO.Res.	C0
			RT-CC060S-147	RTL, LL type plug, 60 inch, Snap, 14.7kΩ.Res.	D0
Biosys Datascope IVY suitable for all Din-Plug System , Yoke: Din style, Code: C	707 	Snap 	RT-C048S-0	RTL, Din1.5 Jack type plug, 48 inch, Snap, NO.Res.	C0
		Clip 	RT-C048C-0	RTL, Din1.5 Jack type plug, 48 inch, Clip, NO.Res.	C0
			RT-C060S-0	RTL, Din1.5 Jack type plug, 60 inch, Snap, NO.Res.	C0
			RT-C072S-0	RTL, Din1.5 Jack type plug, 72 inch, Snap, NO.Res.	C0
			RT-C060S-147	RTL, Din1.5 Jack type plug, 60 inch, Snap, 14.7kΩ.Res.	D0
PHILIPS suitable for all AA-Plug System , Yoke: AA style, Code: D			RT-D036S-0	RTL, AAMI type plug, 36 inch, Snap, NO.Res.	C0
			RT-D048S-0	RTL, AAMI type plug, 48 inch, Snap, NO.Res.	C0
			RT-D060S-0	RTL, AAMI type plug, 60 inch, Snap, NO.Res.	C0
			RT-D072S-0	RTL, AAMI type plug, 72 inch, Snap, NO.Res. MOQ: 40pcs	C0
GE- Marquette suitable for all Multi-link(VS)-Plug System Yoke: Multi-link(VS), Code: E			RT-E036S-0	RTL, VS type plug, 36 inch, Snap, NO.Res. MOQ:30PCS	C0
			RT-E048S-0	RTL, VS type plug, 48 inch, Snap, NO.Res.	C0
			RT-E060S-0	RTL, VS type plug, 60 inch, Snap, NO.Res.	C0
			RT-E072S-0	RTL, VS type plug, 72 inch, Snap, NO.Res.	C0
			RT-E060C-147	RTL, VS type plug, 60in.(152cm) Clip, NO.Res.	C0
			RT-E048C-0	RTL, VS type plug, 48 inch, Clip, NO.Res.	C0
			RT-E072C-0	RTL, VS type plug, 72 inch, Clip, NO.Res. MOQ: 40pcs	C0
Datex-Ohmeda suitable for all DB-Plug System Yoke: DB type, Code: DB	664 		RT-DB048S-0	RTL, LM type plug, 48 inch, Snap, NO.Res.	C0
			RT-DB060S-0	RTL, LM type plug, 60 inch, Snap, NO.Res.	C0
			RT-DB072S-0	RTL, LM type plug, 72 inch, Snap, NO.Res.	C0
CONMED suitable for all Conmed-Plug System Yoke: Conmed lock type 2pin, Code: GL	698 		RT-GL048S-0	RTL, Conmed lock type plug, 48 inch, Snap, NO.Res. MOQ: 40pcs	C0
			RT-GL048S-147	RTL, Conmed lock type plug, 48 inch, Snap, 14.7kΩ.Res.	D0
			RT-GL048C-0	RTL, Conmed lock type plug, 48 inch, Clip, NO.Res. MOQ:40pcs	C0
			RT-GL060S-0	RTL, Conmed lock type plug, 60 inch, Snap, NO.Res.	C0
			RT-GL072S-0	RTL, Conmed lock type plug, 72 inch, Snap, NO.Res.	C0
Lead Bead Markers for Radiotranslucent Leadwires, Diameter range: 0.9mm~1.5mm			SL0373A	AAMI, 10pcs/pk, (RA,LA,RL,LL,V1,V2,V3,V4,V5,V6), Colour: White,Black,Green,Red,Red,Yellow,Green,Blue,Orange,Purple MOQ: 270pk	A4/pk
			SL0373B	IEC, 10pcs/pk, (R,L,RF,F,C1,C2,C3,C4,C5,C6), Colour: Red,Yellow,Black,Green,Red,Yellow,Green,Brown,Black,Purple MOQ: 200pk	A4/pk
			SL0373C	AAMI, 5pcs/pk, (Colour code: RA,LA,RL,LL,V), Colour: White,Black,Green,Red,Brown	A2/pk
			SL0373D	IEC, 5pcs/pk, (Colour code: R,L,RF,F,C), Colour: Red,Yellow,Black,Green,White)	A2/pk




12

动态心电电缆和导联线

Holter Recorder ECG
patient Cable and Lead wires






Instrument Connector




Yoke type



Patient leadwire connector



Patient end termination






Type Disignation

H	□	□	□	□	□	Color coding: 7A : 7-Ld, AHA(AAMI); 10A : 10-Ld,AHA; 7I : 7-Ld,IEC; 10I : 10-Ld,IEC;
						5A : 5-Ld, AHA(AAMI); 3H : 4-Ld,AHA; 3A : 3-Ld,AHA; 5I : 5-Ld, IEC; 3IH : 4-Ld,IEC;
						3I : 3-Ld,IEC; 5A/I : 5-Ld, AHA/IEC; 3H/IH : 4-Ld, AHA/IEC, 3A/I : 3-Ld, AHA/IEC
						Patient end termination type: S : snap; C : Clip (grabber).
□	□	□	□	□	□	If the product is a cable, the lattice is useless, but use the "-" to express , as HC024-7A
						Brand code, as 035 indicated Mortara; if the product is a leads the lattice is indicated length, as 018 indicated 18 in.
□	□	□	□	□	□	Yoke type: as A: one-piece; B: Lifelinc, (LL); C: Din style yoke, include 3-Ld, 5-Ld, 7-Ld, 10-Ld.
						H: Indicated Holter ECG cable and lead wires


Trunk Cables

The patient cable uses shielded, low noise cable to minimize tribo-electric noise and electrical interference. Flex reliefs at both the connector and cable yoke provide flexibility and reduce continuity breakage. Part numbers and lot numbers indicate equipment compatibility and product traceability. DIN cable yokes depict both AHA and IEC color coding for quick and easy lead attachment. All replaceable lead cables and lead wires have female "safety" sockets.

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug,Compatible)	INSTRUMENT CONNECTOR	Yoke (Leads side)	<30pcs Price Code	>30pcs Price Code
Biomedical Instruments (BI)/ Brentwood	Biomedical Instruments (BI): BI 9000 Brentwood : BH-3000		HC024-7A	Din 7-Ld Patient Cable, 3CH, 45 cm , AHA, FGG.0B 7pin>Din 7J, no resistance fit for Din style LeadWires		 103	30pcs	D6
	BI 9800 compatible with BI9800 round connector only, not for new flat connetor		HC024-10A	Din 10-Ld Patient Cable, 45 cm , AHA, Readel-14pin>Din 10J, no resistance fit for Din style LeadWires		 104	40pcs	D5
Biox	Biox: CB-2300-A Biomedical Instruments (BI): BI9000TL		HC033-7A	Din 7-Ld Patient Cable, 3CH, 45 cm , AHA, Readel-14pin>Din 7J, no resistance fit for Din style LeadWires		 103		C5
Burdick	92512 Holter	43238	HC030-5A	Din 5-Ld Patient Cable, 2CH, 80 cm , AHA, PCB 7pin>Din 5J, no resistance fit for Din style LeadWires		 102	60pcs	B0
	92513 Holter	175-1546-00	HC030-7A	Din 5-Ld Patient Cable, 3CH, 45 cm , AHA, PCB 7pin>Din 5J, no resistance fit for Din style LeadWires		 103		C5
Landcom			HC031-7A	Din 7-Ld Patient Cable, 3 CH, 45 cm , AHA, FGG.1B 7pin>Din 7J, no resistance fit for Din style LeadWires		 103		D6
			HC031-10A	Din 10-Ld Patient Cable, 45 cm , AHA, FGG.1B 10pin>Din 10J, no resistance fit for Din style LeadWires		 104		D0
Medilog	Medilog: FD5		HC051-7A	Din 7-Ld Patient Cable, 3CH, 45 cm , AHA, Readel-14pin>Din 7J, no resistance fit for Din style LeadWires		 103		C5
Ge-Marquette Rozinn GeTeMED	For GE Marquette: 8000, 8200, 8500, SEER Holter Recorder model: 151	E9002TE	HC006-7A	Snap-Lock Holter Cable, 3 CH, 45 cm , AHA, Snap-lock-7pin>Din 7J, no resistance fit for Din style LeadWires		 103	30pcs	D7
GE-Marquette Rozinn	For GE SEER MC Holter Recorder	E9002TK	HC047-5A	Din 5-Ld Patient Cable, 2 CH, 80 cm , AHA, rectangle 12pin>Din 5J, no resistance fit for Din style LeadWires		 102	20pcs	D0
		E9002TL	HC047-7A	Din 7-Ld Patient Cable, 3 CH, 80 cm , AHA, rectangle 12pin>Din 7J, no resistance fit for Din style LeadWires		 103		D0
		E9002TP	HC047-10A	Din 10-Ld Patient Cable, 10-LD, 80 cm , AHA, rectangle 12pin>Din 10J, no resistance fit for Din style LeadWires		 104	20pcs	E5


One-piece ECG patient cable with lead wires

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	<30pcs Price Code	>30pcs Price Code
Biomedical Instruments (BI)	 BI9000TL		HA055S7A	One-piece holter ECG cable with leadwires, <u>7-Ld</u> Plug: Radel 14pin	AAMI	Snap		C0
Choice Telemetry Monitoring System MMED600RD-300E	 453		HA003S3I	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: READEL 6P	IEC	Snap	C0	B5
			HA003C3I	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: READEL 5P	IEC	Grabber	C0	B6
Creative PC-6000 Telemetry Monitoring	 114		HA037S3I	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: Din2.0*3pin	IEC	Snap	60pcs	B2
			HA037C3I		IEC	Grabber	C0	B3
Creative PC-80 Easy ECG Monitor	 187		HA022S3A	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: stereo 2.5 plug	AHA	Snap	80pcs	B5
			HA023S3A	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: stereo 2.5 plug	AHA	Snap	C0	B8
Fukuda	 LX-5630		HA057C4A	One-piece holter ECG cable with leadwires, <u>4-Ld</u> Plug: 6 pin	AAMI	Grabber	H0	D0
Meigaoyi MGY-M1 Landcom Visual Stethoscope	 529		HA020S3I	3Ld lead wires, 40 in. (102 cm), 3-Ld PLUG: stereo 3.5 plug	IEC	Snap		B3
			HA020C3I		IEC	Din3.0	C0	B4
Meigaoyi ECGLAB TDA3.0			HA046S5A	5-Ld lead wires, 40 in. (102 cm), 5-Ld PLUG: stereo 2.5+3.5 plug	AHA	Snap	60pcs	B5
Mortara			HA035S10I	10-Ld lead wires, 40 in. (102 cm)	IEC	Snap		E5
GE-Marquette Rozinn			HA021S3A	3-Ld lead wires, 40 in.	AHA	Snap	E0	C5
GE-SEER Light	 318	200859 4-001	HA053S5A	SEER Light Holter Patient Cable/Leadwires,5-Ld	AHA	Snap	20pcs	E3
		200859 4-002	HA053S7A	SEER Light Holter Patient Cable/Leadwires,7-Ld	AHA	Snap		E5
		200859 4-004	HA053S7I	SEER Light Holter Patient Cable/Leadwires,7-Ld	IEC	Snap	20pcs	E5
		200859 4-002	HA130S7A	SEER Light Holter Patient Cable/Leadwires,7-Ld	AHA	Snap		E5
MINDRAY TMS-6016 Telemetry monitoring system			HA052S5A	5Ld lead wires, <u>40 in. (102 cm), 5-Ld</u> PLUG: 1.5mm*5pin	AHA	Snap		B9

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	<30pcs Price Code	>30pcs Price Code
MBELEC CD2000-1800			HA052S3A	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: 1.5mm*5pin	AHA	Snap		B8
NEC		YCE-205	HA001S3I	YCE205 lead wires, <u>30 in. (76 cm), 3-Ld</u>	IEC	Snap		B5
			HA001C3I		IEC	Grabber	C0	B6
		47502	HA002S3I	47502 lead wires, <u>30 in. (76 cm), 3-Ld</u>	IEC	Snap	C0	B5
NIHON KOHDEN		BR-546S	HA004S3I	3Ld lead wires, <u>40 in. (102 cm), 3-Ld</u> PLUG: Din2.0*3pin	IEC	Snap	C0	B0
			HA004C3I		IEC	Grabber	C0	B0
PI			HA048S4I	4-Ld lead wires, <u>40 in. (102 cm)</u> , PLUG: HRS-4P	IEC	Snap		D0
			HA048S6I	6-Ld lead wires, <u>40 in. (102 cm)</u> , PLUG: HRS-6P	IEC	Snap		D0
PHILIPS Digitrak Plus			HA056S5A	Telemetry monitoring leads <u>40 in. (102 cm)</u> ,	AAMI	Snap		D0
			HA056S5I	Telemetry monitoring leads <u>40 in. (102 cm)</u> ,	IEC	Snap	20pcs	D0
Din 1.5 Style Normal	suitable for all Din-Plug System Yoke type: Din style,Code: 		EC018S3A	Din lead wires, <u>18 in. (45 cm), 3-Ld</u>	AHA (AAMI)	Snap		A6
			EC018S3I		IEC	Snap		A6
			EC018S5A	Din lead wires, <u>18 in. (45 cm), 5-Ld</u>	AHA (AAMI)	Snap		A0
			EC018C5A		AHA (AAMI)	Grabber	H0	B1
			EC018C5I		IEC	Grabber	80pcs	B1
			HC127S7A	Din lead wires, <u>40 in. (100 cm), 7-Ld</u>	AHA (AAMI)	Snap		C2

LEAD WIRES

Unshielded lead wires have the 1.5 mm (.060) DIN socket injection molded at one end and a snap, Grabber injection molded at the other. The snap termination's ergonomic, teardrop design reduces tangling at the patient end connector. Pinch and neo-pinch terminations have dual sided metal contacts to ensure the connection in flex-reliefs.

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	<30pcs Price Code	>30pcs Price Code
Din 1.5 Style Normal	suitable for all Din-Plug System , Yoke type: Din style,Code: C  141		EC024S3A	Din lead wires, 24 in. (61 cm), 3-Ld	AHA (AAMI)	Snap	200pcs	A6
			EC024C3I		IEC	Grabber	180pcs	A7
			EC024S5A	Din lead wires, 24 in. (61 cm), 5-Ld	AHA (AAMI)	Snap	150pcs	A0
			EC024C5A		AHA (AAMI)	Grabber		B1
			EC024S5I		IEC	Snap	130pcs	A0
			EC024C5I		IEC	Grabber	130pcs	B1
	 EC040C3A-RLA		EC040S3A	Din lead wires, 40 in. (102 cm), 3-Ld	AHA (AAMI)	Snap		A6
			EC040C3A		AHA (AAMI)	Grabber		A7
			EC040S3I		IEC	Snap	150pcs	A6
			EC040C3I		IEC	Grabber		A7
	 EC040C5A-RLA		EC040S5A	Din lead wires, 40 in. (102 cm), 5-Ld	AHA (AAMI)	Snap		A0
			EC040C5A		AHA (AAMI)	Grabber		B1
			EC040S5I		IEC	Snap	120	A0
			EC040C5I		IEC	Grabber		B1
	 EC040C5A-RL		EC040C5A-RL		AHA (AAMI)	Grabber(RL Style)		A0
			HC018S7A	Din lead wires, 18 in. (45 cm), 7-Ld	AHA (AAMI)	Snap	60pcs	B4
			HC018C7A		AHA (AAMI)	Grabber	H0	B5
			HC018S7I		IEC	Snap	100pcs	B4
			HC018C7I		IEC	Grabber	H0	B5
	 EC024S7A		HC024S7A	Din lead wires, 24 in. (61 cm), 7-Ld	AHA (AAMI)	Snap		B4
			HC024C7A		AHA (AAMI)	Grabber	H0	B5
			HC024S7I		IEC	Snap		B4
			HC024C7I		IEC	Grabber	H0	B5
	 HC040S7A		HC040S7A	Din lead wires, 40 in. (102 cm), 7-Ld	AHA (AAMI)	Snap		B4
			HC040C7A		AHA (AAMI)	Grabber	H0	B5
			HC040S7I		IEC	Snap		B4
			HC040C7I		IEC	Grabber		B5
	 HC018S10A		HC018S10A	Din lead wires, 18 in. (45 cm), 10-Ld	AHA (AAMI)	Snap	40pcs	B0
			HC018C10A		AHA (AAMI)	Grabber	H0	C1
			HC018S10I		IEC	Snap	H0	B0
			HC018C10I		IEC	Grabber	H0	C1
	 HC024S10A		HC024S10A	Din lead wires, 24 in. (61 cm), 10-Ld	AHA (AAMI)	Snap	50pcs	B0
			HC024C10A		AHA (AAMI)	Grabber	H0	C1
			HC024S10I		IEC	Grabber		C1
			HC040S10A	Din lead wires, 40 in.(102 cm), 10-Ld	AHA (AAMI)	Snap	70pcs	B0
			HC040C10A		AHA (AAMI)	Grabber	H0	C1
			HC040C10I		IEC	Grabber	H0	C1
CONTEC, MEIGAOYI	133 fit 1.35~1.6mm 		HC040S7A-G	Din lead wires, 40 in. (102 cm), 7-Ld	AHA (AAMI)	Snap	60pcs	B5
			HC040S10A-G	Din lead wires, 40 in.(102 cm), 10-Ld	AHA (AAMI)	Snap	30pcs	C1
Din 2.0 Jack Style BIOMEDICAL SYSTEM: DH 073	132  ø2.0 mm Jack		HS024S7A	Din 2.0 lead wires, 24 in. (61 cm), 7-Ld	AHA (AAMI)	Snap	70pcs	B4
			HS024C7A		AHA (AAMI)	Grabber	H0	B5
			HS040C7A		AHA (AAMI)	Grabber	H0	B5



Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Leads,)	Color coding / Leads	Patient end termination	<30pcs Price Code	>30pcs Price Code
Din 2.0 Plug Style ELA MEDICAL	suitable for all Din 2.0 Plug System , Yoke type: Din 2.0 plug style,Code: I  134		HT040S3A	Din 2.0 plug lead wires, <u>40 in. (102 cm), 3-Ld</u>	AHA (AAMI)	Snap		A6
			HT040C3I		IEC	Grabber	E0	A7
			HT040C5I	Din 2.0 plug lead wires, 40 in. (102 cm), 5-Ld	IEC	Grabber		B1
LL1 Plug Style MEDIALOG: FD4	suitable for all LL1-Plug System , Yoke type: Din style,Code: U  337  HU024S7A		HU018S3A	LL1 lead wires, <u>18 in. (45 cm), 3-Ld</u>	AHA (AAMI)	Snap	E0	A9
			HU018C3A		AHA (AAMI)	Grabber	E0	A0
			HU018S3I		IEC	Snap	E0	A9
			HU018C3I		IEC	Grabber	E0	A0
			HU018S5A	LL1 lead wires, <u>18 in. (45 cm), 5-Ld</u>	AHA (AAMI)	Snap	H0	B5
			HU018C5A		AHA (AAMI)	Grabber	H0	B6
			HU018S5I		IEC	Snap	H0	B5
			HU018C5I		IEC	Grabber	H0	B6
			HU024S3A	LL1 lead wires, <u>24 in. (61 cm), 3-Ld</u>	AHA (AAMI)	Snap	H0	A9
			HU024C3A		AHA (AAMI)	Grabber	H0	A0
			HU024S3I		IEC	Snap	H0	A9
			HU024C3I		IEC	Grabber	H0	A0
			HU024S5A	LL1 lead wires, <u>24 in. (61 cm), 5-Ld</u>	AHA (AAMI)	Snap	H0	B5
			HU024C5A		AHA (AAMI)	Grabber	H0	B6
			HU024S5I		IEC	Snap	H0	B5
			HU024C5I		IEC	Grabber	H0	B6
			HU040S3A	LL1 lead wires, <u>40 in. (102 cm), 3-Ld</u>	AHA (AAMI)	Snap	H0	A9
			HU040C3A		AHA (AAMI)	Grabber	H0	A0
			HU040S3I		IEC	Snap	H0	A9
			HU040C3I		IEC	Grabber	H0	A0
			HU040S5A	LL1 lead wires, <u>40 in. (102 cm), 5-Ld</u>	AHA (AAMI)	Snap	H0	B5
			HU040C5A		AHA (AAMI)	Grabber	H0	B6
			HU040S5I		IEC	Snap	H0	B5
			HU040C5I		IEC	Grabber	H0	B6
			HU018S7A	LL1 lead wires, <u>18 in. (45 cm), 7-Ld</u>	AHA (AAMI)	Snap	H0	C1
			HU018C7A		AHA (AAMI)	Grabber	H0	C2
			HU018S7I		IEC	Snap	60pcs	C1
			HU018C7I		IEC	Grabber	H0	C2
			HU024C7A		AHA (AAMI)	Grabber	H0	C2
			HU024S7I		IEC	Snap	H0	C1
			HU024C7I		IEC	Grabber	H0	C2
			HU040S7A	LL1 lead wires, <u>40 in. (102 cm), 7-Ld</u>	AHA (AAMI)	Snap	H0	C1
			HU040C7A		AHA (AAMI)	Grabber	H0	C2
			HU040S7I		IEC	Snap	H0	C1
			HU040C7I		IEC	Grabber	H0	C2



13

无创血压袖带与连接管 Non-Invasive Blood Pressure (NIBP)Cuff@Tubes






Comfort Reusable Cuffs

Bladderless Reusable

Neo Disposable Cuffs


Disposable Cuffs



Instrument Connector

Patient Side Connector

Cuff Connector



Reusable Blood Pressure Cuffs (Multi-Patient Comfort (Reusable) Cuffs - Latex Free)

Specifications

Blood Pressure Tubing (Air Hoses)

- Replacement tubing (air hose) for sphygmomanometers, wall manometers, aneroid gauges, and automated blood pressure monitoring systems;
- Available in Adult, Pediatric, and Neonatal styles;
- 8, 12, and 24-foot lengths permit positioning of the monitor in the room as needed;
- Durable tubing offers extended tubing life;
- Secure connection to blood pressure cuffs to prevent air leakage.

Reusable Blood Pressure Cuffs

- Gentle TPU, strong enough for repeated inflation;
- Reusable for multiple patient use;
- Convenient and easy to clean;
- Easy-to-use range markers and index line for proper size and placement;
- Extra hook and loop for added security;
- Variety of connection types to fit multiple monitoring systems;
- Latex-free, PVC-free;
- Excluding Connector.



Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	PRICE CODE
Philips 78352A/C, 78354A/C,M1008A/B M1176A,M1350B,M3000A M3001A (with M1598B, M1599B, tubing) Colin. Datascope- Passport, Acutor; Fukada Denshi: Spacelabs: all; Older welch-Allyn : Models with locking luer-type connector, Criticare., Siemens- with bayonet type connector; Mindray. Goldway.	One-Tube "Monitor"  	M1576A	Y000T1	Reusable Blood Pressure Cuffs, Thigh size ,Single-tube, Bladder width=435*198mm, Limb cir.=42~54cm, Packaging: 1 piece/pk	A9
		M1575A	Y000L1	Reusable Blood Pressure Cuffs,Large Adult size,Single-tube, Bladder width=355*158mm, Limb cir.:34~43cm, Packaging: 1 piece/pk	A9
		M1574A	Y000A1	Reusable Blood Pressure Cuffs,adult size,Single-tube, Bladder width=280*125mm, Limb cir.=27~35cm, Packaging: 1 piece/pk	A6
		M1573A	Y000S1	Reusable Blood Pressure Cuffs,Small adult size, Single-tube, Bladder width=240*100mm, Limb cir.=20.5-28 cm, Packaging: 1 piece/pk MOQ:150pcs	A6
		M1572A	Y000C1	Reusable Blood Pressure Cuffs, Pediatric size ,Single-tube, Bladder width=215*75mm, Limb cir.=14~21cm, Packaging: 1 piece/pk	A5
		M1571A	Y000I1	Reusable Blood Pressure Cuffs, Infant size ,Single-tube, Bladder width=150*50mm, Limb cir.=10~15cm, Packaging: 1 piece/pk	A5
		5082-81-3	Y000N1	Reusable Blood Pressure Cuffs, Neonatal size ,Single-tube, Bladder width=90*40mm, Limb cir.=6~11cm, Packaging: 1 piece/pk	A5
GE-Marquette, Datex-Ohmeda GE(Marquette) with male quick-connect type connector, Dinam plus, XL,SX/XP,8100 series, Each GE corometrics; Critikon; Datex- Ohmeda -with one male and one female quick connect type connector; CAS; New Welch-Allyn vital signs models- with threaded type Critikon style connector	Two-Tube "Monitor"  	5082-88-4	Y000T2	Reusable Blood Pressure Cuffs, Thigh size , two-tube, Bladder width=435mm*198mm, Limb cir.=42~54cm, Packaging: 1 piece/pk	A9
		5082-87-4	Y000L2	Reusable Blood Pressure Cuffs,Large Adult size, two-tube, Bladder width= 355*158mm, Limb cir.:34~43cm, Packaging: 1 piece/pk	A9
		5082-86-4	Y000A2	Reusable Blood Pressure Cuffs,adult size, two-tube, Bladder width=280*125mm, Limb cir.=27~35cm, Packaging: 1 piece/pk	A6
		5082-85-4	Y000S2	Reusable Blood Pressure Cuffs,Small adult size, two-tube, Bladder width=240*100mm, Bladder length=9.4" (24cm), Limb cir.=20.5-28 cm	A6
		5082-84-4	Y000C2	Reusable Blood Pressure Cuffs, Pediatric size , two-tube, Bladder width=215*75mm, Limb cir.=14~21cm, Packaging: 1 piece/pk	A5
		5082-82-4	Y000I2	Reusable Blood Pressure Cuffs, Infant size , two-tube, Bladder width=150*50mm, Limb cir.=10~15cm, Packaging: 1 piece/pk	A5
			Y000N2	Reusable Blood Pressure Cuffs, Neonatal size , two-tube, Bladder width=90*40mm, Packaging: 1 piece/pk	A5

Bladderless Reusable Blood Pressure Cuffs

Specifications

- Gentle Nylon+TPU, strong enough for repeated inflation
- Reusable for multiple patient use
- Convenient and easy to clean
- Easy-to-use range markers and index line for proper size and placement
- Extra hook and loop for added security
- Variety of connection types to fit multiple monitoring systems
- Latex-free,
- PVC-free
- Excluding Connector




Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Price Code
Philips 78352A/C, 78354A/C,M1008A/B M1176A,M1350B,M3000A M3001A (with M1598B, M1599B, tubing) Colin, Datascope- Passport, Acutor; Fukada Denshi: Spacelabs: all; Older welch-Allyn : Models-with locking luer-type connector, Criticare.; Siemens- with bayonet type connector; Mindray, Goldway.	One-Tube "Monitor"  		Y000RLA1	Bladderless Reusable Blood Pressure Cuffs, Large Adult size, One-Tube, Arm width min/max [cm]=32~42cm, Packaging:1 piece/pk;	A6/pcs
			Y000RT1	Bladderless Reusable Blood Pressure Cuffs, Thigh size,One-Tube, Arm width min/max [cm]=42~50cm, Packaging:1 piece/pk; MOQ:90pcs	A9/pcs
			Y000RA1	Bladderless Reusable Blood Pressure Cuffs, Adult size, One-Tube, Arm width min/max [cm]=24~32cm, Packaging:1 piece/pk;	A6/pcs
			Y000RAL1	Bladderless Reusable Blood Pressure Cuffs, Adult long size, One-Tube, Arm width min/max [cm]=28~37cm, Packaging:1 piece/pk;	A6/pcs
			Y000RC1	Bladderless Reusable Blood Pressure Cuffs, Child size, One-Tube, Arm width min/max [cm]=15~22cm, Packaging:1 piece/pk;	A5/pcs
			Y000RSA1	Bladderless Reusable Blood Pressure Cuffs, Small Adult size, One-Tube, Arm width min/max [cm]=17~25cm, Packaging:1 piece/pk; MOQ:240pcs	A5/pcs
GE-Marquette, Datex-Ohmeda GE(Marquette) with male quick-connect type connector, Dinama plus, XL,SX/XP,8100 series, Each GE corometrics; Critikon; Datex- Ohmeda- with one male and one female quick connect type connector; CAS; New Welch-Allyn vital signs models-with threaded type Critikon style connector	Two-Tube "Monitor"  		Y000RLA2	Bladderless Reusable Blood Pressure Cuffs, Large Adult size, two-Tube, Arm width min/max [cm]=32~42cm, Packaging:1 piece/pk;	A6/pcs
			Y000RT2	Bladderless Reusable Blood Pressure Cuffs, Thigh size,two-Tube, Arm width min/max [cm]=42~50cm, Packaging:1 piece/pk; MOQ:90pcs	A9/pcs
			Y000RA2	Bladderless Reusable Blood Pressure Cuffs, Adult size, two-Tube, Arm width min/max [cm]=24~32cm, Packaging:1pcs/pack,	A6/pcs
			Y000RAL2	Bladderless Reusable Blood Pressure Cuffs, Adult long size, two-Tube, Arm width min/max [cm]=28~37cm, Packaging:1pcs/pack, MOQ:180pcs	A6/pcs
			Y000RC2	Bladderless Reusable Blood Pressure Cuffs, Child size, two-Tube, Arm width min/max [cm]=15~22cm, Packaging:1 piece/pk; MOQ:200pcs	A5/pcs
			Y000RSA2	Bladderless Reusable Blood Pressure Cuffs, Small Adult size, two-Tube, Arm width min/max [cm]=17~25cm, Packaging:1 piece/pk; MOQ:250pcs	A5/pcs

Disposable Blood Pressure Cuffs



Specifications

- Soft, absorbent material for maximum patient comfort
- Strong enough for repeated inflations
- Economical enough for single-patient use
- Color-coded by size for accuracy and added patient comfort
- Easy-to-use range markers and index line for proper size and placement
- Sized to meet AHA, AAMI/ANSI/SP9 and EN1060 requirements
- Latex-free, PVC Free (Neo 1#-5#) , Including Plastic Connector






Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	PRICE CODE
For Philips (Hewlett Packard), Siemens, Datascope and Spacelabs Monitors; For Protocol Monitors ; For Colin, Spacelabs and Datascope Monitors 		5082-101-1	Y000DSN1-1#	DISPOSABLE CUFFS NEONATES, Neo #1 , One-Tube, Arm width min/max [cm]=3~6cm, Packaging:24pcs/box,	E8/box
		5082-102-1	Y000DSN1-2#	DISPOSABLE CUFFS NEONATES, Neo #2 , One-Tube, Arm width min/max [cm]=4~8cm, Packaging:24pcs/box,	E8/box
		5082-103-1	Y000DSN1-3#	DISPOSABLE CUFFS NEONATES, Neo #3 , One-Tube, Arm width min/max [cm]=6~11cm, Packaging:24pcs/box,	E8/box
		5082-104-1	Y000DSN1-4#	DISPOSABLE CUFFS NEONATES, Neo #4 , One-Tube, Arm width min/max [cm]=7~14cm, Packaging:24pcs/box,	E8/box
		5082-105-1	Y000DSN1-5#	DISPOSABLE CUFFS NEONATES, Neo #5 , One-Tube, Arm width min/max [cm]=8~15cm, Packaging:24pcs/box,	E8/box
		5082-94-3	Y000DC1	Disposable cuffs, Child size , One-Tube, Arm width min/max [cm]=15~22cm, Packaging:10pcs/box,	B0/box
		5082-95-3	Y000DSA1	Disposable cuffs, Small Adult size , One-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,	B0/box
		5082-96-3	Y000DA1	Disposable cuffs, Adult size , One-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box,	B0/box
		5082-96L-3	Y000DAL1	Disposable cuffs, Adult long size , One-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box,	C0/box
		5082-97-3	Y000DLA1	Disposable cuffs, Large Adult size , One-Tube, Arm width min/max [cm]=32~42cm, Packaging:10pcs/box,	D0/box
		5082-98-3	Y000DT1	Disposable cuffs, Thigh size , One-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box, MOQ:200PCS	D0/box
Marquette, for GE Corometrics, DINAMAP and MDE Monitors, For GE Eagle, Dash, Tram, Solar, MAC-Lab Systems 		5082-101-2	Y000DSN2-1#	DISPOSABLE CUFFS NEONATES, Neo #1 , two-Tube, Arm width min/max [cm]=3~6cm, Packaging:24pcs/box, MOQ:400PCS	E8/box
		5082-102-2	Y000DSN2-2#	DISPOSABLE CUFFS NEONATES, Neo #2 , two-Tube, Arm width min/max [cm]=4~6cm, Packaging:24pcs/box,	E8/box
		5082-103-2	Y000DSN2-3#	DISPOSABLE CUFFS NEONATES, Neo #3 , two-Tube, Arm width min/max [cm]=6~11cm, Packaging:24pcs/box,	E8/box
		5082-104-2	Y000DSN2-4#	DISPOSABLE CUFFS NEONATES, Neo #4 , two-Tube, Arm width min/max [cm]=7~14cm, Packaging:24pcs/box,	E8/box
		5082-105-2	Y000DSN2-5#	DISPOSABLE CUFFS NEONATES, Neo #5 , two-Tube, Arm width min/max [cm]=8~15cm, Packaging:24pcs/box,	E8/box
		5082-94-4	Y000DC2	Disposable cuffs, Child size , two-Tube, Arm width min/max [cm]=15~22cm, Packaging:10pcs/box, MOQ:400pcs	B0/box
		5082-95-4	Y000DSA2	Disposable cuffs, Small Adult size , two-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,MOQ:500pcs	B0/box
			Y000DSA2-A11A12	sposable cuffs, Small Adult size , two-Tube,Arm width min/max [cm]=17~25cm, Packaging:10pcs/box, MOQ:400pcs;	C5/box
		5082-96-4	Y000DA2	Disposable cuffs, Adult size , two-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box, MOQ:400pcs	B0/box
		5082-96L-4	Y000DAL2	Disposable cuffs, Adult long size , two-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box, MOQ:360pcs	C0/box
			Y000DAL2-A11A12	Disposable cuffs, Adult long size , two-Tube,Arm width min/max [cm]=28~37cm, Packaging:10pcs/box, MOQ:100pcs;	D5box
		5082-97-4	Y000DLA2	Disposable cuffs, Large Adult size , two-Tube, Arm width min/max [cm]=32~42cm, Packaging:10pcs/box, MOQ:300pcs;	D0/box
		5082-98-4	Y000DT2	Disposable cuffs, Thigh size ,two-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box, MOQ:200pcs	D0/box

Pressure Cuff Interconnect Tubing

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Instrument Connector	Yoke (cuff side)	PRICE CODE
飞利浦 Philips	Connects all sizes of Philips' reusable and disposable adult and pediatric NIBP cuffs to the monitor. Use with adult and pediatric cuffs only. CANNOT BE USED WITH NEONATAL CUFFS. Use with all Philips models except A1/A3	M1598B	YA25A06-05	Pressure Cuff Interconnect Tubing, Single tube, 5ft. 1.5M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector	347 	348 	B8
		M1599B	YA25A06-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft. 3.0M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector	347 	348 	B8
			YA25A30-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft(3m), A25>>A30, perfect fit for A02,A25,A26 tip cuff connector			B0
飞利浦 惠普 Philips HP	MP Series Patient Monitor	M1597C	YA25A45-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft(3m), A25>>A45, perfect fit for A04,A05 tip cuff connector.			C5
飞利浦 西门子 迈瑞 太空医疗 Philips Simens Mindray Spacelabs MEK,NPB, Contec	NIBP hose connects to 40401X, M45xx, M157x series pressure cuffs. Use with Philips Instrument: A1/A3, M3921A, M3923A, M3926A, M3927A, M3928A, M3929A Spacelabs: 90496 Module, Contec: CMS9000	M3918A Spacelabs P/N: 714-0018-00	YA06A06-10	Pressure Cuff Interconnect Tubing, Single tube, 10 ft 3.0 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector	348 	348 	B8
			YA06A06-10H	Pressure Cuff Interconnect Tubing, Single tube, 10ft(3m), A06>>A06, perfect fit for A04,A05 tip cuff connector.			B0
			YA06A06-12	Pressure Cuff Interconnect Tubing, Single tube, 12 ft 3.6 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector			B8
Goldway 3F Medical System			YA10A01-12	Blood Pressure Tubing (Air Hoses), single-tube, Adult-Pediatric, 12 ft., Screw Connector > Barbed to barbed connector.	514 		B0
科瑞康 井田医电 Creative Neusoft Jeteem	Jeteem: BD6000		YA18A01-10	Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Readet Air plug > Barbed to barbed connector.	319 		B0
Colin, Criticare, CSI Datascope, Nihon Kohden, Datascope			YA07A08-10	Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Male Plastic Luer Lock > Female Plastic Luer Lock. MOQ: 3000pcs			B8
Mindray			YA06A106-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft(3m), A06>>A106			B0
Physiop-control	LIFEPAK 15		YA100A03-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft(3m), A100>>A03, for sliding cuffs connector (A02,A25,A26).			B0

Pressure Cuff Interconnect Tubing

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Instrument Connector	Yoke (cuff side)	PRICE CODE
GE Dinamap, Pro, MPS	DINAMAP, Pro, Compact, MPS Series		YA24A10-08	Pressure Cuff Interconnect Tubing, two- tube, Adult-Pediatric, 8ft (2.5m) , A24>>A10,perfect fit for A09 tip cuff connector.			C7
		107365	YA24A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft.,Gray Shroud to Screw Connector, Gray.	516 	514 	C8
		107366	YA24A10-24	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 24 ft.,Gray Shroud to Screw Connecto. MOQ:30pcs	516 	 Come with Metal Connector A34	C8
		107368	YA24A16-12	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 12 ft., Gray Shroud to Female Slip Lue.MOQ:30pcs	516 	 382	C0
		107363	YA24A12-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Gray Shroud to Submin Connector, Gray.MOQ:50PCS	516 		C7
GE Marquette	Eagle 3000, Dash 2000/3000/4000,Tram 400/450/451, Tram 800. 850/851.Corometrics 120	9461-217	YA23A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft.Gray, Rectangular Connector to Screw Connector,	381 	514 	C7
		414873-001	YA23A12-12	Blood Pressure Tubing (Air Hoses), two- tube, fit for Adult-Pediatric, 12 ft.Gray, Rectangular Connector (2 holes) to Submin Connector.	381 		C7
			YA40A12-12	Blood Pressure Tubing (Air Hoses), two- tube, fit for Adult-Pediatric, 12 ft (3.6M). A40》A12, Gray, Rectangular Connector (3 holes) to Submin Connector, fit for A11			C7
		414874-001	YA23A16-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Rectangular Connector to Female Slip Luer.	381 		C0
GE medical Critikon, Kontron, Invivo	DINAMAP 1846, 8100, 9300 and Plus Series Monitors	88845	YA10A102-24	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 24 ft., Screw Connector to Screw Connector.	514 	514 	C7
		88845	YA10A12-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Screw Connector to Female Slip Luer.			C7

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Instrument Connector	Yoke (cuff side)	PRICE CODE
GE medical Corometrics GE Datex	Eagle 4000, Tram 100/200/250/300/350, Corometrics 120	9461-203	YA22A12-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Submin Connecto.			C7
		9461-214	YA22A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Screw Connector.			C7
		9461-205	YA22A16-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Round Connector to Female Slip Luer.			C0
Nihon Kohden	Bedside Monitor: BSM-4101,4103,4111,4113 Life scope P,BSM-5105,5135 Life scope A,BSM-2351,2353 Life scope L,BSM-2301,2303 Life scope I		YA28A11-08	Blood Pressure Tubing (Air Hoses), two- tube, 8ft.(2.4m), A28>A11, Fit for A12.			C0
Siemens, Drager	Multimed-Pot system fur serie SC 6000, SC 6002XL, SC 7000, SC 9000, Art. Nr.3368391 (8.2ft) Art. Nr. 5950196 (4.9ft)		YA29A06-08	Blood Pressure Tubing (Air Hoses), single-tube, 8ft(2.4m), 6.0 Air plug>A45, fit for A41.			B0

Air Hose Connectors (Cuff side)

Air Hose Connectors

- Air hose connectors to convert your air hose to use blood pressure cuffs
- Variety of shapes and styles
- Economical way to standardize your blood pressure monitors throughout your facility.

Compatibility	Productor Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
All single tube of blood pressure monitors			HL0024B	Single Tubing, Gray , Inner diameter: 5/32 in. Out diameter: 8mm, Purchasing Unit: M - Material: Silicone	all Barbed diameter 5/32 in. air connector	A2
			HL0024E	Single Tubing, Black , Inner diameter: 5/32 in. Out diameter: 8mm, Purchasing Unit: M - Material: Silicone MOQ:550m	all Barbed diameter 5/32 in. air connector	A2
		GE P/N:300959	SL0008A	Single Tubing, Gray , Φ6.0X3.0mm Purchasing Unit: M - Material: TPU	all Barbed diameter 5/32 in. air connector	A2
All two tube of blood pressure monitors			SL0008B	Two-Tubing, Gray, Inner diameter: 5/32 in. Out diameter: 3mm*2, Purchasing Unit: M - Material: TPU	all Barbed diameter 5/32 in. air connector	A5
Air Hose Connector		GE P/N:300670	A01	Barbed to Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	all Barbed diameter 5/32 in. air connector	A3/pk
L&T, Critikon, Datex (Neonatal)		Welch-allyn P/N:5082-176	A26	Barbed to Male Luer Slip type, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm tube.MOQ:4000pcs	Female Slip Luer (A03,A15,A16)	A3/pk
L&T, Critikon, Datex		GE P/N: 300667 Welch-allyn P/N: 5082-167	A25	5/32 in. ID Barbed to Male Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID4.0mm tube and OD4.0 tube.	Female Slip Luer (A03,A15,A16)	A3/pk

Compatibility	Product Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
L&T, Critikon, Datex		GE P/N: 300667 Welch-allyn P/N: 5082-167	A02	5/32 in. ID Barbed to Male Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID4.0mm tube	Female Slip Luer (A03,A15,A16)	A8/pk
L&T, Critikon, Datex		GE P/N: 300669 Welch-allyn P/N: 5082-169	A03	5/32 in. ID Barbed to Female Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID4.0mm tube	Male Slip Luer, (A02,A25,A26)	B6/pk
Regularly as the connector of air hose for neonate disposable BP cuffs		GE P/N: 300669 Welch-allyn P/N: 5082-169	A30	5/32 in. ID Barbed to Female Slip Luer, Metal, Packaging: 1piece/pk Fit for ID4.0mm tube	Male Slip Luer, (A02,A25,A26)	A2
Philips (HP), Siemens, Datascope and Colin		GE P/N: 330059 Welch-allyn P/N: 5082-184	A04	Male Bayonet to 5/32 in. ID Barbed, Metal, Packaging: <u>10pcs/pk</u> Fit for ID4.0mm tube	Female Bayonet	A8/pk
		Welch-allyn P/N: 5082-184	A05	Male Bayonet to 5/32 in. ID Barbed, Plastic, Packaging: <u>10pcs/pk</u> Fit for ID2.5mm - 4.0mm tube.	Female Bayonet	A5/pk
		GE P/N:330060	A06	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 1piece/pk Fit for ID3.0mm - 4.0mm tube.	Male Bayonet	A4
Spacelabs, Datascope and Colin		GE P/N:300668 Welch-allyn P/N:5082-168	A07	(Plastic Luer Lock) Female Locking Luer to 5/32 in. ID Barbed, Plastic, Packaging: <u>10pcs/pk</u> Fit for ID3.0mm - 4.0mm tube.	Male Locking Luer	A5/pk
		GE P/N:300665 Welch-allyn P/N:5082-165	A08	5/32 in. ID Barbed to Male Locking Luer (Plastic Luer Lock), Plastic, Packaging: <u>10pcs/pk</u> Fit for ID2.5mm - 4.0mm tube.	Female Locking Luer	A5/pk
Spacelabs, Colin, Datascope		GE P/N:300668 Welch-allyn P/N:5082-168	A36	Female Metal Luer Lock Connector; Fit for ID 3.00mm-4.00mm tube; Material: Metal; Packaging: 1 piece/pk;	Fit for A37	A6/ pcs
		GE P/N:300665 Welch-allyn P/N:5082-165	A37	Male Metal Luer Lock Connector; Fit for ID 2.50mm-4.00mm. Material: Metal; Packaging: 1 piece/pk;	Fit for A36	A6/ pcs
DINAMAP		GE P/N:300664 Welch-allyn P/N:5082-164	A09	Male Screw to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Screw	A5/pk
		GE P/N:300619 Welch-allyn P/N:5082-161	A10	5/32 in. ID Barbed to Female Screw, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube. MOQ:1600pcs	Male Screw	A8/pk
DINAMAP		GE P/N:300664 Welch-allyn P/N:5082-164	A33	Male Metal Luer Lock Connector, L=22.6mm; Fit for ID 4.00mm tube (5/32in) ; Material: Nickel-plated brass; Packaging: 1 piece/pk; MOQ:400pcs	Fit for A34	A2/ pcs
		GE P/N:300619 Welch-allyn P/N:5082-161	A34	Female Metal Luer Lock Connector, L=23.6mm, Fit for ID 4.00mm tube (5/32in) ; Material: Nickel-plated brass; Packaging: 1 piece/pk;	Fit for A33	A2/ pcs
GE, Marquette and Protocol		GE P/N:330064 Welch-allyn P/N:5082-182	A11	(Quick Disconnect Locking type) Female Submin to 5/32 in. ID Barbed, Plastic, Packaging: <u>10pcs/pk</u> Fit for ID2.5mm - 4.0mm tube.	Male Submin	A8/pk


Compatibility	Product Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
GE, Marquette, Datex-Ohmeda		GE P/N:330090	A12	(Quick Disconnect Locking type) Male Submin to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Submin	A8/pk
Marquette one-tube systems		GE P/N:330057 Welch-allyn P/N:5082-181	A13	5/32 in. ID Barbed to Female Marquette locking type Connector, Plastic, Packaging: 1piece/pk Fit for ID2.5mm - 4.0mm tube.	male Marquette locking type Connector	A7
			A14	5/32 in. ID Barbed to male Marquette locking type Connector, Plastic, Packaging: 1piece/pk Fit for ID2.5mm - 4.0mm tube.	Female Marquette locking type Connector	A2
Welch Allyn		16-41-000	A38	Female Metal Luer Lock Connetor; L=20mm; Fit for ID 4.00mm tube (5/32in) ; Material: Nickel-plated brass ; Packaging: 1 piece/pk;	Fit for A39	A6/pcs
		16-40-000	A39	Male Metal Luer Lock Connetor; L=26.5mm, Fit for ID 4.00mm tube (5/32in) ; Material: Nickel-plated brass ; Packaging: 1 piece/pk;	Fit for A38	A6/pcs
ADAPTER			A15	5/32 in. ID Barbed X2 to Female Slip Luer,, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B6/pk
			A21	5/32 in. ID Barbed X2 to 5/32 in. ID Barbed X2, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	5/32 in. ID Tube	B6/pk
			SL0424A	Y type tube adaptor, ID: 4.0mm, OD: 7.0mm MOQ:400pcs	single tube to double tube style Interconnect Tubing	A2
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800/850/851			A16	5/32 in. ID Barbed to Female Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B6/pk
Readel			A17	5/32 in. ID Barbed to Readel air socket, Plastic, Packaging: 1piece/pk	Readel air plug	A3
			A18	5/32 in. ID Barbed to Readel air plug, Plastic, Packaging: 1piece/pk Fit for ID4.0mm tube.	Readel air socket,	A3
Philips			A19	Male Bayonet socket to 5/32 in. ID Barbed, Metal, L=29mm, Packaging: 1piece/pk Fit for ID4.0mm tube.	Female Bayonet	A2
			A20	Male Bayonet socket to 5/32 in. ID Barbed, Metal, L=38mm, Packaging: 1piece/pk Fit for ID4.0mm tube.	Female Bayonet	A2


Compatibility	Product Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
The connector of air hose for Reusable BP Cufs			A31	Female Metal Luer Lock Connector, L=22mm; Fit for ID 4.00mm tube (5/32in) ; Material: Nickel-plated brass ; Packaging: 1 piece/pk;	Fit for A32	A2/ pcs
			A32	Male Metal Luer Lock Connector, L=27.3mm, Fit for ID 4.00mm tube (5/32in) Material: Nickel-plated brass Packaging: 1 piece/pk	Fit for A31	A2/ pcs
Marquette		GE P/N:330057	A13	5/32 in. ID Barbed to Female Marquette locking type socket, Plastic, Packaging: 1piece/pk	male Marquette locking type Connector	A7
			A14	5/32 in. ID Barbed to male Marquette locking type Connector, Plastic, Packaging: 1piece/pk	Female Marquette locking type socket	A2
Eagle 4000, Tram 100/200/250/300/350, Corometrics 118			A22	5/32 in. ID Barbed*2 to Round Connector, Packaging: 1piece/pk	Perfect fit for two-tubes	A5
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800/850/851, Corometrics 120			A23	Rectangular Connector, Packaging: 1piece/pk MOQ:210pcs	Perfect fit for two-tubes	A5
DINAMAP, Pro, Compact, MPS Series			A24	Gray Shroud Connector, Packaging: 1piece/pk	Perfect fit for two-tubes	A5




14

压力传感器电缆 IBP Cable







Instrument Connector



Yoke type



transducers connector



Type Disignation

X □ □ □ □ □

Yoke type: A: Appott 6pin; B: Utah 4pin; C: Edward 5pin; D: BD 7pin; E: MAXXIM 5pin; F: Philips 4pin, G: pvb, J: Medex950

Compatible Brand code, as 0014 indicated Marquette, 0015 indicated Spacelabs,

X: Indicated IBP Cable and Pressure Transducers

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
晨伟 Chenwei			X0017A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>6p6c jack,	 251		30pcs	B0
			X0017B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>Din 2.0 4pin	 251		50pcs	B0
			X0017C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>5pin,	 251		30pcs	B0
			X0017D	BD Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>7p jack,	 251		30pcs	C5
			X0017E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>5pin	 251		30pcs	C5
			X0017F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>Round 4p	 251			B0
			X0017J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Readel 4pin>6p6c jack,	 251			C5
德恩 Datex	 X0030A 		X0030A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>6p6c jack,	252 		60pcs	B0
			X0030B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>Din 2.0 4pin	252 		60pcs	B0
			X0030C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>5pin,	252 		60pcs	B0
			X0030D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>7p jack,	252 		30pcs	C5
			X0030E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>5pin	252 		30pcs	C5
			X0030F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>Round 4p	252 		30pcs	B0
			X0030J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 10J>6p6c jack,	252 			E5
福田 Fukuda	 X0026B 		X0026A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	253 			B0
			X0026B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Din 2.0 4pin	253 			B0
			X0026C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin,	253 		30pcs	B0
			X0026D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>7p jack,	253 		30pcs	C5
			X0026E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin	253 		30pcs	C5
			X0026F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Round 4p	253 		30pcs	B0
			X0026J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	253 			E5

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
通用-马葵 GE-Marquette	GE Solar, Dash, Eagle, Tram  	700075-001	X0014A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>6p6c jack,	413 			B0
		700078-001	X0014B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11p>Din2.0 4p	413 		40pcs	B0
		2021197-001	X0014C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>5pin,	413 		60pcs	B0
		700077-001	X0014D	BD Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>7p jack,	413 		40pcs	C5
			X0014E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>5pin	413 		30pcs	C5
			X0014F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>Round 4p	413 		40pcs	B0
			X0014G	Fit for PVB Transducer Adapter Cable, 12 ft.(3.6M), Rectangle 11pin>5p;	413 	816 	50pcs	C0
			X0014J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 11pin>6p6c jack,	413 			C5
			X0014K	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) , Rectangle 11pin>4pin USB	413 	1304 		B0
隆美尔 Lohmeier	M010  		X0019A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>6p6c jack,	079 		30pcs	B0
			X0019B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>Din 2.0 4pin	079 		30pcs	B0
			X0019C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>5pin,	079 		30pcs	B0
			X0019D	BD Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>7p jack,	079 		30pcs	C5
			X0019E	MAXXIM Transducer Adapter Cable, 12 ft.(3.6M), Rectangle 12p>5pin	079 		30pcs	C5
			X0019F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>Round 4p	079 		30pcs	B0
			X0019J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 12p>6p6c jack,	079 			E5
迈瑞 Mindray	PM6000,6800, T5, T8		X0016A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	030 		60pcs	B0
			X0016B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Din 2.0 4pin	030 		50pcs	B0
		0010-21-12179	X0016C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin,	030 		60pcs	B0
		001C-30-70757	X0016D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>7p jack,	030 		30pcs	C5
			X0016E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin	030 		30pcs	C5
			X0016F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Round 4p	030 		40pcs	B0
			X0016J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	030 			C5
			X0016G	PVB Transducer Adapter Cable,12 ft. (3.6M), Round 12pin>5pin.	030 		30pcs	C0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
太空, 迈瑞, 金科威 Spacelabs Mindray Goldway	Reusable and non-sterile. It may be gas sterilized. (Datex-Ohmeda TC-VTK.) For use with 690-0008-00, 690-0009-00, 690-0010-00, 690-0011-00, 690-0014-01, and 690-0015-01 transducers and all Spacelabs Medical monitoring systems. Use on 90496 also requires adapter cable 700-0028-00, sold separately. <u>Mindray</u>: PM7000, 8000,9000,6201. 		X0015A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>6p6c jack,	 377			B0
			X0015B	Utah Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>Din 2.0 4pin	 377			B0
			X0015C	Edward Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>5pin,	 377			B0
		690-0021-00	X0015D	BD Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>7p jack,	 377			C5
			X0015E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>6pin	 377		30pcs	C5
			X0015F	Philips Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>Round 4p	 377			B0
			X0015G	Fit for PVB Transducer Adapter Cable,12ft (3.6M) Round 6Pin >5Pin	 377	 816		C5
			X0015J	Medex Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin>6p6c jack,	 377			C5
			X0015K	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) ,AMP 6Pin >USB A	 377	 1304		B0
飞利浦 Philips	M1567A,M1568A kits 		X0018A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	519 			B0
			X0018B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Din 2.0 4pin	519 			B0
			X0018C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin,	519 			B0
			X0018D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>7p jack,	519 			C5
			X0018E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>5pin	519 			C5
		M1634A	X0018F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>Round 4p	519 			B0
			X0018G	Fit for PVB Transducer Adapter Cable,12ft (3.6M) Round 12Pin > 5pin	519 	 816		C0
			X0018J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	519 		40pcs	C5
			X0018K	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) ,Round 12Pin > 4pin USB	519 	 1304		B0
飞利浦 惠普 Philips HP	Philips: V24 HP		X0039A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	519 			E5
			X0039J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 12pin>6p6c jack,	519 			E5

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
西门子 Siemens	Siemens Medical:Sirecust 700, Sirecust 630 		X0001A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 10P>6p6c jack,	257 			B0
			X0001B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 10P>Din 2.0 4pin	257 			B0
			X0001C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 10P>5pin,	257 			B0
			X0001D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 10P>7p jack,	257 		30pcs	C5
			X0001E	MAXXIM Transducer Adapter Cable, 12 ft.(3.6M), Round 10P>5pin	257 		30pcs	C5
			X0001F	Philips Transducer Adapter Cable, 12 ft. (3.6M) Round 10P>Round 4p	257 		30pcs	B0
			X0001J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 10P>6p6c jack,	257 			C5
西门子 德尔格 Siemens Drager	Siemens/Darger:SC6002XL,7000, SC8000,SC9000XL  		X0002A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>6p6c jack,	258 			B0
			X0002B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>Din 2.0 4pin	258 			B0
			X0002C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>5pin,	258 			B0
			X0002D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>7p jack,	258 			C5
			X0002E	MAXXIMTransducer Adapter Cable, 12 ft. (3.6M), Round 7pin>5pin	258 			C5
			X0002F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>Round 4p	258 			B0
			X0002G	Fit for PVB Transducer Adapter Cable,12ft (3.6M) Round 7pin>5pin,	258 	 816		C0
			X0002J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 7pin>6p6c jack,	258 			C5
			X0002K	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) , Round 7Pin > 4pin USB	258 	 1304		B0
			X0002L	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) , Round 7Pin > 4pin USB	258 			B0
西门子 Siemens	Siemens/Darge  		X0031A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), DB15M>6p6c jack,				B0
			X0031B	Utah Transducer Adapter Cable, 12 ft. (3.6M), DB15M>Din 2.0 4pin			50pcs	B0
			X0031C	Edward Transducer Adapter Cable, 12 ft. (3.6M), DB15M>5pin,			50pcs	B0
			X0031D	BD Transducer Adapter Cable, 12 ft. (3.6M), DB15M>7p jack,			50pcs	C5
			X0031E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), DB15M>5pin			50pcs	C5
			X0031F	Philips Transducer Adapter Cable, 12 ft. (3.6M), DB15M>Round 4p			50pcs	B0
			X0031J	Medex Transducer Adapter Cable, 12 ft. (3.6M), DB15M>6p6c jack,				E5

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
德爾格 Drager	Drager PM8014 & PM8060 		X0032A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>6p6c jack,			40pcs	B0
			X0032B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>Din 2.0 4pin			60pcs	B0
			X0032C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>5pin,			30pcs	B0
			X0032D	BD Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>7p jack,			30pcs	C5
			X0032E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M) Round 10pin>5pin			30pcs	C5
			X0032F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>Round 4p			30pcs	B0
			X0032J	Medex Transducer Adapter Cable, 12 ft. (3.6M), Round 10pin>6p6c jack,				E5
超思 Choice:			X0033A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>6p6c jack,			50pcs	B0
			X0033B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>Din 2.0 4P			50pcs	B0
			X0033C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>5pin,			40pcs	B0
			X0033D	BD Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>7p jack,			30pcs	C5
			X0033E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>6pin			50pcs	C5
			X0033F	Philips Transducer Adapter Cable, 12 ft. (3.6M), Redel 1-Rib 6p>Round 4p			50pcs	B0
太空医疗 Spacelabs Medical	Compatible: Spacelab Ultraview 90496 , 91496 .  		X0038A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>6p6c jack,				B0
			X0038B	Utah Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>Din 2.0 4P			50pcs	B0
			X0038C	Edward Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>5pin,			50pcs	B0
			X0038D	BD Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>7p jack,			30pcs	C5
			X0038E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M) 10 pin>6pin			50pcs	C5
			X0038F	Philips Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>Round 4p			50pcs	B0
			X0038G	Fit for PVB Transducer Adapter Cable,12ft (3.6M) 10 pin> 5 pin,				C0
			X0038J	Medex Transducer Adapter Cable, 12 ft. (3.6M), 10 pin>6p6c jack,				E5
			X0038K	Fit for Ante PT-01 Adapter Cable,12ft (3.6M) , 10 pin> 4 pin USB,				B0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
Nihon Konden 日本光电	BSM-73 		X0028A	Abbott Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 14pin>6p6c jack,	256 			E5
			X0028B	Utah Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 14pin>4pin	256 			E5
			X0028C	Edward Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 14pin>5pin,	256 		30pcs	E5
			X0028D	BD Transducer Adapter Cable, 12 ft. (3.6M), Rectangle 14pin>7p jack,	256 		40pcs	E5
			X0028G	Fit for PVB Transducer Adapter Cable, 12ft (3.6M) Rectangle 14pin>5p	256 	816 		E5
			X0028K	Fit for Ante PT-01 Adapter Cable, 12ft (3.6M) , Rectangle 14pin>4P USB	256 	1304 		E5
			X0045D	BDTransducer Adapter Cable, 12 ft. (3.6M), AMP 5pin > 7p jack,				C0
MEK (KOREA)	 		X0027A	Appott Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6p6c jack,				B0
			X0027B	Utah Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>Din 2.0 4pin				B0
			X0027C	Edward Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6pin,				B0
		690-0021-00	X0027D	BD Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>7p jack,				C5
			X0027E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6pin				C5
			X0027F	Philips Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>Round 4p				B0
			X0027G	Fit for PVB Transducer Adapter Cable, 12ft (3.6M) AMP 6pin 30°>5 pin,		816 		C0
			X0027J	Medex Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6p6c jack,				E5
			X0027K	Fit for Ante PT-01 Adapter Cable, 12ft (3.6M) , AMP 6pin 30°> 4 pin USB,		1304 		B0
DATASCOPE	 		X0041A	Appott Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6p6c jack,				B0
			X0041B	Utah Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>Din 2.0 4pin				B0
			X0041C	Edward Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>6pin,				B0
			X0041D	BD Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>7p jack,				C5
			X0041E	MAXXIM Transducer Adapter Cable, 12 ft. (3.6M) AMP 6pin 30°>6pin				C5
			X0041F	Philips Transducer Adapter Cable, 12 ft. (3.6M), AMP 6pin 30°>Round 4p				C5
			X0041G	Fit for PVB Transducer Adapter Cable, 12ft (3.6M) AMP 6pin 30°>5p		816 		C0
			X0041K	Fit for Ante PT-01 Adapter Cable, 12ft (3.6M) , AMP 6pin 30°>4P USB		1304 		B0

ADAPTER (Exchange pressure transducers type)

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Function)	Plug	Yoke (transducers side)	MOQ	PRICE CODE
BD	Compatible: All monitors that accept BD plugs 		X0034A	Pressure transducers Adapter, BD to Abbott				B0
			X0034B	Pressure transducers Adapter, BD to Utah			50pcs	B0
			X0034J	Pressure transducers Adapter, BD to Medex				C0
pvb	Compatible: All monitors that accept pvb plugs		X0035A	Pressure transducers Adapter, pvb to Abbott			50pcs	B0
			X0035B	Pressure transducers Adapter, pvb to Utah			50pcs	C5
Philips	Compatible: All monitors that accept Philips plugs		X0036A	Pressure transducers Adapter, Philips to Abbott			50pcs	C5
			X0036B	Pressure transducers Adapter, Philips to Utah			50pcs	B0

ADAPTER CABLE

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	INSTRUMENT CONNECTOR	Yoke (transducers side)	MOQ	PRICE CODE
Mennen			X0025A	Adapter cable, pressure transducer interface cable, 35 cm, Round 8p>AMP 6J	015 	270 	30pcs	E5
		800-030-270	X0003A	Adapter cable, pressure transducer interface cable, 35 cm, Round 10p>2* 6J	260 	269 	50pcs	F5
Siemens		13646	X0004A	Adapter cable, pressure transducer interface cable, 35 cm, Rec16p> 2*Rou 10p	261 	272 		G0
Spacelabs Medical	For use with the 90496 and 690-0021-00.	700-0028-00	X0024A	Adapter cable, pressure transducer interface cable, 122 cm/4 ft	082 	271 		F0
GE-Marquette	GE Solar, Dash, Eagle, Tram 		X0014H	Adapter cable, pressure transducer interface cable, Durable cable for extended cable life	413 	298 		F0

DISPOSABLE PRESSURE TRANSDUCER

Compatible Brand	Product Guide	Transducer Connector	MED-LINK REF NO.	Description	MOQ	PRICE CODE
Abbott		 262	X0020A	Pressure transducer kit for patientmount application, single-use Connector: RJ11-6P6C (No.: 262) Requires IBP adapter cable.	30pcs	C2
UTAH		 263	X0020B	Pressure transducer kit for patientmount application, single-use Connector: 1.58 Jack x 4pin (No.: 263) Requires IBP adapter cable.	40pcs	C2
Edwards Baxter		 264	X0020C	Pressure transducer kit for patientmount application, single-use Connector: 5pin (No.: 264) Requires IBP adapter cable.	50pcs	C2
BD / Ohmeda		 265	X0020D	Pressure transducer kit for patientmount application, single-use Connector: Round 7pin (No.: 265) Requires IBP adapter cable.	30pcs	C2
MAXXIM		 267	X0020E	Pressure transducer kit for patientmount application, single-use Connector: 5pin (No.: 267) Requires IBP adapter cable.	30pcs	C2
Philips B.Bruan		 268	X0020F	Pressure transducer kit for patientmount application, single-use Connector: 1.0 x 4pin (No.: 268) Requires IBP adapter cable.	30pcs	C2
pvb / SIMMS		 269	X0020G	Pressure transducer kit for patientmount application, single-use Connector: 1.5 Jack x 5pin Requires IBP adapter cable.	30pcs	C2

Respiratory Mechanics
Type Disignation

RE-□□□□□


Product Type: Indicated A: Adult/ Pediatric, N: Neonatal.

001: Indicated Respiratory product code

WT: Indicated Water Trap

RE: Indicated Respiratory products


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF No.	Description (Name, Length, Packages)	Product Guide	MOQ	PRICE CODE
Mindray	PM-9000series, PM-7000, PM-6000series, BeneView	9200-10-10530	RE-WT001A	Water Trap- Adult/Pediatric, 57mm;			A6
		9200-10-10574	RE-WT001N	Water Trap- Neonate, 47mm;			A6
	PM-9000series, PM-7000series, PM-6000series,	9200-10-10533	RE-SS001A	EtCO2 Sampling Line, (2550mm), Ault, 25pcs/Bag;		450pcs	A6/ pcs




15

医用温度探头

Medical Temperature Probes



Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
YSI 400 Series • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	Philips A3 series monitor Instrument: M3926A, M3927A, M3928A, M3929A; Marquette 7000/7010,GE Eagle, Solar, Tram, Tramscope, MAC-Lab Systems	409B	W0001A	Adult Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Φ6.3 mono plug>>φ12mm disk				A9
		401	W0001B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Φ6.3 mono plug>>φ4.7mm tip				A9
		427	W0001C	paediatric Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Φ6.3 mono plug>>Φ8.0mm disk				A0
		402	W0001D	paediatric Reusable Esophageal/Rectal Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Φ6.3 mono plug>>φ3.0mm tip				A0
		4499	W0001E	Disposable Skin-surface Probe, 0.8 m, 25°C@2.25KΩ, Rectangle 2pin>>Adhesive Pad Package:24pcs/pk				L0/pk
		4491	W0001F	Adult Esophageal/Rectal Probe, 0.7 m, 25°C@2.25KΩ, Rectangle 2pin>>φ4.0mm tip Package:24pcs/pk				L0/pk
		E9004ZS	W0001G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , Φ6.3 mono plug >> Rectangle 2pin, for use with Disposable Probes				A6
		441A	W0001I	Airway Temperature Probe, 10 ft. (3.0M) ,25°C@2.25KΩ, φ2.5 mono plug >> Type L probe, 7.6 mm diameter tapered manifold fitting			40pcs	B0
德尔格 Drager	Infant Incubator/Radiant Warmer The reflective insulator serves as a barrier against ambient and radiant heat while allowing the most accurate sensing of the skin temperature.		W0020C	Reusable Skin-surface Probe, 0.8 m, 25°C@2.25KΩ, 2pin plug>>Φ8.0mm disk Package:1pcs/pk				B0
			W0020E	Disposable Skin-surface Probe, 0.8 m, 25°C@2.25KΩ, 2pin plug>>Adhesive Pad Package:24pcs/pk		BZ0109D Disposable probe pad price code: A2 /12pcs 	12pk	L0/pk
15K Series			W0011B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0m),25°C@15KΩ, Φ6.3 mono>>φ4.7mm tip			50pcs	A9

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
10K Series • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	Suitable for China OEM patient monitor: Tianrong :TR900D/E; Anke :ASC553A3, ASC553; Comon : star 8000A/B/C, star 5000,5000B/C		W0004A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@10KΩ, φ6.3 mono plug>>φ12mm disk	053 	365 		A8
			W0004B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@10KΩ, φ6.3 mono plug>>φ4.7mm tip	053 	367 		A8
			W0004C	paediatric Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@10KΩ, φ6.3 mono plug>>φ8.0mm disk	053 	366 	120pcs	A0
			W0004D	paediatric Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@10KΩ, φ6.3 mono plug>>φ3.0mm tip	053 	368 	120pcs	A0
			W0004E	Disposable Skin-surface Probe, 0.8 m, 25°C@10KΩ, Rectangle 2pin>>Adhesive Pad Package:24pcs/pk	117 		7pk	L0 /pk
			W0004F	Adult Esophageal/Rectal Probe, 0.8 m, 25°C@10KΩ, Rectangle 2pin>>φ4.0mm tip Package:24pcs/pk	117 		7pk	L0 /pk
			E9004ZS W0001G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , φ6.3 mono plug >> Rectangle 2pin, for use with Disposable Probes	053 	274 		A6
科瑞康 Creative Shenzhen	Creative patient monitor: PC-1000,5000,9000,UP-6000,		W0005A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@10KΩ, Readell 2p>>φ12mm disk	273 	365 	70pcs	B5
			W0005B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@10KΩ, Readell 2p>>φ4.7mm tip	273 	367 	50pcs	B5
18B20 series	Probes: DALLAS 18B20		W0006A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 18B20, φ6.3 stereo plug>>φ12mm disk	054 	365 	100pcs	B0
			W0006B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 18B20, φ6.3 stereo plug>>φ6.0mm tip	054 	367 	50pcs	B0

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
欧美达 Ohmeda			W0021C	paediatric Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@10KΩ, φ3.5 stereo plug>>φ8.0mm disk			50pcs	B0
飞利浦 Philips • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	All Philips temperature monitors that accept two-prong plugs 	21078A	W0003A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>φ12mm disk	051 	365 		B5
		21075A	W0003B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2 pin plug>>φ4.7mm tip	051 	367 		B5
		21076A	W0003D	paediatric Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>φ3.0mm tip	051 	368 		B7
		21091A	W0003E	Disposable Skin-surface Probe, 0.8 m, 25°C@2.25KΩ, 3.5 mono plug>>Adhesive Pad Package:24pcs/pk	369 		7pk	L0/pk
		21090A	W0003F	Adult Esophageal/Rectal Probe, 0.8 m, 25°C@2.25KΩ, 3.5 mono plug>>φ4.0mm tip Package:24pcs/pk	369 		4pk	L0/pk
			W0003G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , 2 pin plug >> Rectangle 2pin, for use with Disposable Probes	051 	274 		B3
		21082A	W0003H	Temp. probe Interconnect Cable, 8 ft. (2.4M) , 2pin plug >> φ3.5 Stereo jack, for use with Disposable Probes	051 	275 	70pcs	B3
丹麦阿提玛 S&W Artema • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	DIASCOPE G2		W0007A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, Round 10J>>φ12mm disk	276 	365 	30pcs	B5
			W0007B	Adult Reusable Esophageal/Rectal Probe, 10ft(3.0 m), 25°C@2.25KΩ, Round 10J>>φ4.7mm tip	276 	367 		B5
			W0007C	paediatric Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, Round 10J>>φ8.0mm disk	276 	366 	30pcs	B7
			W0007D	paediatric Reusable Esophageal/Rectal Probe, 10ft(3.0 m), 25°C@2.25KΩ, Round 10J>>φ3.0mm tip	276 	368 	30pcs	B7
			W0007G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , Round 10J>> Rectangle 2pin, for use with Disposable Probes	276 	274 	30pcs	B5
GE Eagle Tram, Solar Monitors,MAC- Lab Cath Lab System	• Capability to select 400 or 700 Series directly on the cable • Cables can accommodate two temperature probes simultaneously • Latex-free	402015-004 E9004ZM	W0015A	Dual Temperature Cable, 8 in., Accepts YSI 400 or 700 Series Probes				E5

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
GE Ohmeda Giraffe • Reusable temperature probes with Single Thermistors	GE Ohmeda Giraffe		W0026C	paediatric Reusable Skin-surface Probe, 10ft (3.0 m), Round 2p>>φ8.0mmdisk				C1
			W0026E	Disposable Skin surface Probe				A5
西门子 Siemens • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	Siemens medical SC 6002XL, SC7000, SC8000, SC9000XL		W0008A	Adult Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Round 7p>>φ12mm disk				B5
			W0008B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0m),25°C@2.25KΩ, Round 7p>>φ4.7mm tip				B5
			W0008C	paediatric Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@2.25KΩ, Round 7p>>φ8.0mm disk				B7
			W0008D	paediatric Reusable Esophageal/Rectal Probe, 10ft, (3.0m), 25°C@2.25KΩ, Round 7p>>φ3.0mm tip				B7
			W0008G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , 7p >> Rectangle 2pin, fit for disposable probes				B5
太空医疗 Specelabs Medical	Spacelab : New modules 90651-08, 90496, Ultraview		W0022A	Adult Reusable Skin-surface Probe, 10ft, (3.0 m), 10pin>>φ12mm disk			40pcs	B0
			W0022B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0m), 10pin>>φ4.7mm tip			50pcs	B0
			W0022G	Adult Reusable Skin-surface Probe, 10ft (3.0 m), 10pin>> Rectangle 2pin ,fit for W0001E and W0001F				B5
25°C@2.016KΩ O.S.7929	<u>O.S.7929</u>	Ref.:092 .059.60 0	W0009A	Adult Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@2.016KΩ, Din3p>>φ12mm disk			30pcs	B0
			W0009B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0m),25°C @2.016KΩ, Din3p>>φ4.7mm tip			50pcs	B0
Temp Sensor Cut Air Shields 25°C@6.867KΩ C-100	C-100 		W0010A	Adult Reusable Skin-surface Probe, 10ft, (3.0 m), 25°C@6.867KΩ, Din3p>>φ12mm disk				B0
			W0010B	Adult Reusable Esophageal/Rectal Probe, 10ft, (3.0m),25°C@6.867KΩ, Din3p>>φ4.7mm tip				B0
Air Shields Versalet	C2000		W0045K	Temp. probe Interconnect Cable, 2.2 ft. (0.67M) , MD5M >> ladder-shaped 4pin, fit for Drager temp. probes 4S and 4L			60pcs	B5
			W0045C	Pediatric Skin-surface probe Length: 1.2M Resistance: 25°C 9/9KΩ				C5
		MU1252 0	W0045E	Disposable Skin-surface Probe,1.2M, 25°C@2.25KΩ, Package:24pcs/box			10 boxes	V3 /box

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
Mindray 迈瑞 YSI 400 Series • Reusable temperature probes with Single Thermistors • Available in Rectal/Esophageal	PM6800 Series	0011-30-37393	W0013A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>φ12mm disk	277 	365 		B0
		0011-30-37392	W0013B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>φ4.7mm tip	277 	367 		B0
		0011-30-37395	W0013C	paediatric Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>Φ8.0mm disk	277 	366 	30pcs	C1
		0011-30-37394	W0013D	paediatric Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, 2pin plug>>φ3.0mm tip	277 	368 	30pcs	C1
		0011-30-37391	W0013E	Disposable Skin-surface Probe, 0.8 m, 25°C@2.25KΩ, DC5.5x2.5 plug>>Adhesive Pad Package:24pcs/pk	278 			L0 /pk
		0011-30-3790439	W0013F	Adult Esophageal/Rectal Probe, 0.8 m, 25°C@2.25KΩ, DC5.5x2.5 plug>>φ4.0mm tip Package:24pcs/pk	278 			L0 /pk
		0011-30-90438	W0013J	Temp. probe Interconnect Cable, 8 ft. (2.4M) , 2pin plug >> DC5.5x2.5Jack, for use with Disposable Probes	277 	279 	30pcs	B5
			W0013G	Temp. probe Interconnect Cable, 8 ft. (2.4M) , 2pin plug >> Rectangle 2pin, for use with Disposable Probes	277 	274 	30pcs	B5
	Mindray all module, except PM6800 Series  	0011-30-90434	W0001A	Adult Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, φ6.3 mono plug>>φ12mm disk	053 	365 		A9
		0011-30-90432	W0001B	Adult Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, φ6.3 mono plug>>φ4.7mm tip	053 	367 		A9
		0011-30-90435	W0001C	paediatric Reusable Skin-surface Probe, 10ft. (3.0 m), 25°C@2.25KΩ, φ6.3 mono plug>>Φ8.0mm disk	053 	366 		A0
		0011-30-90433	W0001D	paediatric Reusable Esophageal/Rectal Probe, 10ft. (3.0 m), 25°C@2.25KΩ, φ6.3 mono plug>>φ3.0mm tip	053 	368 		A0
		0011-30-90436	W0014J	Temp. probe Interconnect Cable, 8 ft. (2.4M) , φ6.3 mono plug >> DC5.5x2.5Jack, for use with Disposable Probes	053 	279 	50pcs	B5

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Probes,Plug)	Instrument Connector or Probe connector	Yoke (probe side) or Probe type	MOQ	PRICE CODE
Philips YSI400 Series • Reusable temperature probes with Single Thermistors			W0025A	Adult Reusable Skin-surface Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 12disk				A9
			W0025B	Adult Reusable Esophageal/Rectal Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 4.7mm tip				A9
			W0025C	paediatric Reusable Skin-surface Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 8.0mm disk				A0
			W0025D	paediatric Reusable Esophageal/Rectal Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 3.0mm tip				A0
YSI-4499 • Reusable temperature probes with Single Thermistors			W0028E	Disposable Skin-surface Probe, 24pcs/box				L0
YSI 400 • Reusable temperature probes with Single Thermistors 25°C @2.252K Ω			W0029A	Adult Reusable Skin-surface Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 12 disk				A9
			W0029C	Adult Reusable Skin-surface Probe, 10ft (3.0 m), ϕ 6.3 mono plug>> ϕ 8.0mm disk				A0



16

装配式连接器和插座

Instrument Connector and Socket



Electrocardiograph Connector

CT0056B FUKUDA EKG Price: B0  MOQ:50PCS Lock type DB15M, Gray, Plastic Fit Cable Diameter: Φ6.0	CT0056A FUKUDA EKG Price: B0  Lock type DB15M, Gray, Plastic Fit Cable Diameter: Φ6.0	CT0057M Mortala EKG Price: B0  MOQ:80PCS Lock type DB15M, Gray, Plastic Fit Cable Diameter: Φ6.0	CT0076A Siemens EKG Price: B0  MOQ:80PCS Lock type DB15M, Gray, Plastic Fit Cable Diameter: Φ6.0	CT0036A Siemens EKG Price: A0  Screw type DB15M, Gray, Metal Fit Cable Diameter: Φ6.0
CT0050A PETAS EKG Price: B0  MOQ:50PCS Screw type Round 12pin, Black, Metal, Fit Cable Diameter: Φ6.0	CT0112A RMS EKG Price: A0  Screw type DB25M, Gray, Plastic Fit Cable Diameter: Φ6.0	CT0058Q Mortala EKG Price: B0  Round 12pin, yellow, Plastic Fit Cable Diameter: Φ6.0	CT0071A Medtronic EKG Price: B0  Round 12pin, Green, Plastic Fit Cable Diameter: Φ6.0	

Patient monitor Connector for ECG

CT0038A General ECG Price: B2  MOQ:8100PCS AMP Round 6pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0057A Philips ECG Price: B2  MOQ:120PCS Round 12pin, White, Plastic, Fit Cable Diameter: Φ5.0	CT0057B Kontron ECG Price: B2  Round 12pin, Green, Plastic Fit Cable Diameter: Φ5.0	CT0057C Datex ECG Price: B2  MOQ:50PCS Locking type round 10J, Blue, Plastic, Fit Cable Diameter: Φ5.0	CT0057D NihonKonden ECG Price: B2  Round 8pin, Black, Plastic Fit Cable Diameter: Φ5.0
CT0057E Drager ECG Price: B2  Round 10pin, White, Plastic, Fit Cable Diameter: Φ5.0	CT0057F Bionet ECG Price: B2  Locking type 8pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0057G GEMS ECG Price: B2  AMP Round 5pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0057H Mennen ECG Price: B2  Round 10pin, White, Plastic Fit Cable Diameter: Φ5.0	CT0057I NK TEC-7621C ECG Price: B2  Round 11pin, Black, Plastic Fit Cable Diameter: Φ5.0
CT0057J PETAS ECG Price: B0  Screw type Din-5pin, Black, Metal, Fit Cable Diameter: Φ5.0	CT0057K PETAS ECG Price: A5  MOQ:250PCS Stereo 6.3 Plug, black, Plastic Fit Cable Diameter: Φ5.0	CT0002A Criticare ECG Price: A5  PAG 1Rib 6-pin, Green, Plastic Fit Cable Diameter: Φ5.0	CT0014C Novametrict ECG Price: B2  MOQ:30PCS Locing type 7pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0057K NK TEC-7621K ECG Price: B2  Round 11pin, Black, Plastic Fit Cable Diameter: Φ5.0
CT0077A GEMS ECG Price: B2  Lock 6pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0090A GEMS ECG Price: B2  MOQ:100PCS Rectangle 11pin, Green, Plastic Fit Cable Diameter: Φ5.0	CT0113A MEK ECG Price: A5  MOQ:50PCS Mini din 8pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0057Q Artema ECG Price: B2  MOQ:30PCS Locking type round 10J, Blue, Plastic, Fit Cable Diameter: Φ5.0	CT0101A Lohmeier ECG Price: B2  Round 5pin+5Jack, White, Plastic Fit Cable Diameter: Φ5.0

Patient monitor Connector for IBP

CT0044 Chenwie IBP Price: A5  MOQ:50PCS PAG 1Rib-5pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0105A Choice IBP Price: A5  MOQ:50PCS PAG 1Rib-6pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0085C Marquette IBP Price: B2  Rectangle 11pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0078A Philips IBP Price: B2  Round 12pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0102A Philips IBP Price: B2  MOQ:50PCS Round 10pin, White, Plastic, Fit Cable Diameter: Φ5.0
CT0103A Spacelabs IBP Price: B2  MOQ:170PCS AMP Round 6pin, Black, Plastic Fit Cable Diameter: Φ5.0	CT0058L Datex IBP Price: B2  Locking type round 10J, White, Plastic, Fit Cable Diameter: Φ5.0	CT0100A Mennen IBP Price: B2  MOQ:50PCS Locking type 8pin, Red, Plastic Fit Cable Diameter: Φ5.0	CT0076B Siemens IBP Price: B0  Lock type DB15M, Gray, Plastic Fit Cable Diameter: Φ5.0	CT0104A BD IBP Price: A5  MOQ:50PCS Round 7pin, White, Plastic Fit Cable Diameter: Φ5.0

Patient monitor Connector for SpO2 and Holter


CT0001A Mindray SpO2 Price: A5  MOQ:300PCS PAG 1Rib 5-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0106A CSI RADO SpO2 Price: A5  MOQ:250PCS PAG 1Rib 6-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0009A BCI SpO2 Price: A5  MOQ:240PCS PAG 1Rib 7-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0003A Mindray SpO2 Price: A5  PAA 2Rib 40° 6-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0008A Goldway SpO2 Price: A5  MOQ:200PCS PAA 2Rib 40° 7-pin, Blue, Plastic Fit Cable Diameter: Φ4.0
CT0017 (Original) Medilog Holter Price: B1  MOQ:50PCS PAG 1Rib 14-pin, Blue, Plastic Fit Cable Diameter: Φ5.0	CT0011D Brentwood Holter Price: B1  FGG 0B 7-pin, Grey, metal Fit Cable Diameter: Φ5.0	CT0099A Brentwood Holter Price: B2  MOQ:50PCS FGG 0B 10-pin, Grey, metal Fit Cable Diameter: Φ5.0	CT0018B Mennen SpO2 Price: C2  MOQ:50PCS FGG 2B 10-pin, Blue, metal Fit Cable Diameter: Φ4.0	CT0043A (Original) Drager SpO2 Price: F0  FGY 2B 8-pin, White, Plastic Fit Cable Diameter: Φ4.0
CT0010A CSI SpO2 Price: B1  FGG 1B 5-pin, Blue, metal Fit Cable Diameter: Φ4.0	CT0010C NONIN SpO2 Price: B1  FGG 1B 6-pin, Blue, metal Fit Cable Diameter: Φ4.0	CT0011A INVIVO SpO2 Price: B1  FGG 1B 7-pin, Blue, metal Fit Cable Diameter: Φ4.0	CT0018 Landcom Holter Price: B1  FGG 1B 10-pin, Blue, metal Fit Cable Diameter: Φ4.0	CT0034D Schiller SpO2 Price: A5  Din 7-pin, Black, Plastic Fit Cable Diameter: Φ4.0
CT0014A Novamatrix SpO2 Price: B2  Hye 7-pin, Black, Plastic Fit Cable Diameter: Φ4.0	CT0013A Simed SpO2 Price: B2  MOQ:30PCS Hye 9-pin, Black, Plastic Fit Cable Diameter: Φ4.0	CT0015A Spacelabs SpO2 Price: B2  MOQ:70PCS Hye 9-pin, Black, Plastic Fit Cable Diameter: Φ4.0	CT0058A Bruker SpO2 Price: B2  MOQ:120PCS Round 12-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0034A Datascope SpO2 Price: A5  Din 8-pin, Black, Plastic Fit Cable Diameter: Φ4.0
CT0058B Datex SpO2 Price: B2  MOQ:100PCS Round 10J, White, Plastic Fit Cable Diameter: Φ4.0	CT0058E Philips SpO2 Price: B2  Round 12-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0058F Nihon Konden SpO2 Price: B2  Round 10-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0058C S&W SpO2 Price: B2  MOQ:100PCS Round 10J, Purple, Plastic Fit Cable Diameter: Φ4.0	CT0058M Siemens SpO2 Price: B2  Round 6pin, Black, Plastic Fit Cable Diameter: Φ4.0
CT0058N Bionet SpO2 Price: B2  MOQ:90PCS Round 6pin 30°, Black, Plastic Fit Cable Diameter: Φ4.0	CT0058D Palco SpO2 Price: A5  RJ11 6P6C, Gray, Plastic Fit Cable Diameter: Φ4.0	CT0058H Mennen SpO2 Price: B2  MOQ:30PCS Round 8-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0035A Pace Tech SpO2 Price: B2  Karon 5J, Black, Metal Fit Cable Diameter: Φ4.0	CT0020A Masmo SpO2 Price: A5  HD14-pin, Gray, Plastic Fit Cable Diameter: Φ4.0
CT0020C Nellcor SpO2 Price: B2  HD14-pin, 1 bit Gray, Plastic Fit Cable Diameter: Φ5.0	CT0020D Nellcor SpO2 Price: B2  MOQ:100PCS HD14-pin, 1 bit, Blue, Plastic Fit Cable Diameter: Φ5.0	CT0058I Ohmeda SpO2 Price: B2  Locking 8P, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0058J Ohmeda SpO2 Price: B2  Locking 8J, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0058K Masmo SpO2 Price: B2  Quick Lock 6-pin, White, Plastic Fit Cable Diameter: Φ4.0
CT0058R Masmo SpO2 Price: B2  Quick Lock 6J, White, Plastic Fit Cable Diameter: Φ4.0	CT0107A Nellcor SpO2 Price: A5  DB9pin Male, Gray, Plastic Fit Cable Diameter: Φ4.0	CT0085B GEMS-Dash Price: B2  Rectangle 11pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0085A GEMS-Masmo Price: B2  MOQ:120PCS Rectangle 11pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0003E (Original) Mindray SpO2 Price: A9  MOQ:120PCS PAB 2Rib 60° 6-pin, White, Plastic Fit Cable Diameter: Φ4.0
CT0092A (Original) Mindray SpO2 Price: A9  MOQ:120PCS PAC 2Rib 80° 6-pin, White, Plastic Fit Cable Diameter: Φ4.0	CT0003F Choice SpO2 Price: B1  PAG 1Rib 9-pin, Blue, Plastic Fit Cable Diameter: Φ4.0	CT0062A Price: A5  M12 1Rib 2-pin, Black, Metal Fit Cable Diameter: Φ5.0	CT0062B Price: A5  M12 1Rib 8-pin, Black, Metal Fit Cable Diameter: Φ5.0	

Patient Monitor Socket

 E0001B Mindray ECG Price: F0/box 20pcs/box Round 6-pin socket, Black, Plastic, Flange: 30X30cm	 E0001G Mindray ECG Price: F0/box 20pcs/box MOQ:320PCS Round 6-pin socket, Black, Plastic, Flange: 23.5X23.5cm	 E0001D Mindray IBP Price: F0/box 20pcs/box AMP Round 6-pin socket, Red, Plastic, Flange: 30X30cm	 E0001F Mindray IBP Price: F0/box 20pcs/box MOQ:270PCS AMP Round 6-pin socket, Red, Plastic, Flange:23.5X23.5cm	 E0001O GEMS ECG Price: F0/box 20pcs/box MOQ:100PCS AMP Round 5-pin socket, Grey, Plastic, Flange: 30X30cm
 E0001P Siemens SpO2 Price: F0/box 20pcs/box MOQ:100PCS AMP Round 6-pin socket, Grey, Plastic, Flange: 30X30cm	 CT0108A Mindray ECG Price: A6 MOQ:50PCS Round 12-pin socket, Green, Plastic, Flange: 30X30cm	 CT0109A Mindray SpO2 Price: A6 MOQ:50PCS Round 12-pin socket, Blue, Plastic, Flange: 30X30cm	 CT0110A Mindray IBP Price: A6 MOQ:50PCS Round 12-pin socket, Red, Plastic, Flange: 30X30cm	 CT0001B Mindray SpO2 Price: A5 PKG 1-bit 5Jack Socket, Blue, Plastic
 CT0002B CSI RADO SpO2 Price: A5 MOQ:300PCS PKG 1-bit 6Jack Socket, Blue, Plastic	 CT0009B BCI SpO2 Price: A5 MOQ:250PCS PKG 1-bit 7Jack Socket, Blue, Plastic	 CT0003G Choice SpO2 Price: B1 PKG 1-bit 9Jack Socket, Blue, Plastic	 CT0017B Medilog Holter Price: B1 MOQ:100PCS PKG 1-bit 14Jack Socket, Grey, Plastic	 CT0044B Chenwie IBP Price: A5 PKG 1-bit 4Jack Socket, Grey, Plastic
 CT0003B Mindray SpO2 Price: A5 PKA 2Rib 40° 6-pin, Socket Blue, Plastic	 CT0008B Goldway SpO2 Price: A5 PKA 2Rib 60° 7-pin, Socket Blue, Plastic	 CT0011C Brentwood Holter Price: B1 EGG 0B 7Jack, socket, metal	 CT0099B Brentwood Holter Price: B1 MOQ:50PCS EGG 0B, 10Jack, socket, metal	 CT0010D CSI SpO2 Price: B1 EGG 1B, 5Jack, socket, metal
 CT0010E NONIN SpO2 Price: B1 EGG 1B, 6Jack, socket, metal	 CT0011E INVIVO SpO2 Price: B1 EGG 1B, 7Jack, socket, metal	 CT0081A Landcom Holter Price: B1 EGG 1B, 10Jack, socket, metal	 CT0068A YSI 400 TEMP Price: A1 MOQ:1500PCS 6.3 mm Stereo socket Black, Plastic	
Din1.5mm single socket, (Diffent colour can be choosed: Black,Brown, Red,Orange,Yellow,Green,Blue,Purple,Grey, White), Price Code: A1  CT0068G CT0068 CT0068 CT0068L CT0068 CT0068 CT0068 CT0068J MOQ:800PCS MOQ:30PCS MOQ:810PCS				
Din1.5mm single straight socket, (Diffent colour can be choosed: Black,Brown, Red,Orange,Yellow,Green,Blue,Purple,Grey, White), Price Code: A1  CT0111A CT0111B CT0111C CT0111 CT0111 CT0111G CT0111J MOQ:100PCS MOQ:1200PCS MOQ:100PCS MOQ:1200PCS				


Junction box (assembly)

 CT0375A Price Code: A3 MOQ:50PCS Junction box, Grey 5.0mm to 2.6mm * 2	 MOQ:300PCS CT0376A Price Code: A4 Junction box, Grey 5.0mm to 2.6mm * 3	 CT0377A Price Code: A4 MOQ:50PCS Junction box, Grey 5.0mm to 2.6mm * 4	 MOQ:300PCS CT0378A Price Code: A4 Junction box, Grey 5.0mm to 2.6mm * 5	 MOQ:250PCS CT0379A Price: A5 Junction box, Grey 6.0mm to 3.25mm * 10
---	--	---	---	---



Product Specification.


1) Application illustration












2) Key features

- 1) Various of position types suitable for different contact interface. Standard type 3-8 positions. Small size.
- 2) Contact resistance 30mohms per contact. Rated current 2A Max. Insulation resistance 50M ohms.
- 3) No electrical circuit on outer shell to meet electrical safety requirement.
- 4) Screw lock functional features, robust lock design.
- 5) Standard strain relief feature is suitable for raw cable outer diameter 4mm, 5mm and 6mm.
- 6) Color defined by customer





Socket fixing panel outline




Plus Spec.

Ref NO.	CT0141A	CT0142A MOQ:750pcs	CT0143A	CT0144A	CT0145A
Plus	3P DIN Plus	4P DIN Plus	5P 180° DIN Plus	5P 240° DIN Plus	5P 360° DIN Plus
Figure	 B6/10pcs	 B6/10pcs	 B6/10pcs	 B6/10pcs	 B6/10pcs
Ref NO.	CT0146A	CT0147A	CT0148A	CT0149A	customization
Plus	6P DIN Plus	7P 270° DIN Plus	8P 270° DIN Plus	8P 262° DIN Plus	customization
Figure	 B6/10pcs	 B6/10pcs	 B6/10pcs	 B6/10pcs	customization

Socket Spec.


Ref NO.	CT0150A	CT0151A MOQ:700pcs	CT0152A	CT0153A	CT0154A
Socket	3P DIN Socket	4P DIN Socket	5P 180° DIN Socket	5P 240° DIN Socket	5P 360° DIN Socket
Figure	 M17.8X0.75 M15.8X0.75	 M17.8X0.75 M15.8X0.75	 M17.8X0.75 M15.8X0.75	 M17.8X0.75 M15.8X0.75	 M17.8X0.75 M15.8X0.75
Ref NO.	CT0155A	CT0156A	CT0157A	CT0158A	customization
Socket	6P DIN Socket	7P 270° DIN Socket	8P 270° DIN Socket	8P 262° DIN Socket	customization
Figure	 B7/10pcs M17.8X0.75 M15.8X0.75	 B7/10pcs M17.8X0.75 M15.8X0.75	 B7/10pcs M17.8X0.75 M15.8X0.75	 B7/10pcs M17.8X0.75 M15.8X0.75	customization




17

脑电电极与连接线

EEG/EMG Lead Wires With Electorodes






Instrument Connector



Patient end termination or Electrodes





Socket



Med-link Ref No.	Description		<30pcs P.Code	>30pcs P.Code
CT0254 Series	Din1.0mm double socket, Diffent colour can be choosed: CT0254A(Black), CT0254D(Orange),CT0254C(Blue),CT0254B(Yellow)			A2
CT0068 Series See page 18-3	Din1.5mm single socket, (Diffent colour can be choosed: Black,Brown,Red, Orange, Yellow, Green, Blue, Purple, Grey, White)			A1
CT0111 Series See page 18-3	Din1.5mm single straight socket, (Diffent colour can be choosed: Black,Brown,Red, Orange, Yellow, Green, Blue, Purple, Grey, White)			A1

EEG Lead wires with Electrodes


Med-link Ref No.	Description,Name,Connector, Color,Length	Instrument side	Patient side	<30pcs P.Code	>30pcs P.Code
B143-T-BLA-60	Tooth type grabber EEG cord, 143>T, Black, L=60" (1.5 m) 5pcs/bag			T 60pcs	A0/bag
B143-T-RED-60	Tooth type grabber EEG cord, 143>T, RED, L=60" (1.5 m)			50pcs	A2
B143-T-GRN-60	Tooth type grabber EEG cord, 143>T, Green, L=60" (1.5 m)			50pcs	A2
B143-P-BLA-60	Cup Electrode EEG cord, 143>P, Black, L=60" (1.5 m) 5pcs/bag			P	A0/bag
B143-P-RED-60	Cup Electrode EEG cord, 143>P, Red, L=60" (1.5 m) 5pcs/bag			100pcs	A0/bag
B143-P-GRN-60	Cup Electrode EEG cord, 143>P, Green, L=60" (1.5 m) 5pcs/bag			500PCS	A0/bag
B143-P-10-48	EEG LEAD 10-WIRESET(48IN), KRYPTONITE				30PCS D6
B143-P-10-72	EEG LEAD 10-WIRESET(72IN), KRYPTONITE				E2
B143-P-10-96	EEG LEAD 10-WIRESET(96IN), KRYPTONITE				E8
B143-P-10-120	EEG LEAD 10-WIRESET(120IN), KRYPTONITE			20PCS	F4
B143-DP-10-60	Disposable EEG electrodes, Preattached Leadwires, Copper wires, 10 lead-Wire Set , L=60"(1.5m)				E2
B708-P-BLA-45	Compatible Biomedical Instruments EEG lead wires, 12-Lead, Radiotransparent Leadwires, Cup electrode.			P 345	50pcs K0
CT0086A	EEG Electrode, Matal: Cu/AgCl ,10pcs/pk MOQ:100PC			100pcs	E0
SL0760A	Disposable EEG Cup Electrodes, 9.2 mm diam, AgCl, 20pcs/pack;				A2/pk

EMG Lead wires with Electrodes

Med-link Ref No.	Description,Name,Connector, Color,Length	Instrument side	Patient side	MOQ	Price
B143-N-BLA-60	Needle electrode EMG cord, 143>N, Black, L=60" (1.5 m) 5pcs/bag				A0/bag
B143-N-WHE-60	Needle Electrode EEG cord, 143>N, WHE, L=60" (1.5 m)				A2
B143-N-PUR-60	Needle Electrode EEG cord, 143>N, PUR, L=60" (1.5 m)				A2
B143-N-BLU-60	Needle Electrode EEG cord, 143>N, BLU, L=60" (1.5 m)				A2
B143-N-YEL-60	Needle Electrode EEG cord, 143>N, YEL, L=60" (1.5 m)				A2
B143-N-BRO-60	Needle Electrode EEG cord, 143>N, BRO, L=60" (1.5 m)				A2
B143-N-ORA-60	Needle Electrode EEG cord, 143>N, ORA, L=60" (1.5 m)				A2
B143-N-RED	Disposable Twisted Pair Needle Electrode L=1.5M, 20pack/box				F0/box
B143-N-PUR	Disposable Twisted Pair Needle Electrode L=2.5M,20pack/box				F0/box
B143-N-BLU	Disposable Twisted Pair Needle Electrode L=1.5M,20pack/box				F0/box
B143-N-YEL	Disposable Twisted Pair Needle Electrode L=1.5M,20pack/box				F0/box
B143-N-BRO	Disposable Twisted Pair Needle Electrode L=1.5M,20pack/box				F0/box
B143-N-ORA	Disposable Twisted Pair Needle Electrode L=1.5M,20pack/box				F0/box





Lead Bead Markers

Compatible Brand	Plug	MED-LINK REF NO.	Description (Name, Length, Patient end termination, Resistance,)	MOQ	PRICE CODE
Lead Bead Markers Diameter range: 0.9mm~1.5mm		SL0373A	AAMI, 10pcs/pk, (RA,LA,RL,LL,V1,V2,V3,V4,V5,V6), Colour: White,Black,Green,Red,Red,Yellow,Green,Blue,Orange,Purple	300pcs	A4/pk
		SL0373B	IEC, 10pcs/pk, (R,L,RF,F,C1,C2,C3,C4,C5,C6), Colour: Red,Yellow,Black,Green,Red,Yellow,Green,Brown,Black,Purple	300pcs	A4/pk
		SL0373C	AAMI, 5pcs/pk, (Colour code: RA,LA,RL,LL,V), Colour: White,Black,Green,Red,Brown	300pcs	A2/pk
		SL0373D	IEC, 5pcs/pk, (Colour code: R,L,RF,F,C), Colour: Red,Yellow,Black,Green,White)	300pcs	A2/pk

OEM & ODM Service

- Med-link Co is capable to offer sockets, signal cables, patient lead wires, electrode materials, processing technology, molds and products' technical standards for ECG, EEG and EMG. Welcome OEM business.
- Meanwhile, Med-link has very experienced biomedical science engineers, electrical engineers, structural engineers to provide you ODM solution. Med-Link can produce what you design & think, moreover, we can design what you need and imagine.






18

高频手术设备电刀笔与连接线

ESU Pencil and Connecting Cable
for Electrosurgery



Our company can provide customers with a variety of standard and custom high-frequency surgical instrument cables and electrodes (Disposable and Reuseble)



Instrument connector

P351-148-13 Connecting cable for electrosurgery (Endoscope) MOQ 180PCS



P296-315-10 Bipolar Electrode Cable(US)



P296-297-10 Bipolar Electrode Cable(EURO)



P283-284-10 Bipolar Electrode Cable(EURO)



P285-286-09 Disposable Electrosurgical pencil



P876-877-10 Reusable Foot Control Electrosurgical pencil MOQ 150PCS



P913-287-03 Disposable ESU Patient Plate-Monopolar

P053-281-13 Patient Return Plate Cable




P281-903-13 Patient Return Plate Cable




P281-280-13 Patient Return Plate Cable



P913-288-03 Disposable ESU Patient Plate-Bipolar




Preset 1m cables to avoid the plug stress patients, add adhesion flexibility, reduce the pollution which Reusable return cables impacted Operation Area, Jacket can prevent dropping and the liquid splash spilled.



19

负极板 Grounding Pad



Grounding Pad

Features:

High performance mounting to skin. High safety

Optional: Adult application, Pediatric application, Bipolar plate, Monopolar, Single wire and double wires.

Part No.: P676-280-13

Description.: Grounding Pad cable,
5.3 Audio plug connector
Price code: A5



Part No.: P053-281-13

Description.: Grounding Pad cable,
4M length. 6.3 Audio plug connector
Price Code: A5



Part No.: P281-280-13

Description.: Grounding Pad cable, 4M
length, "8" shape connector(2*Φ2.35
femal contacts with a single pin)
Price Code: A5



Part No.: P677-280-13

Description.: Grounding Pad cable, "8"
shape connector(2*Φ2.35 femal contacts
without a single pin)
Price Code: A5





Part No.: P678-280-13

Description.: Grounding Pad cable, "8"
shape connector(2*Φ2.35 femal contacts
with a single pin)
Price Code: A5




Connectors can be customized




Part No.: 287-P

Description.: Grounding Pad . Pediatric, Monopolar.
Package: 1pcs/bag, 50bags/box, 8boxes/Carton
Price Code: A1/pcs, MOQ: 1box




Part No.: 288-P

Description.: Grounding Pad . Pediatric, Bipolar plate.
Package: 1pcs/bag, 50bags/box, 8boxes/Carton
Price Code: A1/pcs, MOQ: 1box




Part No.: 287

Description.: Grounding Pad. Adult,
Monopolar.
Package: 1pcs/bag, 50bags/box,
8boxes/Carton
Price Code: A1/pcs, MOQ: 1box




Part No.: 288

Description.: Grounding Pad. Adult, Bipolar
plate.
Package: 1pcs/bag, 50bags/box,
8boxes/Carton
Price Code: A1/pcs, MOQ: 1box




Part No.: P913-287-03

Description.: Grounding Pad. Adult,
Monopolar. With 1M cable.
Package: 1pcs/bag, 50bags/box,
4boxes/Carton
Price Code: H5/box, MOQ: 1box




Part No.: P913-288-03

Description.: Grounding Pad. Adult,
Bipolar plate. With 1M cable.
Package: 1pcs/bag, 50bags/box,
4boxes/Carton
Price Code: H5/box, MOQ: 1box



Part No.: P281-288-09

Description.: Grounding Pad. Adult,
Bipolar plate. With 2.8M cable.
Package: 1pcs/bag, 50bags/box,
4boxes/Carton
Price Code: A2/pcs, MOQ: 1box



Part No.: P053-288-09

Description.: Grounding Pad. Adult,
Bipolar plate. With 2.8M cable.
Package: 1pcs/bag, 50bags/box,
4boxes/Carton
Price Code: A2/pcs, MOQ: 1box



20

输液加压袋 Pressure Infusion Bag



Part No: Y000P05;
500ml Pressure Infusion Bag, with pressure indicator;
Material: White Nylon, waterproof;
Used for blood transfusion and liquid transfusion;
Package: 24pcs/Box, 2 Boxes /Carton;
MOQ: 1Box;
Price code: B1/pcs.



Part No: Y000P10;
1000ml Pressure Infusion Bag, with pressure indicator;
Material: White Nylon, waterproof;
Used for blood transfusion and liquid transfusion;
Package: 24pcs/Box, 2Boxes/Carton;
MOQ: 1Box;
Price code: B3/pcs.




Part No: Y000P30;
3000ml Pressure Infusion Bag, with pressure indicator;
Material: White Nylon, waterproof;
Used for blood transfusion and liquid transfusion;
Package: 24pcs/Box, 2Boxes/Carton;
MOQ: 1Box;
Price code: B7/pcs.

Product Facts


- Superior Data Transmission. - Shielding, Anlistatig, Low noise.
- Tough hight flexing cycle.
- Superior aging performance and enduring. - Latex-free
- Jacket material can be medical grade PVC, TPR or TPU.
- Biocompatibility: All patient contact materials are latex free and tested according to ISO 10993-5,ISO 10993-10.




DX0047A SpO2 sensor raw cable 孖支血氧线




DX0027A SpO2 sensor raw cable 圆形血氧线




DX0022A EKG raw cable 十芯心电电缆




DX0009A ECG raw cable 五芯病人电缆




DX0109A Spiral shield leadwire 单芯双屏蔽导线线




DX0012 Unshield lead wire 单芯导线线



DX0281A Difibrillation cable 除颤器手柄线



DX0132A Special medical cable 耐灭菌医用线



Model No.:型号	No. of conductor 导体数目	Conductor导体		Insulation绝缘		Inner shield内屏蔽		Inner Jacket内护套		Outside shield外屏蔽		Jacket外护套			Application 用途 / Price code
		Sectional Area(mm ²) 截面积	Constrution (No./mm) 构造	Nom.Thick (mm)厚度	Nom.Dia m.(mm) 直径	type 类型	Constrution (No./mm) 构造	Nom.Thick. (mm)厚度	Nom.Diam. (mm)外径	type 类型	Constrution (No./mm) 构造	Nom.Thick. (mm)厚度	Nom.Diam. (mm) 外径	Material 材质	
DX0047A	5	0.05	25/0.05	0.15	0.65	Spiral	48/0.08TC	/	/	/	/	0.45	2.5X5.0	TPU	SpO2 / A3
DX0027A	5	0.05	25/0.05	0.15	0.65	Spiral	43/0.08TC	0.2	1.8	Spiral	80/0.08TC	0.6	4.0	TPU	SpO2 / A4
DX0069A	5	0.06	12/0.08	0.15	0.6	Spiral	40/0.08TC	0.15	1.65	Spiral	75/0.08TC	0.4	3.3	PVC	SpO2 / A1
DX0012A	1	/	7/0.23Tinsel	/	/	/	/	/	/	/	/	0.65	2.0	TPU	EEG / A2
DX0110A	1	0.08	41/0.05	0.25	0.9	/	/	/	/	Spiral	40/0.08TC	0.35	2.0	TPU	HOLTER / A2
DX0109A	1	0.14	28/0.08	0.35	1.2	/	/	/	/	Spiral	60/0.08TC	0.4	2.6	TPU	ECG / A1
DX0023A	1	0.2	41/0.08	0.3	1.2	/	/	/	/	Spiral	60/0.08TC	0.7	3.3	TPU	EKG / A2
DX0009A	5	0.15	19/0.10	0.25	1	/	/	/	/	Spiral	90/0.10TC	0.65	5.0	TPU	ECG / A1
DX0022A	10	0.095	19/0.08	0.2	0.8	Spiral	50/0.08TC	/	/	Spiral	90/0.10TC	1.1	6.0	PVC	EKG / A3
DX0120A	4	0.22	28/0.10	0.3	1.2	/	/	/	/	Spiral	80/0.10TC	0.9	5.0	PVC	IBP / A2
DX0016A	2	0.095	19/0.08	0.2	0.8	/	/	/	/	/	/	0.95	3.5	PVC	Temp / A1 MOQ:810
DX0113A	2	0.75	68/0.10	/	/	/	/	/	/	/	/	1	3.0X6.0	PVC	ESU / A3
DX0132A	3	0.15	19/0.10	0.25	1	/	/	/	/	/	/	0.4	3.0	PVC	ESU / A1
DX0281A	5	0.15	19/0.10	0.25	1	/	/	/	/	/	/	1.2	6.5	TPU	Defib. / A0
DX0132A	10	0.095	19/0.08	0.2	0.8	/	/	/	/	Braid	168/0.10TC	1	7	TPE	Special / A0

The mandatory industry standards of YY 0784-2010 " Medical electrical equipment - Medical pulse oximetry equipment for basic safety and essential performance requirement" will be validated from June 1. 2012 onwards!!!

Q : Why to implement clinical evaluation on SpO2 Accuracy? Is it efficient to use oximeter simulators on SpO2 accuracy evaluation?

A: IS09919:2005 FF.4 at this writing has indicated: no simulators have been proven adequate for use as pulse oximeter equipment calibrators. The interaction of light and human tissue upon which pulse oximetry depends is complex. At least one effort is underway to produce a properly-validated POC that would model at least some of the optical intricacies, but no such effort has yet been completed successfully.

Thus, the primary available method of determining the SpO2 accuracy of pulse oximeter equipment is to compare its readings with the readings of CO-oximeter (which determines by optical measurements in vitro the concentration of several forms of haemoglobin in arterial blood). See also EE.2.

Q: "Med-Linket" isn't a Clinical Institution, is their report effective?

A: Med-Linket has spent 3 years for developing a type of oxygen level (FiO2) simulator, SaO2 stability evaluation system and data collection system; And Med-Linket invested nearly one million RMB on precision instruments, cooperated with the first hospital of Sun Yat-Sen University and Northern part of Guangdong people's hospital for clinical evaluation of invasive and noninvasive oximetry accuracy; This two hospitals can issue clinical evaluation report in Chinese or English as clinical institutions. The reports can be used for product registered submitting to authorities such as FDA, CE and SFDA.


Q: Compared with the laboratory of the United States, what are the advantages of Med-Linket's?

A: 1) Medlink can carry on a trial test in advance, which reduce the probability of failure during the formal evaluation; 2) Conduct the similar evaluation project, the quotation is only about half of the U.S.laboratories'. Furthermore, U.S. laboratories will charge the consulting fees according to the consulting time 3) Project lead time is 3 -4 months. And it will save the communication time and equipment transport time if cooperation with Med-linket. 4) There is no equipment import or export custom clearance issue;

Q : What other service that Med-Linket could provide?

A: 1) Algorithm verification and Accuracy verification in R&D stage; 2) Clinical evaluation consultants of Non-invasive SpO2 accuracy. 3) Clinical evaluation consultants of invasive SpO2 accuracy of.

Procedure



How to order

By Phone: Call +86 755 61120085, during our normal business hours of 8:00 AM to 5:30 PM (Beijing Time) Monday to Friday.

By Fax: Dial +86 755 61120055. Faxed orders are accepted 24 hours a day, but orders received after 3:00 PM on Friday will not be processed until the following Monday.

By Email: Send to sales@med-linket.com. As with faxed orders, any emailed orders received after 3:00 PM on Friday will not be processed until the following Monday.

Payment Methods

Wire Transfer: If you would like to remit payment directly to our bank, please call the phone number(s) above to request our bank information. When requesting our bank information, please have your Sales Order number ready. To expedite the payment process, please reference the Sales Order number on the transfer documentation. A processing fee of \$25.00 will be added to transfers less than \$1,000.00.

At this moment, the legal bank account of Med-linket is as bellowing:

- US Correspondent Bank: CITIBANK NA
- Swift BIC: CITIUS33
- Beneficiary Bank: Agricultural Bank of China Shenzhen Branch Longhua Sub-branch
- Swift BIC: ABOCCNBJ410
- Address: Agricultural Bank Building, Renminbei road, Longhua Town, Baoan District, Shenzhen, 518109, P.R.China
- Account No: 41029600040006714
- Account Name: MED-LINKET

Returns

All items shipped to MED-LINKET, regardless of purpose, must be clearly marked on the outside of the box or on internal documentation with the following. Any package that is not marked as specified may be refused delivery or discarded:

- Complete return address
- Contact name
- Contact telephone number
- RMA Number (This Number will be got from Customer Service Dept. Hot-line: +86 755 61120299-834, E-mail: user02@med-linket.com).

For all warranty return items, prior authorization to return merchandise must be obtained by contacting Med-Linket and requesting an RMA# (Return Material Authorization number). This number must appear on the outside of the shipping container or on the documentation that accompanies the shipment. Once RMA # is issued the items must be returned to MED-LINKET **within 30 days**, or the RMA# will be cancelled and a new number must be issued.

Shortages: MED-LINKET will not be responsible for short-shipped items that are not reported within three (3) business days of delivery.

Warranty Terms:

1. No warranty period for disposable products;
2. 6 months after delivery date for Reusable NIBP Cuff, Reusable ECG, EEG Electrodes and EEG Cord, ESU Pencil and Patient Return Plate Cable;
3. 12 months after delivery date for Reusable SpO2 Sensors, SpO2 Sensor Extension Cable, Temperature Probes, ECG Patient Cable and Lead wires, IBP Cable, Temp-Pulse Oximeter.

Freight Charges & Restocking Fee: Customer is responsible for all transport cost related to the return of items under warranty or for repair. We cannot reimburse freight costs or other related transport costs for any returned goods. Under no circumstances is any third party authorized to use Med-Linket's DHL, TNT, UPS and Federal Express account numbers without the prior written consent of Med-Linket. Freight collect shipments are not accepted.

- If Med-Linket determines that returned items are covered under warranty, then the items will be shipped back to customer freight prepaid via DHL, TNT, UPS and Federal Express;
- If items are not covered under warranty, customer is responsible for repairing costs and return shipping costs;
- Overstock returns within 90 days will be charged for a 25% or 50% (within 6 months) administration fee;
- Merchandise returned due to customer order error will be charged for 10% (within 15 days) or 20% (within 90 days) administration fee;
- Med-Linket will not accept returns after 6 months from the delivery date;

Credit: Some items, such as special orders, are not returnable. All returned goods should be in saleable condition and in the original packaging. Credit will only be issued upon receipt and inspection of items, and is subject to Med-Linket approval.

Shipping

Terms: Shipping charges are not included in the published prices and are the responsibility of the purchaser. Shipping charges will be added to your Invoice. For prepaid orders, the items will be shipped upon receipt of balance due. For orders on account, items will be shipped as long as credit limits have not been exceeded and the account is not past due.

Same Day Shipping: All in-stock orders received before 1:30 PM (Beijing Time) will be shipped the same day as long as the payment requirements set forth above are met.

Carrier & Rush Orders: Our standard carriers are DHL, TNT, UPS and Federal Express. If an alternate carrier is requested, an administrative fee of \$25.00 will be applied to your invoice unless a third party account number is supplied.

Insurance: If customer requests that the shipment not be insured, then both UPS and FedEx will only insure the first US\$100.00—MED-LINKET is not responsible for any additional amount and the balance due shown on the Med-Linket invoice must still be remitted in full.

If customer requests that the shipment be insured, the all the insurance fee will be responsible by purchaser.

If a "Commercial Invoice" is requested which excludes such items as taxes or shipping charges, the shipment will be insured for the amount shown on the Commercial Invoice, If the package is lost or damaged, the customer can claim only the amount shown on the Commercial Invoice but will still be held liable for the total amount of the original Med-Linket invoice.